

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Blue Whiting

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|--------|--------|-------------|------------|-----------|--------------|
| 1X14 | 37.748 | 3 | 2 | 0 | 0 | 37.753 | 37.994 | . | 99.4 | . | 1.7 |
| 2A INT | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2A NOR | 30 | 0 | 0 | 0 | 0 | 30 | . | . | . | . | . |
| 3AN EEC | 41 | 0 | 0 | 0 | 0 | 41 | . | . | . | . | . |
| 4A EEC | 10 | 3 | 0 | 0 | 0 | 13 | . | . | . | . | 1.3 |
| 4A NOR | 25 | 0 | 0 | 0 | 0 | 25 | . | . | . | . | . |
| 4B EEC | 4 | 0 | 0 | 0 | 0 | 4 | . | . | . | . | . |
| 5B1 INT | 415 | 0 | 0 | 0 | 0 | 415 | . | . | . | . | . |
| 6A EEC | 15.517 | 0 | 2 | 0 | 0 | 15.518 | . | . | . | . | 0.4 |
| 6B EEC | 5.627 | 0 | 0 | 0 | 0 | 5.627 | . | . | . | . | . |
| 7B EEC | 7.535 | 0 | 0 | 0 | 0 | 7.535 | . | . | . | . | . |
| 7C EEC | 7.291 | 0 | 0 | 0 | 0 | 7.291 | . | . | . | . | . |
| 7K EEC | 1.253 | 0 | 0 | 0 | 0 | 1.253 | . | . | . | . | . |
| 2A4AXF | 1.381 | 0 | 0 | 0 | 0 | 1.381 | 1.487 | . | 92.9 | . | . |
| 2A FRO | 137 | 0 | 0 | 0 | 0 | 137 | . | . | . | . | . |
| 5B1 FRO | 1.245 | 0 | 0 | 0 | 0 | 1.245 | . | . | . | . | . |
| 5B2 FRO | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Tusk

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-C. | 2 | 0 | 0 | 0 | 0 | 3 | 71 | . | 3.6 | . | 0.1 |
| 4A EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | 0.1 |
| 4B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 04-N. | 30 | 0 | 0 | 0 | 0 | 31 | 163 | . | 18.9 | . | 0.2 |
| 4A NOR | 29 | 0 | 0 | 0 | 0 | 29 | . | . | . | . | 0.2 |
| 4B NOR | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3A/BCD | 1 | 0 | 0 | 0 | 0 | 1 | 17 | . | 5.9 | . | 0.0 |
| 3AN EEC | 0 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3AS EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 567EI. | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 6A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2B XSV | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Sprat

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|---------|---------|-------------|------------|-----------|--------------|
| 03A. | 6.994 | 223 | 63 | 64 | 0 | 7.344 | 24.470 | . | 30.0 | . | 202.8 |
| 3AN EEC | 2.513 | 0 | 0 | 0 | 0 | 2.513 | . | . | . | . | 3.5 |
| 3AN NOR | 47 | 0 | 0 | 0 | 0 | 47 | . | . | . | . | . |
| 3AS EEC | 4.435 | 223 | 63 | 64 | 0 | 4.785 | . | . | . | . | 199.3 |
| 2AC4-C | 181.853 | 8.626 | 3.681 | 4.226 | 0 | 198.386 | 225.447 | . | 88.0 | . | 4971.4 |
| 4A EEC | 77 | 0 | 0 | 0 | 0 | 77 | . | . | . | . | . |
| 4B EEC | 159.286 | 8.432 | 1.234 | 2.433 | 0 | 171.385 | . | . | . | . | 3218.2 |
| 4C EEC | 22.490 | 194 | 2.447 | 1.793 | 0 | 26.924 | . | . | . | . | 1753.2 |
| 3BCD-C | 18.116 | 222 | 46 | 0 | 0 | 18.385 | 19.194 | . | 95.8 | . | 104.0 |
| 3C EEC | 2.421 | 222 | 46 | 0 | 0 | 2.689 | . | . | . | . | 103.9 |
| 3D24EEC | 1.063 | 0 | 0 | 0 | 0 | 1.063 | . | . | . | . | 0.0 |
| 3D25EEC | 2.837 | 0 | 0 | 0 | 0 | 2.837 | . | . | . | . | . |
| 3D26EEC | 975 | 0 | 0 | 0 | 0 | 975 | . | . | . | . | . |
| 3D27EEC | 1.791 | 0 | 0 | 0 | 0 | 1.791 | . | . | . | . | . |
| 3D28EEC | 2.916 | 0 | 0 | 0 | 0 | 2.916 | . | . | . | . | . |
| 3D29EEC | 6.113 | 0 | 0 | 0 | 0 | 6.113 | . | . | . | . | . |
| 7DE. | 185 | 0 | 0 | 0 | 0 | 185 | 1.566 | . | 11.8 | . | . |
| 7D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 7E EEC | 185 | 0 | 0 | 0 | 0 | 185 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Blue Ling

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 03- | 0 | 0 | 0 | 0 | 0 | 0 | 3 | . | 4.0 | . | 0.0 |
| 3AN EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3AS EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 24- | 0 | 0 | 0 | 0 | 0 | 0 | 4 | . | 1.0 | . | 0.0 |
| 4A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 4B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Norway Lobster

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-N. | 82 | 1 | 5 | 1 | 0 | 89 | 947 | . | 9.4 | . | 2.9 |
| 4A NOR | 58 | 1 | 2 | 0 | 0 | 61 | . | . | . | . | 1.6 |
| 4B NOR | 25 | 0 | 2 | 1 | 0 | 28 | . | . | . | . | 1.4 |
| 3A/BCD | 3.339 | 29 | 57 | 16 | 2 | 3.442 | 8.513 | . | 40.4 | . | 30.3 |
| 3AN EEC | 2.081 | 18 | 40 | 8 | 1 | 2.148 | . | . | . | . | 17.5 |
| 3AN NOR | 104 | 3 | 2 | 2 | 0 | 111 | . | . | . | . | 3.3 |
| 3AS EEC | 1.152 | 8 | 15 | 5 | 1 | 1.182 | . | . | . | . | 9.5 |
| 3C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3B EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | 0.0 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2AC4-C | 658 | 1 | 0 | 0 | 0 | 659 | 818 | . | 80.6 | . | 0.4 |
| 4A EEC | 1 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | 0.1 |
| 4B EEC | 656 | 1 | 0 | 0 | 0 | 657 | . | . | . | . | 0.3 |
| 4C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

North Deepwater Prawn

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-N. | 109 | 0 | 0 | 0 | 0 | 109 | 357 | . | 30.4 | . | 0.4 |
| 4A NOR | 109 | 0 | 0 | 0 | 0 | 109 | . | . | . | . | 0.4 |
| Ukvoteret | 1.374 | 0 | 0 | 0 | 0 | 1.374 | . | . | . | . | . |
| 1 INT | 727 | 0 | 0 | 0 | 0 | 727 | . | . | . | . | . |
| 1 XSV | 646 | 0 | 0 | 0 | 0 | 646 | . | . | . | . | . |
| 03A. | 1.689 | 41 | 40 | 34 | 7 | 1.811 | 3.980 | . | 45.5 | . | 32.5 |
| 3AN EEC | 885 | 21 | 28 | 21 | 4 | 958 | . | . | . | . | 20.9 |
| 3AN NOR | 804 | 20 | 12 | 13 | 3 | 852 | . | . | . | . | 11.6 |
| 3AS EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2AC4-C | 85 | 0 | 0 | 0 | 0 | 85 | 2.021 | . | 4.2 | . | 0.0 |
| 4A EEC | 79 | 0 | 0 | 0 | 0 | 79 | . | . | . | . | . |
| 4B EEC | 6 | 0 | 0 | 0 | 0 | 6 | . | . | . | . | 0.0 |
| 514GRN | 33 | 0 | 0 | 0 | 0 | 33 | 487 | . | 6.9 | . | . |
| 14 GRL | 33 | 0 | 0 | 0 | 0 | 33 | . | . | . | . | . |
| N1GRN. | 2.287 | 435 | 0 | 198 | 0 | 2.920 | 2.600 | . | 112.3 | . | 108.7 |
| NA1AGRL | 835 | 411 | 0 | 0 | 0 | 1.246 | . | . | . | . | 102.7 |
| NA1BGRL | 1.299 | 24 | 0 | 141 | 0 | 1.464 | . | . | . | . | 6.1 |
| NA1CGRL | 84 | 0 | 0 | 56 | 0 | 141 | . | . | . | . | . |
| NA1DGRL | 67 | 0 | 0 | 1 | 0 | 68 | . | . | . | . | . |
| NA1EGRL | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Megrim

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 3AN EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AS EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2B XSV | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 2AC4-C | 28 | 1 | 3 | 1 | 0 | 33 | 37 | . | 88.7 | . | 1.9 |
| 4A EEC | 27 | 1 | 3 | 1 | 0 | 32 | . | . | . | . | 1.9 |
| 4B EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.1 |
| 4C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Great Silver Smelt

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 34-C | 80 | 0 | 0 | 0 | 0 | 80 | 987 | . | 8.1 | . | . |
| 3AN EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 4A EEC | 70 | 0 | 0 | 0 | 0 | 70 | . | . | . | . | . |
| 4B EEC | 9 | 0 | 0 | 0 | 0 | 9 | . | . | . | . | . |
| 567. | 0 | 0 | 0 | 0 | 0 | 0 | 28 | . | . | . | . |
| 6A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Boarfish

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|--------|-------------|------------|-----------|--------------|
| 678- | 364 | 3 | 14 | 12 | 23 | 417 | 12.084 | . | 3.4 | . | 4.3 |
| 6A EEC | 27 | 3 | 14 | 12 | 23 | 80 | . | . | . | . | 4.3 |
| 6B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 7H EEC | 256 | 0 | 0 | 0 | 0 | 256 | . | . | . | . | . |
| 8A EEC | 77 | 0 | 0 | 0 | 0 | 77 | . | . | . | . | . |
| 8D EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Anglerfish (Monk)

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-N. | 1.130 | 8 | 21 | 25 | 4 | 1.187 | 1.260 | . | 94.2 | . | 16.7 |
| 4A NOR | 939 | 4 | 16 | 21 | 4 | 984 | . | . | . | . | 11.7 |
| 4B NOR | 191 | 4 | 4 | 4 | 0 | 203 | . | . | . | . | 5.0 |
| Ukvoteret | 363 | 9 | 11 | 5 | 2 | 389 | . | . | . | . | 7.3 |
| 3AN EEC | 272 | 4 | 6 | 3 | 2 | 287 | . | . | . | . | 3.8 |
| 3AN NOR | 89 | 4 | 4 | 3 | 0 | 101 | . | . | . | . | 3.4 |
| 3AS EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2AC4-C | 824 | 23 | 32 | 24 | 0 | 903 | 1.002 | . | 90.1 | . | 30.9 |
| 4A EEC | 452 | 22 | 25 | 23 | 0 | 522 | . | . | . | . | 27.6 |
| 4B EEC | 371 | 1 | 7 | 1 | 0 | 381 | . | . | . | . | 3.3 |
| 4C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 07. | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 7B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Greenland Halibut

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AN EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AS EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 1/2INT | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | . |
| 2B XSV | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | . |
| 2A-C46 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | . | . | . | . |
| 4B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Atlantic Horsemackerel

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 172 | 0 | 0 | 0 | 0 | 172 | . | . | . | . | 0.1 |
| 3AN EEC | 16 | 0 | 0 | 0 | 0 | 16 | . | . | . | . | 0.0 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AS EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| 3C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| AND ESH | 153 | 0 | 0 | 0 | 0 | 153 | . | . | . | . | . |
| 2A-14 | 4.234 | 294 | 564 | 300 | 1.198 | 6.590 | 8.352 | . | 78.9 | . | 214.6 |
| 4A EEC | 7 | 0 | 0 | 0 | 0 | 8 | . | . | . | . | 0.1 |
| 6A EEC | 3.523 | 294 | 564 | 300 | 1.198 | 5.878 | . | . | . | . | 214.4 |
| 7B EEC | 314 | 0 | 0 | 0 | 0 | 314 | . | . | . | . | . |
| 7E EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 8A EEC | 390 | 0 | 0 | 0 | 0 | 390 | . | . | . | . | . |
| 4BC7D | 259 | 0 | 6 | 0 | 0 | 266 | 265 | . | 100.4 | . | 1.6 |
| 4B EEC | 6 | 0 | 3 | 0 | 0 | 9 | . | . | . | . | 0.7 |
| 4C EEC | 5 | 0 | 3 | 0 | 0 | 9 | . | . | . | . | 0.9 |
| 7D EEC | 248 | 0 | 0 | 0 | 0 | 248 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Whiting

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 133 | 1 | 16 | 2 | 4 | 156 | . | . | . | . | 5.0 |
| 3C EEC | 25 | 0 | 6 | 0 | 0 | 30 | . | . | . | . | 1.4 |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3D EEC | 108 | 1 | 10 | 2 | 4 | 126 | . | . | . | . | 3.6 |
| 03A. | 111 | 6 | 7 | 4 | 1 | 129 | 926 | . | 13.9 | . | 4.7 |
| 3AN EEC | 91 | 5 | 6 | 3 | 1 | 106 | . | . | . | . | 3.8 |
| 3AN NOR | 3 | 1 | 0 | 1 | 0 | 5 | . | . | . | . | 0.4 |
| 3AS EEC | 17 | 0 | 1 | 0 | 0 | 18 | . | . | . | . | 0.4 |
| 2AC4. | 189 | 8 | 7 | 3 | 0 | 207 | 721 | . | 28.8 | . | 7.3 |
| 4A EEC | 99 | 8 | 5 | 1 | 0 | 112 | . | . | . | . | 5.7 |
| 4A NOR | 68 | 1 | 2 | 2 | 0 | 72 | . | . | . | . | 1.3 |
| 4B EEC | 18 | 0 | 0 | 0 | 0 | 19 | . | . | . | . | 0.1 |
| 4B NOR | 4 | 0 | 0 | 0 | 0 | 4 | . | . | . | . | 0.2 |
| 4C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Common Dab and European Flounder

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 888 | 16 | 30 | 10 | 6 | 951 | . | . | . | . | 22.8 |
| 3AN EEC | 561 | 7 | 18 | 5 | 2 | 593 | . | . | . | . | 13.3 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3AS EEC | 60 | 1 | 1 | 0 | 0 | 63 | . | . | . | . | 2.1 |
| 3C EEC | 235 | 7 | 10 | 4 | 4 | 260 | . | . | . | . | 6.6 |
| 3B EEC | 12 | 0 | 0 | 0 | 0 | 14 | . | . | . | . | 0.3 |
| 3D EEC | 19 | 0 | 1 | 0 | 0 | 20 | . | . | . | . | 0.5 |
| 2AC4-C | 370 | 9 | 15 | 10 | 1 | 406 | 1.888 | . | 21.5 | . | 9.3 |
| 4A EEC | 5 | 0 | 0 | 0 | 0 | 5 | . | . | . | . | 0.0 |
| 4B EEC | 364 | 9 | 15 | 10 | 1 | 400 | . | . | . | . | 9.3 |
| 4C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

European Hake

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 3A/BCD | 591 | 2 | 2 | 1 | 0 | 596 | 1.334 | . | 44.7 | . | 1.7 |
| 3AN EEC | 533 | 1 | 2 | 1 | 0 | 537 | . | . | . | . | 1.2 |
| 3AN NOR | 44 | 1 | 0 | 0 | 0 | 45 | . | . | . | . | 0.4 |
| 3AS EEC | 14 | 0 | 0 | 0 | 0 | 14 | . | . | . | . | 0.1 |
| 3C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2AC4-C | 1.862 | 33 | 21 | 3 | 0 | 1.919 | 2.206 | . | 87.0 | . | 41.6 |
| 4A EEC | 1.625 | 32 | 20 | 3 | 0 | 1.680 | . | . | . | . | 41.2 |
| 4B EEC | 237 | 0 | 1 | 0 | 0 | 238 | . | . | . | . | 0.4 |
| 4C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 571214 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | . | 98.3 | . | . |
| 6A EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Haddock

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 3A/BCD | 899 | 32 | 25 | 10 | 6 | 972 | 3.400 | . | 28.6 | . | 21.8 |
| 3AN EEC | 811 | 24 | 19 | 5 | 5 | 864 | . | . | . | . | 15.6 |
| 3AN NOR | 26 | 5 | 1 | 4 | 0 | 37 | . | . | . | . | 2.2 |
| 3AS EEC | 61 | 3 | 4 | 1 | 1 | 70 | . | . | . | . | 3.9 |
| 3C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| Ukvoteret | 28 | 0 | 0 | 0 | 0 | 28 | . | . | . | . | . |
| 2B XSV | 28 | 0 | 0 | 0 | 0 | 28 | . | . | . | . | . |
| 2AC4. | 1.140 | 18 | 28 | 21 | 8 | 1.216 | 2.622 | . | 46.4 | . | 22.4 |
| 4A EEC | 153 | 5 | 12 | 5 | 0 | 175 | . | . | . | . | 6.1 |
| 4A NOR | 808 | 12 | 14 | 14 | 7 | 855 | . | . | . | . | 13.6 |
| 4B EEC | 90 | 1 | 2 | 0 | 0 | 94 | . | . | . | . | 1.1 |
| 4B NOR | 90 | 0 | 0 | 2 | 0 | 92 | . | . | . | . | 1.6 |
| 1N2AB. | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2A NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 5BC6A. | 2 | 0 | 0 | 0 | 0 | 2 | 3 | . | 78.9 | . | . |
| 6A EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Atlantic Salmon

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|--------|-------------|------------|-----------|--------------|
| Ukvoteret | 11 | 0 | 0 | 0 | 0 | 11 | . | . | . | . | . |
| 3AN EEC | 7 | 0 | 0 | 0 | 0 | 7 | . | . | . | . | . |
| 4B EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | . |
| 3AS EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 3BCD-F | 9.404 | 44 | 116 | 107 | 25 | 9.696 | 16.882 | . | 57.4 | . | 55.5 |
| 3C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 3D24EEC | 4.358 | 0 | 10 | 18 | 0 | 4.386 | . | . | . | . | 2.5 |
| 3D25EEC | 4.532 | 25 | 106 | 89 | 25 | 4.777 | . | . | . | . | 48.3 |
| 3D26EEC | 513 | 19 | 0 | 0 | 0 | 532 | . | . | . | . | 4.8 |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes

Ling

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-C. | 198 | 10 | 9 | 5 | 0 | 222 | 235 | . | 94.4 | . | 9.6 |
| 4A EEC | 174 | 9 | 7 | 5 | 0 | 195 | . | . | . | . | 8.8 |
| 4B EEC | 24 | 0 | 1 | 0 | 0 | 26 | . | . | . | . | 0.8 |
| 4C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 04-N. | 507 | 3 | 4 | 6 | 2 | 523 | 1.111 | . | 47.1 | . | 5.2 |
| 4A NOR | 492 | 3 | 4 | 5 | 2 | 506 | . | . | . | . | 4.6 |
| 4B NOR | 15 | 0 | 0 | 1 | 0 | 16 | . | . | . | . | 0.6 |
| 3A/BCD | 69 | 2 | 2 | 1 | 1 | 76 | 76 | . | 99.9 | . | 2.0 |
| 3AN EEC | 48 | 1 | 2 | 1 | 0 | 52 | . | . | . | . | 1.2 |
| 3AN NOR | 18 | 1 | 0 | 0 | 0 | 19 | . | . | . | . | 0.6 |
| 3AS EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.1 |
| 3C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 05EI. | 0 | 0 | 0 | 0 | 0 | 0 | 6 | . | . | . | . |
| 5B1 EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 1/2. | 0 | 0 | 0 | 0 | 0 | 0 | 9 | . | . | . | . |
| 2A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 6X14. | 0 | 0 | 0 | 0 | 0 | 0 | 8 | . | . | . | . |
| 6A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Capelin

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 514GRN | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 14 GRL | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Atlantic Mackerel

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|--------|--------|-------------|------------|-----------|--------------|
| 2A34. | 38.041 | 5 | 61 | 4 | 1 | 38.113 | 13.354 | . | 285.4 | . | 154.6 |
| 3AN EEC | 37 | 0 | 0 | 0 | 0 | 38 | . | . | . | . | 0.3 |
| 4A EEC | 18.654 | 4 | 11 | 4 | 0 | 18.672 | . | . | . | . | 141.6 |
| 4B EEC | 540 | 0 | 49 | 0 | 0 | 589 | . | . | . | . | 12.2 |
| 6A EEC | 18.595 | 0 | 1 | 0 | 1 | 18.597 | . | . | . | . | 0.3 |
| 5B1 FRO | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 4B NOR | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| 3AN NOR | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.1 |
| 3AS EEC | 158 | 0 | 0 | 0 | 0 | 158 | . | . | . | . | 0.0 |
| 4C EEC | 21 | 0 | 0 | 0 | 0 | 21 | . | . | . | . | 0.1 |
| 3C EEC | 24 | 0 | 0 | 0 | 0 | 24 | . | . | . | . | 0.0 |
| 3B EEC | 7 | 0 | 0 | 0 | 0 | 7 | . | . | . | . | 0.0 |
| 3D EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | 0.0 |
| 2A4A-N | 2.288 | 0 | 0 | 0 | 0 | 2.289 | 14.886 | . | 15.4 | . | 0.0 |
| 2A NOR | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 4A NOR | 2.288 | 0 | 0 | 0 | 0 | 2.288 | . | . | . | . | 0.0 |
| 2CX14- | 846 | 0 | 0 | 0 | 0 | 846 | 10.221 | . | 8.3 | . | . |
| 7B EEC | 749 | 0 | 0 | 0 | 0 | 749 | . | . | . | . | . |
| 7E EEC | 96 | 0 | 0 | 0 | 0 | 96 | . | . | . | . | . |
| 8A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Saithe

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2B XSV | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 1N2AB. | 4 | 0 | 0 | 0 | 0 | 4 | . | . | . | . | . |
| 2A NOR | 4 | 0 | 0 | 0 | 0 | 4 | . | . | . | . | . |
| 2A34. | 3.736 | 115 | 119 | 94 | 19 | 4.083 | 4.091 | . | 99.8 | . | 132.3 |
| 3AN EEC | 731 | 27 | 30 | 23 | 5 | 816 | . | . | . | . | 26.5 |
| 4A EEC | 836 | 68 | 44 | 27 | 0 | 975 | . | . | . | . | 63.6 |
| 4A NOR | 1.760 | 12 | 36 | 33 | 13 | 1.854 | . | . | . | . | 31.1 |
| 4B EEC | 59 | 0 | 3 | 0 | 0 | 62 | . | . | . | . | 1.4 |
| 4B NOR | 154 | 2 | 2 | 5 | 0 | 163 | . | . | . | . | 4.1 |
| 3AN NOR | 187 | 6 | 4 | 6 | 0 | 203 | . | . | . | . | 5.7 |
| 3AS EEC | 4 | 0 | 0 | 0 | 1 | 5 | . | . | . | . | 0.0 |
| 4C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3C EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| 3B EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 56-14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | . | 88.6 | . | . |
| 6A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes

Other species

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-N. | 3.841 | 46 | 26 | 14 | 5 | 3.932 | 4.470 | . | 88.0 | . | 56.4 |
| AHM | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| AND | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| BLL | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| BSP | 9 | 0 | 1 | 0 | 0 | 11 | . | . | . | . | 0.5 |
| BYL | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| COE | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| FJS | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| GFB | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| GHJ | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| GHV | 14 | 0 | 0 | 0 | 0 | 15 | . | . | . | . | 0.1 |
| HAK | 385 | 0 | 0 | 0 | 0 | 385 | . | . | . | . | 0.2 |
| HAM | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| HLF | 84 | 1 | 1 | 1 | 0 | 86 | . | . | . | . | 0.6 |
| HMK | 17 | 0 | 0 | 0 | 0 | 17 | . | . | . | . | . |
| HSG | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| ISG | 84 | 1 | 0 | 0 | 0 | 85 | . | . | . | . | 1.5 |
| KLM | 1.866 | 37 | 15 | 3 | 1 | 1.920 | . | . | . | . | 43.8 |
| KNH | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| KNK | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| KNR | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| KRA | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| KSO | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| LSJ | 89 | 0 | 2 | 3 | 1 | 96 | . | . | . | . | 1.9 |
| PGH | 119 | 0 | 0 | 0 | 0 | 120 | . | . | . | . | 0.5 |
| PHJ | 12 | 0 | 1 | 0 | 0 | 13 | . | . | . | . | 0.4 |
| PLR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| RDF | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| REB | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| ROK | 30 | 0 | 0 | 0 | 0 | 31 | . | . | . | . | 0.4 |
| RTG | 764 | 2 | 2 | 0 | 0 | 769 | . | . | . | . | 2.0 |
| SHJ | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| SKI | 328 | 4 | 4 | 5 | 2 | 343 | . | . | . | . | 4.0 |
| SKR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| SLH | 28 | 0 | 0 | 0 | 0 | 29 | . | . | . | . | 0.3 |

(Continued)

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Other species

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 04-N. SMD | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| SMR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| SNE | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| SPF | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| STB | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| TAK | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| TNG | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Turbut and Brill

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 224 | 7 | 11 | 4 | 1 | 247 | . | . | . | . | 7.2 |
| 3AN EEC | 89 | 4 | 7 | 2 | 1 | 103 | . | . | . | . | 4.0 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3AS EEC | 31 | 1 | 1 | 0 | 0 | 34 | . | . | . | . | 1.2 |
| 3C EEC | 65 | 2 | 2 | 1 | 0 | 70 | . | . | . | . | 1.6 |
| 3B EEC | 4 | 0 | 0 | 0 | 0 | 4 | . | . | . | . | 0.1 |
| 3D EEC | 34 | 0 | 1 | 0 | 0 | 36 | . | . | . | . | 0.4 |
| 2AC4-C | 466 | 5 | 10 | 6 | 0 | 488 | 489 | . | 99.7 | . | 5.7 |
| 4A EEC | 4 | 0 | 0 | 0 | 0 | 4 | . | . | . | . | 0.0 |
| 4B EEC | 436 | 5 | 10 | 6 | 0 | 458 | . | . | . | . | 5.7 |
| 4C EEC | 26 | 0 | 0 | 0 | 0 | 26 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Picked Dogfish

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 8 | 0 | 0 | 0 | 0 | 9 | . | . | . | . | 0.1 |
| 3AN NOR | 8 | 0 | 0 | 0 | 0 | 9 | . | . | . | . | 0.1 |
| 3C EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2AC4-C | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 4A EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 4B EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 03A-C. | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3AN EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

European Plaice

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|--------|--------|-------------|------------|-----------|--------------|
| 3BCD-C | 1.202 | 58 | 76 | 51 | 62 | 1.450 | 2.777 | . | 52.2 | . | 57.1 |
| 3C EEC | 895 | 46 | 63 | 48 | 58 | 1.109 | . | . | . | . | 43.3 |
| 3D24EEC | 162 | 3 | 6 | 1 | 1 | 174 | . | . | . | . | 4.6 |
| 3D25EEC | 48 | 7 | 3 | 1 | 1 | 60 | . | . | . | . | 7.0 |
| 3D26EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 3B EEC | 97 | 2 | 4 | 1 | 2 | 106 | . | . | . | . | 2.1 |
| 03AN. | 7.691 | 50 | 162 | 38 | 23 | 7.963 | 9.234 | . | 86.2 | . | 87.1 |
| 3AN EEC | 7.676 | 50 | 162 | 38 | 23 | 7.948 | . | . | . | . | 87.1 |
| 3AN NOR | 15 | 0 | 0 | 0 | 0 | 15 | . | . | . | . | 0.0 |
| 03AS. | 859 | 41 | 51 | 13 | 8 | 972 | 2.089 | . | 46.5 | . | 46.1 |
| 3AS EEC | 859 | 41 | 51 | 13 | 8 | 972 | . | . | . | . | 46.1 |
| 2A3AX4 | 15.829 | 150 | 330 | 231 | 5 | 16.544 | 27.010 | . | 61.3 | . | 158.1 |
| 4A EEC | 59 | 0 | 0 | 0 | 0 | 59 | . | . | . | . | 0.4 |
| 4A NOR | 1.889 | 0 | 2 | 0 | 0 | 1.891 | . | . | . | . | 0.6 |
| 4B EEC | 7.463 | 128 | 285 | 230 | 5 | 8.111 | . | . | . | . | 132.5 |
| 4B NOR | 6.299 | 21 | 9 | 0 | 0 | 6.330 | . | . | . | . | 16.3 |
| 4C EEC | 120 | 0 | 33 | 0 | 0 | 153 | . | . | . | . | 8.3 |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Lemon Sole and Witch Flounder

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 259 | 2 | 4 | 1 | 1 | 268 | . | . | . | . | 2.4 |
| 3AN EEC | 234 | 2 | 3 | 1 | 1 | 242 | . | . | . | . | 1.9 |
| 3AN NOR | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | 0.0 |
| 3AS EEC | 20 | 0 | 1 | 0 | 0 | 21 | . | . | . | . | 0.5 |
| 3C EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.0 |
| 3B EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 2AC4-C | 424 | 6 | 19 | 8 | 1 | 459 | 906 | . | 50.6 | . | 10.4 |
| 4A EEC | 106 | 3 | 2 | 3 | 0 | 114 | . | . | . | . | 3.5 |
| 4B EEC | 311 | 3 | 11 | 5 | 1 | 332 | . | . | . | . | 5.6 |
| 4C EEC | 8 | 0 | 5 | 0 | 0 | 13 | . | . | . | . | 1.3 |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Porbeagle

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AN EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes

Atlantic Herring

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|---------|---------|-------------|------------|-----------|--------------|
| 03A. | 4.398 | 0 | 0 | 0 | 0 | 4.398 | 16.538 | . | 26.6 | . | 151.0 |
| 3AN EEC | 3.294 | 0 | 0 | 0 | 0 | 3.294 | . | . | . | . | 151.0 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AS EEC | 1.104 | 0 | 0 | 0 | 0 | 1.104 | . | . | . | . | 0.0 |
| 03A-BC | 2.170 | 0 | 69 | 0 | 0 | 2.239 | 5.406 | . | 41.4 | . | 17.2 |
| Bifangst | 2.170 | 0 | 69 | 0 | 0 | 2.239 | . | . | . | . | 17.2 |
| 1/2- | 10.384 | 0 | 0 | 0 | 0 | 10.384 | 10.331 | . | 100.5 | . | . |
| 2A INT | 219 | 0 | 0 | 0 | 0 | 219 | . | . | . | . | . |
| 2A NOR | 8.271 | 0 | 0 | 0 | 0 | 8.271 | . | . | . | . | . |
| 2A FRO | 1.895 | 0 | 0 | 0 | 0 | 1.895 | . | . | . | . | . |
| 22/24 | 5.007 | 392 | 301 | 13 | 41 | 5.754 | 6.227 | . | 92.4 | . | 267.0 |
| 3C EEC | 20 | 0 | 0 | 0 | 0 | 21 | . | . | . | . | 0.3 |
| 3D24EEC | 4.730 | 391 | 301 | 13 | 41 | 5.477 | . | . | . | . | 266.6 |
| 3B EEC | 257 | 0 | 0 | 0 | 0 | 257 | . | . | . | . | 0.1 |
| 25/32 | 4.574 | 0 | 0 | 0 | 0 | 4.574 | 5.091 | . | 89.8 | . | 0.0 |
| 3D25EEC | 1.326 | 0 | 0 | 0 | 0 | 1.326 | . | . | . | . | 0.0 |
| 3D26EEC | 145 | 0 | 0 | 0 | 0 | 145 | . | . | . | . | . |
| 3D27EEC | 708 | 0 | 0 | 0 | 0 | 708 | . | . | . | . | . |
| 3D28EEC | 862 | 0 | 0 | 0 | 0 | 862 | . | . | . | . | . |
| 3D29EEC | 1.533 | 0 | 0 | 0 | 0 | 1.533 | . | . | . | . | . |
| 2A47DX | 10.274 | 0 | 1.348 | 0 | 0 | 11.622 | 14.069 | . | 82.6 | . | 337.0 |
| Bifangst | 10.274 | 0 | 1.348 | 0 | 0 | 11.622 | . | . | . | . | 337.0 |
| 4AB. | 115.244 | 1.138 | 3.675 | 609 | 0 | 120.665 | 111.602 | . | 108.1 | . | 2595.4 |
| 4A EEC | 75.093 | 1.138 | 3.415 | 589 | 0 | 80.234 | . | . | . | . | 2530.4 |
| 4A NOR | 16.233 | 0 | 0 | 0 | 0 | 16.233 | . | . | . | . | . |
| 4B EEC | 23.715 | 0 | 260 | 20 | 0 | 23.995 | . | . | . | . | 65.0 |
| 4B NOR | 204 | 0 | 0 | 0 | 0 | 204 | . | . | . | . | . |
| 4CXB7D | 26 | 0 | 0 | 0 | 0 | 26 | 9 | . | 288.9 | . | . |
| 4C EEC | 26 | 0 | 0 | 0 | 0 | 26 | . | . | . | . | . |
| 5B6ANB | 20 | 0 | 2 | 0 | 1 | 23 | 24 | . | 96.1 | . | 0.5 |
| 6A EEC | 20 | 0 | 2 | 0 | 1 | 23 | . | . | . | . | 0.5 |
| 7G-K. | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 7G EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Skates and Rays

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.1 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.1 |
| 2AC4-C | 9 | 0 | 1 | 0 | 0 | 10 | 11 | . | 91.8 | . | 0.4 |
| 4A EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | 0.0 |
| 4B EEC | 7 | 0 | 1 | 0 | 0 | 8 | . | . | . | . | 0.4 |
| 4C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 03A-C. | 17 | 0 | 0 | 0 | 0 | 18 | 37 | . | 47.6 | . | 0.3 |
| 3AN EEC | 14 | 0 | 0 | 0 | 0 | 15 | . | . | . | . | 0.1 |
| 3AS EEC | 3 | 0 | 0 | 0 | 0 | 3 | . | . | . | . | 0.1 |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Roundnose Grenadier

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 03- | 1 | 0 | 0 | 0 | 0 | 1 | 329 | . | 0.3 | . | 0.0 |
| 3AN EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | 0.0 |
| 3AS EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 124- | 0 | 0 | 0 | 0 | 0 | 0 | 1 | . | . | . | . |
| 4A EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Norway Pout

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|--------|--------|-------------|------------|-----------|--------------|
| 04-N. | 23 | 0 | 0 | 0 | 0 | 23 | . | . | . | . | . |
| 4A NOR | 23 | 0 | 0 | 0 | 0 | 23 | . | . | . | . | . |
| 4B NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2A3A4. | 10.724 | 0 | 0 | 0 | 0 | 10.724 | 99.907 | . | 10.7 | . | . |
| 3AN EEC | 926 | 0 | 0 | 0 | 0 | 926 | . | . | . | . | . |
| 4A EEC | 8.611 | 0 | 0 | 0 | 0 | 8.611 | . | . | . | . | . |
| 4B EEC | 1.184 | 0 | 0 | 0 | 0 | 1.184 | . | . | . | . | . |
| 3AS EEC | 2 | 0 | 0 | 0 | 0 | 2 | . | . | . | . | . |
| 4C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Sandeel

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|-------------------------|----------------|------------|------------|------------|------------|--------|--------|----------------|---------------|--------------|-----------------|
| 04-N. | 20 | 0 | 0 | 0 | 0 | 20 | . | . | . | . | . |
| 4B NOR | 20 | 0 | 0 | 0 | 0 | 20 | . | . | . | . | . |
| Ukvoteret | 902 | 0 | 0 | 0 | 0 | 902 | . | . | . | . | 0.0 |
| 3C EEC | 23 | 0 | 0 | 0 | 0 | 24 | . | . | . | . | 0.0 |
| 3D EEC | 878 | 0 | 0 | 0 | 0 | 878 | . | . | . | . | . |
| 2A3A4. Area | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2A3A4. Area 1 | 12.532 | 0 | 0 | 0 | 0 | 12.532 | 12.518 | . | 100.1 | . | . |
| 2A3A4. Area 2 | 3.865 | 0 | 0 | 0 | 0 | 3.865 | 4.868 | . | 79.4 | . | . |
| 2A3A4. Area 3 | 6.008 | 0 | 0 | 0 | 0 | 6.008 | 48.787 | . | 12.3 | . | . |
| 2A3A4. Area 4 | 5.824 | 0 | 0 | 0 | 0 | 5.824 | 5.895 | . | 98.8 | . | . |
| 2A3A4. Area 5 | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2A3A4. Area 6 | 125 | 0 | 0 | 0 | 0 | 125 | 196 | . | 63.8 | . | . |
| 2A3A4. Area 7 | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 2A3A4. Not allocated | 96 | 0 | 0 | 0 | 0 | 96 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Common Sole

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| 3A/BCD | 250 | 18 | 17 | 5 | 4 | 294 | 352 | . | 83.6 | . | 16.1 |
| 3AN EEC | 70 | 3 | 2 | 1 | 1 | 76 | . | . | . | . | 2.1 |
| 3AN NOR | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 3AS EEC | 131 | 14 | 12 | 4 | 2 | 162 | . | . | . | . | 11.9 |
| 3C EEC | 38 | 1 | 3 | 1 | 1 | 44 | . | . | . | . | 1.9 |
| 3B EEC | 11 | 0 | 0 | 0 | 0 | 11 | . | . | . | . | 0.1 |
| 3D EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | 0.0 |
| 24-C. | 349 | 1 | 3 | 2 | 0 | 355 | 400 | . | 88.7 | . | 2.0 |
| 4A EEC | 6 | 0 | 0 | 0 | 0 | 6 | . | . | . | . | . |
| 4B EEC | 313 | 1 | 3 | 2 | 0 | 319 | . | . | . | . | 2.0 |
| 4C EEC | 30 | 0 | 0 | 0 | 0 | 30 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area

**Landings by Danish vessels in 2016.
Salmon is in pieces, other species in tonnes**

Atlantic Cod

| Area and Economic Zone | Week 1 - 48 | Week 49 | Week 50 | Week 51 | Week 52 | Total | Quota | EU quantity | % Utilized | Fix point | Avg. 47 - 50 |
|------------------------|-------------|---------|---------|---------|---------|-------|-------|-------------|------------|-----------|--------------|
| Ukvoteret | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 4L EEC | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |
| 03AN. | 3.289 | 90 | 191 | 66 | 60 | 3.696 | 3.747 | . | 98.6 | . | 110.2 |
| 3AN EEC | 3.150 | 79 | 188 | 57 | 59 | 3.533 | . | . | . | . | 103.6 |
| 3AN NOR | 139 | 11 | 3 | 9 | 1 | 163 | . | . | . | . | 6.6 |
| 03AS. | 149 | 9 | 16 | 4 | 7 | 186 | 233 | . | 80.0 | . | 10.7 |
| 3AS EEC | 149 | 9 | 16 | 4 | 7 | 186 | . | . | . | . | 10.7 |
| 2A3AX4 | 6.296 | 106 | 134 | 135 | 41 | 6.712 | 6.767 | . | 99.2 | . | 139.2 |
| 4A EEC | 1.052 | 49 | 26 | 32 | 2 | 1.161 | . | . | . | . | 50.8 |
| 4A NOR | 2.615 | 25 | 57 | 59 | 34 | 2.791 | . | . | . | . | 43.4 |
| 4B EEC | 1.961 | 25 | 45 | 34 | 5 | 2.070 | . | . | . | . | 31.8 |
| 4B NOR | 667 | 6 | 7 | 9 | 0 | 690 | . | . | . | . | 13.2 |
| 4C EEC | 1 | 0 | 0 | 0 | 0 | 1 | . | . | . | . | . |
| 22/24 | 4.863 | 103 | 235 | 127 | 153 | 5.481 | 6.751 | . | 81.2 | . | 124.8 |
| 3C EEC | 1.699 | 28 | 45 | 39 | 28 | 1.838 | . | . | . | . | 24.1 |
| 3D24EEC | 2.565 | 56 | 169 | 76 | 113 | 2.979 | . | . | . | . | 74.5 |
| 3B EEC | 599 | 20 | 21 | 12 | 13 | 665 | . | . | . | . | 26.2 |
| 25/32 | 6.313 | 134 | 208 | 55 | 26 | 6.736 | 9.940 | . | 67.8 | . | 145.4 |
| 3D25EEC | 4.417 | 26 | 123 | 36 | 13 | 4.616 | . | . | . | . | 55.7 |
| 3D26EEC | 1.858 | 108 | 85 | 19 | 13 | 2.083 | . | . | . | . | 89.7 |
| 3D27EEC | 37 | 0 | 0 | 0 | 0 | 37 | . | . | . | . | . |
| 1/2B. | 472 | 0 | 0 | 0 | 0 | 472 | 495 | . | 95.5 | . | . |
| 2B XSV | 472 | 0 | 0 | 0 | 0 | 472 | . | . | . | . | . |
| 2B INT | 0 | 0 | 0 | 0 | 0 | 0 | . | . | . | . | . |

Source: The Danish Agrifish Agency' Sales Notes Register the 2 January 2018 5:29.- Preliminary figures.

Note : Some of the contributing data might not been adjusted with the correct area