Proposal for Fisheries Management Measures for the protection of reef structures (H1170) in Natura 2000 sites located in Danish territorial waters in western Baltic Sea

Draft submission to the European Commission

Draft proposal for Fisheries Management Measures under article 11 and 18 of Regulation (EU) No 1380/2013 of The European Parliament and of the Council of 11 December 2013 on the Common Fisheries Policy, amending Council Regulations (EC) No 1954/2003 and (EC) No 1224/2009 and repealing Council Regulations (EC) No 2371/2002 and (EC) No 639/2004 and Council Decision 2004/585/EC

Slettet: W

${\it 2.DRAFT June~2016-Proposal~for~fisheries~management~measures~in~Danish~Natura~2000~sites}$ in the western Baltic Sea

Sammenfatning......5

| 1. Introduction | |
|---|--|
| 1.1 General remarks | |
| | |
| 1.2 Overall aim of the present proposal | |
| 1.3 Recommendations to be implemented | |
| 2. Legal framework | |
| | |

Content Summary

| Siettet: 9 | | |
|------------|--|--|
| | | |
| | | |
| | | |
| | | |

| 1.1 General remarks | |
|---|-------------|
| 1.2 Overall aim of the present proposal | 8 |
| 1.3 Recommendations to be implemented | 8, |
| 2. Legal framework | 10 |
| 2.1 Common Fisheries Policy | 10 |
| 2.2 Access to the Danish Natura sites | 11 |
| 2.3 Implementation of Natura 2000 in Denmark | 11 |
| 2.3.1 Designation of Natura 2000 sites in Denmark | 12 |
| 2.3.2 Mapping of marine Natura 2000 sites | 13 |
| 3. Process | 14 |
| 3.1 National coordination and consultation | 14 |
| 3.1.1 Natura 2000 Dialogue Forum | 14 |
| 3.1.2 Meetings with stakeholders | 15 |
| 3.1.3 Involvement of Parliament and Committees within the Ministry of Food, Agriculture and Fisheries | 15 |
| 3.1.4 Peer review of the proposal | 16 |
| 3.2 International coordination – regionalization | 16 |
| 3.2.1. Pre-consultations [this section will be finalized at a later stage] | 16 |
| 3.2.2 Informal consultations with other Member States [to be finalized after consultation] | 17 |
| 3.2.3 Consultations with Advisory Councils to be finalized after consultation | 17 |
| 4. Principles and rationale | |
| 5. Scope of the present proposal | |
| 5.1 Description of the Natura 2000 sites concerned | 21 |
| 5.1.1 Natura 2000 site: Adler Grund og Rønne Banke | <u>25</u> |
| 5.1.2 Natura 2000 site: Centrale Storebælt og Vresen | <u>25</u> |
| 5.1.3 Natura 2000 site: Flensborg Fjord, Bredgrund og farvandet omkring Als | <u>26,</u> |
| 5.2 Description of proposed fisheries management measures | 27, |
| 5.2.1 Purpose of the present proposal | <u>27</u> |
| 5.2.2 Assessment of adequacy, proportionality and the precautionary principle | <u>28</u> |
| 6. Restriction of fisheries within the Danish Natura 2000 sites | <u>30</u> , |
| 6.1 Fleet activity and type of fisheries [YET TO BE FINALIZED] | <u>30</u> , |
| 6.2 Target species and annual trends | <u>32</u> |
| 6.3 Displacement | 4 <u>41</u> |
| 6.4 Control, enforcement and monitoring | <u>41</u> , |
| 6.4.1 Control and enforcement | <u>42</u> |
| 6.4.2 The national monitoring program – NOVANA | <u>43</u> |
| References | 44 |

List of Annexes

| Slettet: 24 | | |
|-------------|--|--|
| Slettet: 24 | | |
| Slettet: 25 | | |
| Slettet: 26 | | |
| Slettet: 26 | | |
| Slettet: 27 | | |
| Slettet: 29 | | |
| Slettet: 29 | | |
| Slettet: 31 | | |
| Slettet: 40 | | |
| Slettet: 40 | | |
| Slettet: 41 | | |
| Slettet: 41 | | |
| Slettet: 43 | | |
| Slettet: 45 | | |

Summary

For the implementation of the EU Nature directives (Habitat- and Birds Directives), Denmark has designated 97 marine Natura 2000 sites in Danish territorial waters of the Western Baltic, Kattegat, Skagerrak and the North Sea. A total of 65 sites have been designated for the protection of reef structures with the following habitat codes: H1170 (reefs) and H1180 (submarine structures made by leaking gasses). In general, the conservation status of reef structures in the Danish Natura 2000 sites are classified as unfavorable due to physical disturbances and high nutrient content in the water column.

The overall aim of the present proposal is to ensure adequate protection of reef structures from fishery, and thereby contribute to the obligation of achieving favourable conservation status for these habitat types in accordance with Article 6 (2) of the Habitats Directive.

The present proposal entails fishery management measures for a total of three sites:

One Natura 2000 site is located in the Danish Exclusive Economic zone in the Baltic Sea (outside 12 nautical miles):

1. Adler Grund og Rønne Banke (EU site code: DK00VA261)

Two Natura 2000 sites are located in the Danish part of the western Baltic Sea between the baseline and 12 nautical miles:

- 2. Centrale Storebælt og Vresen (EU site code: DK008X190)
- 3. Flensborg Fjord, Bredgrund og farvandet omkring Als (EU site code: DK00VA254)

A range of the Baltic countries have fishing opportunities in the Danish part of the Western Baltic Sea (outside 12 nautical miles) – Sweden, Germany, Estonia, Poland, Lithuania, Latvia and Finland in some degree. Sweden and Germany also have fishing rights inside 12 nautical miles.

Fishing activity with mobile bottom contacting gear is proposed to be prohibited in areas mapped as reefs (habitat code H1170). The reef structures mapped in the Natura 2000 sites will be protected from impact from fishing activity by placement of buffer zones around the reef structures.

Scientific advice from Aarhus University (Danish Centre for Environment and Energy) and the Danish Technical University (Institute for Aquatic Resources) and ICES alongside the site specific Natura 2000 management plans and mapping of marine habitats, serve as the basis for the proposed fishery management measures. These measures supplement the fisheries management measures submitted to the EU Commission in March 2015 for protection of reef structures in 10 Danish Natura 2000 sites located in the Danish part of the Kattegat/North Sea and Western Baltic Sea within the 12 nautical mile zone. These proposals were submitted as joint recommendations by Denmark, Sweden and Germany and adopted as a delegated act in summer 2015. The Delegated Act came into force 1 January 2016.

The Danish part of the western Baltic Sea is an important fishing area for especially Denmark, Sweden and Germany, and to some extent also to Poland. However, analysis of fishery data show, that the proposed management measures will have an limited or no impact on current fishing activity when looking at the period 2011-2014.

In general, fishing activity does not take place in areas characterized as reefs in these sites. In 2011-2014, there have been no records of Swedish fishery in two of the three Natura 2000 sites. German fishery in the period 2010-2012 is primarily conducted with bottom contacting gear in all three sites [German fishery data for the years 2013-2014 are still to be prepared]. However, it is still important to ensure full protection of reef structures in the sites in accordance with the Habitats Directive, also for future fisheries. Polish fishery is limited in and around the site "Adler Grund and Rønne, Banke". Estonian fishery is limited around the same site.

Slettet: unfavourable

Slettet:

Slettet: western

Slettet: `

Slettet: &

Slettet: Tønneberg

It is the intention of the Danish government (initiating Member State) to take measures i.a. with respect to fishing activities exercised by *all* vessels including fishing vessels carrying the flag of other Member States of the EU. [In order to apply these measures to *all* vessels, Denmark, as the initiating Member State, has in accordance with EP/Council Regulation (EU) No 1380/2013 of the Common Fisheries Policy (Basic Regulation), consulted Sweden, Germany, Poland, Estonia, Finland, Latvia and Lithuania, the Baltic Sea Advisory Council (BSAC), ICES, the Commission, national fishermen associations/organizations and NGOs],

[The present proposal is submitted to the European Commission jointly by Denmark, Sweden and Germany for the two sites located within the 12 nautical mile zone and by all BALTFISH Member States_for the site located in the EEZ, in accordance with the Basic Regulation, Article 11 and 18]. A similar proposal for fisheries management measures for protection of reef structures have been formulated for 4 Natura 2000 sites in the Danish part of the Kattegat.

Slettet:

Sammenfatning

Danmark har som led i implementeringen af EU's naturdirektiver (habitat- og fuglebeskyttelsesdirektivet) udpeget 97 marine Natura 2000 områder i den danske del af den vestlige Østersø, Kattegat og Skagerrak. Der er i alt udpeget 65 Natura 2000 områder for rev med habitatkoderne H1170 (rev) og H1180 (boblerev med udsivende methangas fra undergrunden). Revs bevaringsstatus er ifølge områdernes naturplaner generelt angivet som ugunstig som følge af fysisk påvirkning og højt næringsstofindhold i vandsøjlen.

Den overordnede målsætning med nærværende forslag er, i overensstemmelse med habitatdirektivets artikel 6, stk. 2, at sikre tilstrækkelig beskyttelse af revstrukturer i forhold til fiskeri som led i opnåelsen af gunstig bevaringsstatus for disse habitattyper.

Nærværende forslag omfatter fiskeriregulering i tre Natura 2000 områder.

Et område er lokaliseret udenfor 12 sømile grænsen i den dansk eksklusive økonomiske zone (EEZ):

1. Adler Grund og Rønne Banke (EU site code: DK00VA261)

To områder er lokaliseret mellem basislinjen og 12 sømilegrænsen:

- 2. Centrale Storebælt og Vresen (EU site code: DK008X190)
- 3. Flensborg Fjord, Bredgrund og farvandet omkring Als (EU site code: DK00VA254)

Forslag til fiskeriregulering omfatter forbud mod anvendelse af bundgående redskaber i områder kortlagt som rev (habitatkode H1170). De kortlagte revstrukturer sikres beskyttelse mod fiskeriaktiviteter ved placering af en bufferzone omkring revene.

Videnskabelig rådgivning fra Danmarks Tekniske Universitet (Institut for Akvatiske Ressourcer), Aarhus Universitet (Nationalt Center for Miljø og Energi) samt ICES danner sammen med områdernes naturplaner og kortlægning, grundlaget for de fremlagte forslag til fiskeriforanstaltninger. De foreslåede fiskeriforanstaltninger supplerer de forslag, som blev fremsendt til EU Kommission i marts 2015 for beskyttelse af rev i 10 Natura 2000 områder i forhold til fysisk påvirkning som følge af fiskeri med bundslæbende redskaber. Områderne er placeret i den danske del af Kattegat/Nordsøen og vestlige Østersø indenfor 12 sømilegrænsen. De danske forslag blev fremsendt til EU Kommissionen i form af en fælles henstilling fra Danmark, Sverige og Tyskland, og blev vedtaget som en delegeret retsakt sommeren 2015

Sverige, Tyskland, Estland, Litauen, Polen (og i nogen grad også Letland og Finland) har fiskerirettigheder i den danske del af den vestlige Østersø, Sverige og Tyskland har også fiskerirettigheder indenfor 12 sømil fra den danske kyst. Østersøen er et vigtigt område for især dansk og tysk fiskeri. Analyser af fiskeriaktiviteter i Østersøen for perioden 2011-2014 viser dog, at de foreslåede fiskeriforanstaltninger ikke vil have betydende effekt på den måde fiskeri udøves i området. Der er i perioden 2011-2013 ikke registreret svensk fiskeri i de tre, områder, Tysk fiskeri i perioden 2011-2012 med bundgående redskaber i alle, tre Natura 2000 områder. [Tyske fiskeridata for 2013-2014 er stadig under udfærdigelse]. Polsk fiskeridata viser fiskeri omkring området "Adler Grund og Rønne Banke", dog ikke i områder kortlagt som rev. Estiske fiskeridata viser fiskeri omkring samme område. Generelt set fiskes der ikke i områderne kortlagt som rev. I henhold til habitatdirektivet er det midlertidigt vigtigt, at kortlagte revstrukturer sikres fuld beskyttelse mod fysisk påvirkning, også i forhold til fremtidige aktiviteter.

Den danske regering ønsker (som initiativtagende medlemsstat), at gennemføre fiskeriforanstaltninger, som gælder samtlige fartøjer, herunder fartøjer fra andre flagstater, som udøver fiskeri i de pågældende Natura 2000 områder. For at de foreslåede foranstaltninger kan omfatte samtlige fartøjer, har Danmark i overensstemmelse med EP/Rådsforordning nr. 1380/2013 om den fælles fiskeripolitik (Grundforordningen), konsulteret Sverige, Tyskland, Estland, Polen, Letland, Finland, Lithauen, det

Slettet: i alt

Slettet: en

Slettet: kysten

Slettet: to af

Slettet: ne

Slettet: er udelukkende udøvet

Slettet: anvendelse af

Slettet: pågældende

Slettet: /

Slettet: g

Slettet: &

Slettet: &

Slettet: Tønneberg

Slettet:

Slettet: ald

 $R^{\hat{a}}dgivende\ R^{\hat{a}}d\ for\ \emptyset sters \emptyset en\ (BSAC),\ ICES,\ EU\ Kommissionen,\ nationale\ fiskeriforeninger/organisationer\ og\ NGO\ \'er.$

[Nærværende forslag er fremsendt til EU Kommissionen i form af fælles henstilling af de danske, svenske og tyske fiskerimyndigheder for de to områder indenfor 12 sømilegrænsen og af alle de baltiske lande under BALTFISH samarbejdet for området i den danske EEZ. Fremsendelsen sker således i overensstemmelse med artikel 11 og 18 i Grundforordningen]. Et tilsvarende forslag til fiskeriforanstaltninger for beskyttelse af rev i 4 Natura 2000 områder i den danske del af Kattegat er ligeledes udarbejdet.



1. Introduction

1.1 General remarks

This document contains a proposal for regulation of fishing activities in the Danish part of the western Baltic Sea for the protection of reef structures designated under the Habitats Directive.

For the implementation of the EU Nature directives (Habitat¹ and Birds Directives²), Denmark has designated 97 marine Natura 2000 sites in Danish territorial waters in the western Baltic, Kattegat, Skagerrak and the North Sea, see Annex A for map of the Danish marine Natura 2000 network. A total of 65 Natura 2000 sites have been designated for reef structures (habitat code: H1170 - reefs and H1180 submarine structures made of leaking gasses, also known as bubbling reefs).

The present proposal entails fisheries management measures in three Natura 2000 sites located in the western part of the Baltic Sea:

One Natura 2000 site located in the Danish Exclusive Economic zone in the Baltic Sea (outside 12 nautical miles):

1. Adler Grund og Rønne Banke (EU site code: DK00VA261)

Two Natura 2000 sites located in the Danish part of the western Baltic Sea between the baseline and 12 nautical miles:

- 2. Centrale Storebælt og Vresen (EU site code: DK008X190)
- Flensborg Fjord, Bredgrund og farvandet omkring Als (EU site code: DK00VA254)

A similar proposal for fisheries management measures have been formulated for protection of reef structures in four Danish Natura 2000 sites located in the Danish part of the Kattegat/North Sea

According to EP/Council Regulation (EU) No 2072/2015 Annex I, Sweden and Germany have fishing opportunities within 12 nautical miles in the Danish part of the western Baltic Sea. Council Regulation (EU) No. 106/2015, Sweden, Germany, Poland, Latvia, Lithuania, Estonia and Finland have fishing opportunities in the Danish EEZ of the Western Baltic Sea. It is the intention of the Danish government (initiating Member State) to take measures i.a. with respect to fishing activities exercised by all vessels including fishing vessels carrying the flag of other Member States of the EU.

This document covers the 11 information items of the Commission's guidelines from 2008 concerning development of proposals for fisheries management measures in marine Natura 2000 areas within the scope of the Common Fisheries Policy (see Annex D for an overview of how the present proposal has covered the information 11 items).

In order to apply these measures to all vessels, Denmark, as the initiating Member State, has in accordance with EP/Council Regulation (EU) No 1380/2013 of the Common Fisheries Policy (Basic Regulation), consulted Sweden, Germany, Poland, Estonia, Latvia, Finland, Lithuania, the Baltic Sea Advisory Council, ICES and the Commission, as described in section 3.2. The present proposal is submitted to the European Commission jointly by the BALTFISH Member States (Denmark, Sweden and Germany for the sites located within the 12 nautical mile zone and for all Member States for the site in the Danish FE7 in accordance with the Basic Regulation, Articles 11 and 18.

¹ Council Directive 92/43/EEC, of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora: http://eur-lex.europa.eu/LexUriServ/LexUriServ.do/uri=CONSLEG:1992L0043:20070101:EN:Pur ² Directive 2009/147/EC of the European Parliament and of the Council, of 30 November 2009 on the conservation of Slettet: W

Slettet: s

Slettet: &

Slettet: And t

Slettet: &

Slettet: & Slettet:

Slettet:

Kommenterede [LT1]: COUNCIL REGULATION (EU) 2015/106

of 19 January 2015

fixing for 2015 the fishing opportunities for certain fish stocks and groups of fish stocks in the Black Sea

DK: Reference have been checked and updated

Slettet: and

wild birds: http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2010:020:0007:0025:en:PDF

1.2 Overall aim of the present proposal

The overall aim of the present proposal is to ensure adequate protection of designated reef structures from fishing activities and thereby to contribute to the obligation of achieving favourable conservation status for the habitat type, H1170 in accordance with art. 6 (2) of the Habitats Directive, stating that Member States shall take appropriate steps to avoid the deterioration of natural habitats and the habitats of species as well as disturbance of the species for which the areas have been designated.

According to the Natura 2000 plans for the sites concerned, fishing activities with mobile bottom contacting gear is specified as a threat to reef structures³. In the site specific management plans, conservation status of the reef structures is given as unfavorable due to physical disturbances and a relatively high level of nutrients in the water column⁴. It is generally agreed that fishing activity with mobile bottom contacting gear has an impact on reef structures – both in terms of physical disturbance to the reef structure itself as well as to the biodiversity found at the reef (Freese et al. 1999; Kaiser et al. 2002; ICES 2009; Howarth et al. 2015 and physical disturbance likely caused by trawling are also reported from a reef in Danish water; Dahl 2005)⁵. A detailed description of the three Natura 2000 sites is given in section 5.1.

Denmark (The Danish AgriFish Agency) is therefore proposing to restrict fishing activities with mobile bottom contacting gear in areas mapped as reefs (H1170). The content of the proposed fisheries management measures is explained in more detail in section 5.2. The proposed restrictions are identical and supplementary to fisheries management measures in four coastal Natura 2000 sites under Danish sovereignty, which came into force on 1 September 2013 and the delegated act, (EU) 2015/1778, concerning fisheries management measures in ten Natura 2000 sites in Danish waters. The proposals for fisheries management measures was sent to the EU Commission on 15 March 2015 in the form of joint recommendations by Denmark, Sweden and Germany. The Delegated Act came into force on 1 January

The present proposal has been peer reviewed by The Danish Technical University and Aarhus University (see section 3.1.4).

Slettet: s with code

Slettet: unfavourable

Slettet: Dahl 2005

Slettet: four

Slettet: [in process]

Slettet: -----Sideskift-----

1.3 Recommendations to be implemented

Slettet: UFC.

Slettet: ¶

³ Link Management Plans:

http://www.naturstyrelsen.dk/Naturbeskyttelse/Natura2000/Natura 2000 planer/Se Planerne/

⁴ Adler Grund: management plan to be adopted during 2016 – also here reefs will be given in <u>unfavorable conservation</u> status.

⁵ Freese, et al. 1999 – Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska. Marine Ecology-Progress series 182: 119-126; Dahl, K. 2005: Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. – Faglig-papport fra DMU nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S. and Poiner, I. R. (2002), Modification of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 3: 114-136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp.; ICES. 2006. Report of the Working Group on Ecosystem Effects of Fishing Activities

⁽WGECO), 5 12 April 2006, ICES Headquarters, Copenhagen. ACE:05. 174 pp; Howarth et al. 2015 – Sessile and mobile components of a benthic ecosystem display mixed trends within a temperate marine reserve. Marine Environmental Research 107: 8-23.

The present proposal applies to:

- A ban for fishing activity with mobile bottom contacting gear in areas mapped as reefs (H1170).

Protection of reefs (habitat code H1170)

The outlined zones with mapped reefs (H1170) will be closed for the following mobile bottom contacting gear types (see table 1 for gear codes):

- Beam trawls
- Mobile gears (Bottom trawl / Otter trawl)
- Seine nets (Danish and Scottish seines)
- Dredges

Table 1: Gear codes for the banned gear types.

| Gear types that are banned in the closed zones | Habitat code | Gear code Annex XI in EU Regulation No. 404/2011 | International standard Classification of Fishing Gears (ISSCFG) |
|--|--------------|--|---|
| Beam trawl | 1170 | ТВВ | ТВВ |
| Bottom trawl / otter trawl | 1170 | OTB, OTT, PTB, TBN, TBS, TB | ОТВ, ОТТ, ОТ, РТВ, ТВ |
| Seine nets | 1170 | SDN, SSC, SX, SV | SB, SV, SDN, SSC, SPR, SX |
| Dredges | 1170 | DRB | DRB, DRH |

The outline of the areas, in which these fishing activities are proposed to be banned, are given in section 5.1.1-5.1.3 and 6.2. Annex I gives the coordinates for the proposed buffer zones for the three Natura 2000 sites concerned.

Kommenterede [LT2]: Does this imply a total ban for all bottom contacting gear types concerned?

DK: The gear codes of the gear types to be prohibited are given in table 1.

2. Legal framework

This chapter describes the legal framework of the present proposal; the Common Fisheries Policy, the "TAC's and Fishing opportunities for 2016" (Council Regulation 2072/2015, Annex I) and the implementation of Natura 2000 in Danish waters by the Danish government.

2.1 Common Fisheries Policy

According to the Common Fisheries Policy (Regulation No 1380/2013 (The Basic Regulation)) Article 11, Member States are empowered to adopt conservation measures not affecting fishing vessels of other Member States that are applicable to waters under their sovereignty or jurisdiction and that are necessary to comply with their obligations under Article 6 of Directive 92/43/EEC and Article 13(4) of 2008/56/EC.

Where a Member State ("initiating Member State") considers that measures need to be adopted for the purpose of complying with the obligations referred to above, and other Member States have a direct management interest in the fishery to be affected by such measures, the European Commission shall be empowered to adopt such measures, upon request, by means of delegated acts. For this purpose cooperation between Member States having a direct management interest⁶ is foreseen with a view to formulating a joint recommendation in agreement on draft fisheries management measures to be forwarded to the Commission.

The initiating Member State shall provide the Commission and the other Member States having a direct management interest with relevant information on the measures required, including their rationale, scientific evidence in support and details on their practical implementation and enforcement. Member States shall consult the relevant Advisory Councils.

The initiating Member State and the other Member States having a direct management interest may submit a joint recommendation within six months from the provision of sufficient information. The Commission shall adopt the measures, taking into account any available scientific advice, within three months from receipt of a complete request (Reg. 1380/2013, Articles 11 and 18).

Since other Member States have fishing opportunities in the Danish part of the western Baltic Sea,
Denmark, as the initiating Member State, has taken steps to jointly propose a set of management
measures, which will apply to all fishing vessels carrying out fishing activities in the concerned sites. For
the two sites located within the 12 nautical mile zone, only Germany and Sweden have fishing rights, see
section 2.2. For the site located in the Danish part of the EEZ of the Baltic Sea all BALTFISH Member States
have fishing opportunities according to the "TAC's and Fishing opportunities for 2016", see Annex C.

The proposed fisheries management measures for protection of reef structures from fishery with certain gear types is based on the Commission's guidance document "Fisheries measures for marine Natura 2000 sites – A consistent approach to request for fisheries management measures under the Common Fisheries Policy (2008)". This document provides guidance on how Member States should prepare a proposal for fisheries management measures within the CFP framework, for delivering Natura 2000 conservation objectives.

The guidance document provides the basis for the present proposal. The 11 information items given in the guidance document, provides the structure of the present proposal. Annex D gives an overview of how the present proposal deals with the 11 information items.

Slettet: W

⁶ Basic Regulation 1380/2013, art. 4, § 1, no. 22; "Member State having a direct management interest means a Member State which has an interest consisting of either fishing opportunities or a fishery taking place in the exclusive economic zone of the Member State concerned".

⁷ Link Guidance document: http://ec.europa.eu/environment/nature/natura2000/marine/docs/fish_measures.pdf

The following chapters describe how Denmark, as the initiating Member State, has taken the Commission's criteria for decision making into account – as well as the requirements for regional coordination in line with the new Basic Regulation.

2.2 Access to the Danish Natura sites

Access to the concerned Natura 2000 sites depends on the location of the site.

Access to the concerned sites located in the Danish Exclusive Zone of the western Baltic Sea is outlined in Council Regulation (EU) No. 104/20158, which states that a number of Member States have access (fishing opportunities) in the Danish Exclusive Zone in the ICES areas IIIc 22 and IIId 24 (Belt Sea and western Baltic), see Annex C. However, not all the listed Member States carry out fishing activity in the areas concerned (subdivision 22-24). Only Sweden, Germany, Poland and Estonia have so far forwarded fishery data.

According to EP/Council Regulation (EU) No 1380/2013 Annex I, Germany and Sweden have fishing rights within 12 nautical miles in the Danish part of the western Baltic Sea.

Denmark has therefore requested for fishery data for fishing activities carried out in the Belt Sea and the Danish part of the Western Baltic area as well as within the Natura 2000 sites for the period 2011-2014 – as required in the Commissions guidance document from 2008 (information item 5 and 6).

Fishery data has been requested for from all Member States around the Baltic Sea for the period 2011-2014.

A detailed description of the fishing activities in and around the <u>three</u> Natura 2000 sites concerned is given in section 6.1 and 6.2 and Annex K-L.

2.3 Implementation of Natura 2000 in Denmark

The Act on Environmental Goals⁹ contains the legal basis for the designation of Natura 2000 sites according to the Habitats Directive (92/43/EEC) and the Birds Directive (2009/147) in Denmark. The overall objective of the Habitats Directive of maintaining and restoring favourable conservation status is nationally implemented in the Administrative Order No. 408/2007 together with the legal designation of the sites. Until management plans have been adopted and site specific conservation objectives formulated, the overall objective of favourable conservation status is to be followed.

According to the Environmental objective (§ 36 (6)), the Ministry of Environment and Food of Denmark is the responsible authority for the designation of Natura 2000 sites and for ensuring a representative network of protected sites for the protection of unique, threatened and characteristic marine habitats and species in Danish waters. Thus, the bilateral communication between Denmark and the European Commission, is handled by the Ministry of Environment and Food. The Ministry of Environment and Food is also the responsible authority for the national monitoring program (NOVANA) and for mapping marine habitats. The national monitoring program in relation to the present proposal is described in more detail in section 6.4.2.

In Denmark, the main provisions of the Habitats Directive article 6 for protection and managing the Natura 2000 sites are sector implemented, i.e. the competent authority is responsible for implementing the

Slettet: W

Slettet: W

Slettet:

Slettet:]

Slettet: W

Slettet: (subdivisions 22 and 24)

Slettet: &

Kommenterede [LT3]: The Commission has outlined several times that the most recent data should be used. At least for the last three years. So the proposal should include data on fisheries also for 2015.

DK: DK would be happy to include 2015 data, however, that requires that all Member States have the data ready and can forward it to DK.

Slettet: four

⁸ Link to Council Regulation: http://eur-lex.europa.eu/legal-content/EN/TXT/?qid=1453397183538&uri=CELEX:32015R0104

⁹ Link Act on Environmental Goals: https://www.retsinformation.dk/Forms/R0710.aspx?id=127102

necessary measures identified through the Natura 2000 management plans. When it comes to the regulation of fisheries, the Ministry of Environment and Food is the responsible authority for the supplementary fishery regulation. In June 2008, the Fisheries Act was amended to include the Habitats Directives provisions¹⁰. Thus, in Denmark, the Ministry of Environment and Food is also the responsible authority for ensuring adequate protection of marine habitats and species in relation to fisheries.

2.3.1 Designation of Natura 2000 sites in Denmark

Denmark has in the period between 1998 and 2010 designated 97 Natura 2000 sites for the protection of marine habitats and species. The designation has been done in accordance with the Administrative Order No. 408, 1 May 2007¹¹ and subsequent amendments thereof, which designates and sets up the overall conservation objectives as basis for the administration of Natura 2000 sites.

Annex B gives an overview of the designation of the concerned Natura 2000 sites from appointment as PSCI site until designation as SAC's.

In December 2011, nature management plans were adopted for the sites designated before 2010^{12} . With the adoption of the plans, the sites were also designated as Special Areas of Conservation (SAC's). Nature management plans are in the process of being formulated for sites designated and/or amended after 2010. A second generation of management plans for these areas as well as the first generation plans for sites designated in 2010 will be published in 2016.

For sites designated before 2010, necessary fishery management measures must be formulated and implemented before 2016, whereas the timeframe is 2021 for sites designated later. The present proposal for fisheries management measures only contains fishery management measures for sites designated before 2010.

The European Commission has officially announced that Denmark has designated sufficient area to ensure a representative network of marine habitats and species. The Danish marine Natura 2000 network covers approximately 18 % of Denmark's marine waters. A map showing the 97 marine Natura 2000 sites is given in Annex A.

The present proposal deals with the following three Natura 2000 sites: 'Adler Grund og Rønne Banke', 'Centrale Storebælt og Vresen', 'Flensborg Fjord, Bredgrund og farvandet omkring Als'.

The table below gives information of the marine habitats for which the three Natura 2000 sites have been designated, as well as the legal framework for designation.

Slettet: A scientific reserve regarding harbour porpoise in the Baltic Sea awaits the final outcome of the SAMBAH project

Slettet: There is a scientific reserve regarding harbour porpoise in the western Baltic Sea.

Slettet: &

Slettet: &

Slettet: e

Link Fisheries Act: https://www.retsinformation.dk/Forms/r0710.aspx?id=121218
 Link Administrative order no. 408, 1 May 2007: https://www.retsinformation.dk/Forms/R0710.aspx?id=13043
 Link Administrative order no. 1114, 25 November 2011:

https://www.retsinformation.dk/Forms/R0710.aspx?id=139270

Table 2. Description of the three Natura sites that the present proposal deals with

| Site name | Marine habitats | Year of designation | National Administrative Order |
|---------------------------------------|---|---------------------------|---|
| Adler Grund <u>and</u> Rønne Banke | Reefs 1170 Sandbanks 1110 | 2009 | Administrative order no. 408 of 1 May 2007 and subsequent |
| Centrale | Reefs 1170 | 1995 | amendments: Sets out the framework for designation, formulation of overall objectives |
| Storebælt <u>and</u> Vresen | Harbour porpoises 1351 | Expanded in 2010 and 2011 | and administration of Natura 2000 sites in Danish waters |
| Flensborg Fjord, | Reefs 1170 | 1995 | _ |
| Bredegrund and farvandet omkring Als | Sandbanks 1110 Harbour porpoises 1351 | Expanded in 2010 | |

2.3.2 Mapping of marine Natura 2000 sites

Mapping of marine habitats forms the basis for protection of marine habitats in relation to fishing activities. In 2006, the Danish Nature Agency began the process of mapping marine habitat types within the Danish Natura 2000 network, starting with locating bubbling reefs (H1180) in Kattegat. In 2011-2012, the Danish Nature Agency published maps of reefs and sandbanks for 18 Natura 2000 sites in Kattegat and the Baltic Sea near the island of Bornholm¹³. One of the three Natura 2000 sites (Adler Grund og Rønne Banke) in the present proposal are based upon this first mapping exercise. The remaining two sites were mapped in 2012 in a similar exercise.

The method of mapping marine Natura 2000 sites occur in three steps. In 2011, each of the 18 Natura 2000 site was examined using sidescan sonars producing a complete picture of the rugosity of the substrate of the sea floor. On the basis of this data, an initial map was produced – the so-called 'first generation habitat map. The collected data was then thoroughly studied and any abnormality or structures in the sea bottom not easily classified as the various habitat types (reef, sandbanks etc.) was then examined further, using either a scuba diver or remote operated vehicle (ROV) equipped with video cameras. Through this process bubbling reefs were verified. In addition, a number of areas classified as reefs, sandbanks, etc. were visited to ensure accurate classifications and to study the biological content of the areas. On the basis of the complete dataset, habitat maps were then created showing where within the Natura 2000 sites, reef structures (H1170 and H1180) and sandbanks (H1110) are located.

Mapping of marine habitats in Danish Natura 2000 sites builds on the Danish definition of the habitat types designated under the Habitats Directive. According to the Danish definition of stone reefs, an area is classified as reef, if the coverage of hard substrate is above 25 pct. Areas with a cover of hard substrate of 10-25 pct. are also classified as reef, if the areas are directly connected to areas with a coverage of hard substrate of 25 pct. or more. For the site "Centrale Storebælt og Vresen" mapping of reef structures have been done by two different methods, where only the one in accordance with the Danish definition of reef structures is used as the basis for this proposal of fisheries management measures, for the protection of reef structures.

Slettet: '
Slettet: &
Slettet: Vresen'
Slettet: are

¹³ Link: Report - Mapping of Natura 2000 sites in 2011 and 2012: http://www2.naturstyrelsen.dk/habitatkortlaegning/, http://www2.naturstyrelsen.dk/habitatkortla

3. Process

This chapter describes the process from when the Danish initiative to protect reef structures (H1170 and H 1180) from fishing activities in marine Natura 2000 sites was launched in spring 2011 by the former Ministry of Food, Agriculture and Fisheries/Danish AgriFish Agency and until submission of fisheries management measures in the form of 'A Joint Recommendation' by Denmark, Sweden, Germany, Estonia, Poland, Finland, Latvia [other MS] to the European Commission in [XX 2016].

The following two sections describe the national and international coordination processes, which have taken place in the course of the last <u>six</u> years (2011-2016) in relation to the formulation of fisheries management measures for protection of reef structures in Danish Natura 2000 sites.

3.1 National coordination and consultation

National coordination and consultation with stakeholders in relation to Natura 2000 and fisheries take place in the so-called 'Natura 2000 Dialogue Forum' as well as in the ministry's committees. In addition to formal consultations, informal consultations have also been held with stakeholders with the aim of discussing protection of reefs in relation to fisheries at a more technical level. Annex F gives an overview of the formal and informal consultations held since the initiative of protection of reefs from fisheries was launched in spring 2011.

3.1.1 Natura 2000 Dialogue Forum

The Natura 2000 Dialogue Forum was launched in May 2010 by the former Minister for Food, Agriculture and Fisheries in order to actively involve relevant stakeholders with an interest in fishery and Natura 2000 in the ministry's work with the implementation of the Natura 2000 directives. The Natura 2000 Dialogue Forum is chaired by the Danish AgriFish Agency and consists of representatives from NGO's, fishermen's organizations, research organizations and national authorities¹⁴. The Natura 2000 Dialogue Forum meets 2-3 times a year and is the forum where the Danish AgriFish Agency presents upcoming proposals for fisheries management measures and in general informs stakeholders of current state of play through open discussions and dialogue.

The rationale and principles on which the present proposals builds were initially presented to the Natura 2000 Dialogue Forum in November 2012, and have been discussed in a range of meeting since then. Latest on 23, May, 2016.

Consultations in relation to the present proposal

In November 2012, the Danish Ministry of Environment/Danish Nature Agency published detailed maps of habitat types for one of the three sites concerned, as described in section 2.3.2. In spring 2015, the Danish Ministry of Environment/Danish Nature Agency published detailed maps of habitat types for a range of sites, including the remaining two sites of the present proposal. Thus, all maps have been updated in order

Slettet: &

Slettet: ald

Slettet: (3.1 and 3.2)

Slettet: five

Slettet: with

Slettet: 8

Slettet: January

Slettet: three

Slettet: five

http://naturerhverv.dk/fileadmin/user_upload/NaturErhverv/Filer/Fiskeri/Natura_2000_hav/Natura_2000_dialogforum/R evideret_kommissorium_for_N2000_Dialogforum_020513.pdf

Slettet: P

¹⁴ The following organizations participate in meetings in the Natura 2000 Dialogue Forum: The Nature Agency, WWF, Greenpeace, Oceana, Bird Life Denmark, The Danish Society for Nature Conservation, Danish Fishermen's Association PO and other local fishermen associations. Plus other NGOs with interests in the discussed topics are invited, e.g. The Danish Hunters Association and ASCOBANS. The Terms of References for the Natura 2000 Dialogue Forum can be found here:

to take the new information into account. Updated maps have been presented to the *Natura 2000 Dialogue Forum* on November 16^{th} 2012, May 8^{th} 2015 and January 28^{th} 2016.

In relation to the present proposal, the *Natura 2000 Dialogue Forum* has been consulted in a parallel session with concerned Member States, as well as the Advisory Council for the Baltic Sea, respectively. Besides the pre-consultation meeting held on 9 May 2016, the Danish AgriFish Agency presented the proposed fisheries management measures to the *Natura 2000 Dialogue Forum* on 23 May 2016, where also a summary of the pre-consultation meeting with Member States was given.

[The Natura 2000 Dialogue Forum was briefed on state of play regarding the Danish proposals on 25 August 2016 in relation to finalization of the two proposals with concerned Member States as well as the drafting of the joint recommendation].

Outcome of consultations held

[TO BE DRAFTED AFTER CONSULTATIONS HAVE BEEN HELD]

3.1.2 Meetings with stakeholders

Bilateral meetings have been held with the Danish Fishermen's Association PO_during spring and autumn of 2015. The purpose of these meetings were to discuss the proposed ban for trawling with mobile bottom contacting gear in the 7 Natura 2000 sites located between the baseline and 12 nautical miles in the Kattegat (four sites) and western Baltic (three sites) as well as in the Exclusive Economic Zone.

Furthermore, the consultations also aimed at obtaining a better understanding of the fishing pattern from smaller vessels in the 7 Natura 2000 sites concerned. The outcome of these meetings center around an in depth understanding of the fishing pattern in the discussed Natura 2000 sites – also for the smaller vessels not obliged to carry VMS¹⁵. These discussions support the analyses of fishing activity based on VMS, which the Danish AgriFish Agency in collaboration with DTU Aqua have carried out, assuring that the proposed fisheries measures will have no or low impact on current fishing activities for vessels above and below 12 meters.

3.1.3 Involvement of Parliament and Committees within the Ministry of Environment and Food,

The Danish Government has laid down national procedures for coordination of initiatives in relation to the implementation of EU's Natura 2000 directives and the reformed fisheries policy.

For initiatives, where Denmark act as the initiating Member State, The Danish Parliament must be informed of the intended draft proposals for fisheries management measures prior to regional consultation. All initiatives both launched by Denmark and by other Member States, where Denmark has direct management interest, will be coordinated nationally with stakeholders through the Ministry's national committees and *Natura 2000 Dialogue Forum*. The Danish Parliament is informed of these initiatives before joint recommendations are finalized for submission to the European Commission. In relation to present proposal, Parliament was informed in March 2016.

¹⁵ VMS (Vessel monitoring systems) is a satel<u>l</u>ite_based monitoring system, which is used in commercial fisheries – positions, times, course and speed of the fishing vessels are monitored and stored.

| Slettet: [| |
|-------------|--|
| | |
| Slettet:] | |
| Slettet: | |
| Slettet: XX | |

Slettet: W

Slettet: , Agriculture and Fisheries

3.1.4 Peer review of the proposal

The present proposal has been peer reviewed by The Danish Technical University, Institute for Aquatic Resources, DTU Aqua and the University of Aarhus, Danish Centre for Environment and Energy, A peer review of the proposal ensures that, the proposed fisheries management measures, along side the rationale and principles on which the proposal builds, are scientifically sound. The peer review has also increased the scientific evidence in terms of references and ensured that relevant scientific studies have been included.

The outcome of the peer review can, besides minor editorial changes, be summarized to:

- scientific assessment of the documentation of conservation status in the concerned Natura 2000 sites
- ii) scientific assessment of the rationale for a ban for fishing activity with mobile bottom contacting gear in areas mapped as reefs code H1170 and H1180 and other type of fishery activity in areas mapped of bubbling reefs code H1180 in relation to the documented conservation status.

3.2 International coordination - regionalization

The sections below describe the process that the Danish AgriFish Agency has pursued with respect to the present proposal in terms of international coordination and consultation with other Member States, the European Commission and relevant Advisory Councils, see Annex F-G.

3.2.1. Pre-consultations [this section will be finalized at a later stage]

The present proposal has been coordinated regionally in accordance with Article 11 and 18 of the reformed fisheries policy (Basic Regulation) through the established ad hoc working group in accordance with the Terms of Reference for the BALTFISH technical expert group.

Terms of reference for the BALTFISH technical expert group, was agreed upon in 2014 by the Fisheries Directors. In accordance with the ToR's, Denmark, as the initiating Member State, has taken the lead in the ad hoc working group with Sweden, Germany, and Poland, These Member States have finalized the proposal for fisheries management measures for protection of reef structures in collaboration.

International coordination and consultations of the present proposal were launched back in March 2012, when Denmark in accordance with article 9 in Regulation no. 2371/2002 invited German and Swedish fishery- and environmental authorities, the Advisory Council for the North Sea, ICES and the Commission to a pre-consultation meeting in Copenhagen. A booklet containing all the relevant information was sent out in February 2012 containing information about the proposed fishery regulation.

The recent mapping of marine habitats in the Kattegat area in 2011, 2012 and 2015, has enabled the Danish AgriFish Agency to include protection of more reef structures in terms of area and number of sites in the present proposal.

A draft of the present proposal was sent in pre-consultation to the relevant authorities in Sweden, Germany, Poland, Finland, Estonia, Latvia and Lithuania alongside ICES, the Baltic Sea Advisory Council and the European Commission (DG MARE and DG ENVI) on 7 April 2016 prior to the scheduled pre-consultation meeting on 9 May 2016 – a process in line with the provisions of regionalization in the reformed fisheries policy.

The proposed management measures were in a parallel process sent to the members of the Danish *Natura 2000 Dialogue Forum*. A summary of the pre-consultation meeting on 9 May 2016 is given in Annex G. At the May meeting, an ad hoc working group, to be chaired by the Danish AgriFish Agency, was established with Sweden, Germany and Poland, Meetings were held in, May and August 2016. The outcome of these meetings is given in Annex G. Meetings in the ad hoc working group were held on:

Slettet: [
Slettet: - in process]

Slettet: [

Slettet: e

Slettet: e

Slettet:

Slettet: a

Slettet:

Slettet:]

Slettet:

Slettet: / CFP

Slettet: / CFP

Slettet: [other MS]

Slettet: 1

Slettet: [

Slettet:]

Slettet: as the initiating Member State

Slettet: [other MS]
Slettet: [A range of m

Slettet: between

- 22 June 2016

25 August 2016

Denmark, Sweden Germany and Poland have consulted their national fishermen associations/organizations. The Advisory Councils and NGOs have been consulted by Denmark as the initiating Member State, see Annex F-H

3.2.2 Informal consultations with other Member States [to be finalized after consultation]

During the formulation of the present proposal, a range of informal meetings have been held with Sweden. The focus of the informal meetings with the Swedish authorities have been to discuss the Danish approach of buffer zones and to explore the possibility of a joint proposal for the Natura 2000 sites in the Kattegat area. The informal consultations have taken place on:

- 1 June 2011: meeting in Copenhagen, Denmark
- 17 January 2013: meeting in Göteborg, Sweden
- 10 October 2013: meeting in Göteborg, Sweden

In addition to the informal meetings with Sweden, on 18 November 2015 an informal meeting was held in Copenhagen with representatives from Poland.

The informal discussions between Sweden and Denmark have resulted in Denmark solitarily proposing fisheries management measures for Natura 2000 sites located between the baseline and 12 nautical miles as well as for sites located in the Exclusive Economic Zone of the western Baltic Sea. As already mentioned, this proposal and that of sites located in the Kattegat, are supplementary to the measures already forwarded to the EU Commission jointly by Denmark, Sweden and Germany early 2015. The same methods and rationale have been applied.

3.2.3 Consultations with Advisory Councils [to be finalized after consultation]

The Advisory Councils for the Baltic Sea and North Sea, respectively, have also been consulted. The Advisory Councils received the proposals parallel to Sweden, Germany, Estonia, Poland, Latvia and Lithuania and the *Danish Natura 200 Dialogue Forum*.

A summary of the consultation with the Advisory Councils and the *Natura 2000 Dialogue*, *Forum* is given in Annex .H.

Slettet: <#>26 May 2016¶

Slettet: <#>3

Slettet: <#>12 July 2016¶

Slettet: <#>]

Slettet: [

Slettet: and

Slettet: [other MS]

Slettet:]

Slettet:

Slettet: G-

Slettet: yl

Slettet: uge

4. Principles and rationale

Member States are responsible for ensuring favourable conservation status of designated marine habitats and species in their respective Natura 2000 network and to take appropriate steps to avoid the deterioration of natural habitats and the habitats of species as well as the disturbance of the species for which the Natura 2000 site has been designated. In Denmark, this responsibility falls under the Ministry of Food, Agriculture and Fishery in relation to fisheries. At the Ministry of Environment and Food of Denmark, the Danish AgriFish Agency is responsible for formulation of fishery regulation as well as fishery control and enforcement of implemented management measures.

In spring 2011, the Danish AgriFish Agency launched the initiative to ensure adequate protection of reef structures designated under the Habitats Directive. Of the 97 marine Natura 2000 sites located in Danish waters, 65 sites have been designated for reefs (H1170 and H1180). A total of 30 of the 65 sites are located within the baseline and/or in waters under Danish sovereignty.

Based on scientific advice from DTU Aqua (the Danish Technical University, Institute for Aquatic Resources, Denmark has decided to protect reef structures (H1170 and H1180) from physical disturbances due to fishing activities with mobile bottom contacting gears (see section 5.2 and Annex E). DTU Aqua has advised, that a buffer zone equivalent to 6 times the average water depth (meters) will ensure adequate protection of these reef structures from direct impact from fishing activities, see Annex E. The same method has been applied in the National Administrative Order of 28 August 2013¹⁶, which applies to protection of reef structures in four Danish coastal Natura 2000 sites. In June 2013, ICES published a general advice on evaluation of the appropriateness of buffer zones, see Annex E. The ICES advice is in line with scientific advice from DTU Aqua.

The rationale behind the buffer zone method is that the reef structures in their full extent need protection from mobile bottom contacting fishing gears - from current fishing activities as well as potential future fishing activities. Modern fishing vessels are equipped with advanced technology that allow then to fish with high precision. In addition, other technologies allow integration of buffer zones in the GPS systems of fishing vessels. As a result, buffer zones eliminate any potential threat from trawls to the reef structure during fishing – even when vessels turn. The overall aim of the present proposal is protection of reef structures from physical disturbances from fisheries with mobile bottom contacting gears, which according to the Danish Natura 2000 management plans is adversely affecting the conservation status of these habitat types. Several scientific studies worldwide state that fishery with mobile bottom contacting gears have a negative impact on reef structures (Dahl 2005; Kaiser et al. 2002; ICES 2009)¹⁷.

Over time, the proposed fisheries management measures are believed to significantly contribute to the improvement of the conservation status of these habitat types (e.g. Dahl 2005; Fenberg et al. 2012; Collie et al. 2000)¹⁸ and, ultimately, to the achievement of favourable conservation status. Full protection of reef

Slettet: sovereignity

Slettet: &

Slettet: activitities

Kommenterede [LT4]: Develop a text on how the buffer zones limit the risk of resuspension of sediments. Perhaps a need to increase buffer zones or need for additional knowledge on resuspension of sediments?

DK: The aim of the proposal is to prohibit direct contact between fishing gear and reef structures. A buffer zone of 240 meter also ensures that resuspension does not significantly influence the reef structures.

Slettet:

Slettet: &

¹⁶ Link Administrative order no. 1048 of 28 August 2013: https://www.retsinformation.dk/Forms/R0710.aspx?id=158209

¹⁷ Dahl, K. (2005): Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. – Faglig rapport fra DMU nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S. and Poiner, I. R. (2002), Modification of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 3: 114–136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp.

pp.

¹⁸ Dahl, K. (2005): Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. – Faglig rapport fra DMU nr. 526; Fenberg P.B.*, Caselle J., Claudet J., Clemence M., Gaines S., García-Charton J.A., Gonçalves E., Grorud-Colvert K., Guidetti P., Jenkins S., Jones P.J.S., Lester S., McAllen R., Moland E., Planes S. and Sørensen T.K. (2012) The science of European marine reserves: status, efficacy and needs. Marine Policy 36(5), 1012-1021; Collie, J. S., Hall, S. J., Kaiser, M. J. and Poiner, I. R. (2000), A quantitative analysis of fishing impacts on shelf-sea benthos. Journal of Animal Ecology, 69: 785–798.

structures from fisheries is indicated as a priority in all the Danish Natura 2000 management plans for sites designated for reefs.

When formulating the present proposal, the following principles have been the focal points:

1. Sound scientific basis

Any proposal for fisheries management measures must be based on scientific evidence and advice and take all relevant information into account. DTU Aqua has provided scientific advice in relation to the principles and methods pursued in the present proposal, which is supported by ICES in terms of buffer zones.

Spatial distribution of the habitat types is central when designing fisheries management measures. The Danish Nature Agency is the responsible authority in Denmark for mapping the marine Natura 2000 sites. In April 2015, the Danish Nature Agency published the last detailed maps of Natura 2000 sites in inner Danish waters - 39 sites in total (37 designated for reefs). The present proposal builds upon these detailed maps.

2. Stakeholder involvement

An important element of the process of formulating fisheries management measures is stakeholder involvement - nationally as well as internationally.

In Denmark, national coordination with stakeholders takes place in the 'Natura 2000 Dialogue Forum', which was established in spring 2010 to ensure coordination with all stakeholders from green NGOs to fishermen's associations/organizations, research bodies, authorities etc. The proposed fisheries management measures have been discussed in the forum at all meetings since spring 2011.

Internationally, any proposal for fisheries management measures, which might affect other Member States must at an early stage be presented to ensure regional coordination. The present proposal and buffer zone approach was initially presented to German and Swedish authorities in March 2012 at a meeting in Copenhagen, where also the North Sea Advisory Council, ICES and the European Commission participated. The present proposal has been discussed with Sweden, Germany and Poland in the established ad hoc working group comprising of representatives from fisheries and environmental departments,

Stakeholders have been involved in the current process since 2011 and actively taken part in the previous regional coordination process with Sweden and Germany concerning fisheries management measures in 10 Natura 2000 sites (delegated act came into force 1 January 2016).

3. Regional coordination

According to the Basic Regulation Articles 11 and 18, Member States may submit joint recommendations on conservation measures that are necessary for the purpose of complying with their obligations under the Common Fisheries Policy (Reg. No 1380/2013 (The Basic Regulation)). The present proposal is jointly presented to the European Commission after regional coordination with Member States having a direct management interest within the framework of the Terms of Reference for the BALTFISH technical expert group/ad hoc working group. A process, which was launched in March 2012 with a pre-consultation meeting in Copenhagen followed by an additional pre-consultation meeting in Copenhagen in May 2016 and meetings in the established ad hoc working group with Sweden, Germany and Poland

4. Transparency

Transparency of data and the methodology which is used is important, and can only be achieved through stakeholder involvement, regional coordination and use of scientific advice. The data used to describe fishing patterns and effort is based on log book and VMS data from the involved, countries. In addition to VMS and log book data, information of fishing patterns for smaller Danish vessels (<12 meters) has also been used. In order to collect information of fishing patterns for

Slettet: (see Annex E)

Slettet: Slettet:

Slettet: [other MS]

Slettet: 1

Slettet: Since Denmark and Sweden have designated Natura 2000 sites in Kattegat adjacent to each other - bilateral meetings have also taken place in Copenhagen and Gothenburg in 2011 and 2013, see section 3.2.¶

Slettet: , Estonia,

Slettet: [other MS]

Slettet: three

smaller Danish vessels, consultations have been held with the Danish Fishermen Association during 2015/2016.

5. Proportionality

The proposed management measures must balance sustainable exploitation of resources and the need to conserve important habitats and species. This means that the proposed measures must comply with the proportionality principle so they do not go further than necessary to ensure the needed protection of the mapped reefs within the framework of the Habitats Directive. Furthermore, no other and less burdening measures must be able to provide the same level of necessary protection seen from a scientific and practical point of view. Consequently this means that fishery is not prohibited in these areas, unless it is carried out with gears that potentially can damage the mapped reefs. At the same time, the proposed management measures should be possible to control and enforce. The present proposal concerns protection of reef structures. For sites where the reef structures cover the majority of the site – the entire site is closed for fishing activities, whereas for other sites, the area closed for fishing contains the reef itself and the surrounding 240 meter buffer zone – given as 6 times water depth set at an average depth of 40 meters for the area.

6. Non discrimination

The proposal must ensure that measures are applied in a non-discriminatory manner. A coordinated approach between Member States having direct management interests is key to ensuring non-discrimination of fleets affected by the proposed fisheries management measures. This coordination must follow the steps laid down in the Basic Regulation of the Common Fisheries Policy, thus ensuring a level playing field for the fishing sector potentially affected. The present proposal contains fisheries management measures for three sites located in the Danish part of the Western Baltic Sea, where Sweden, Germany and Poland among others, have fishing rights/ppportunities. Thus, the proposed fisheries management measures must be coordinated in accordance with the Common Fisheries Policy (articles 11 and 18).

Kommenterede [LT5]: The aim of this excersise is not to balance sustainable exploitation of resources but rather to achieve favourable conservation status.

DK: The proposed measures must be proportional to the protection need. The overall aim is protection of reef structures from physical impact.

Slettet: possibly

Slettet: , Estonia,

Slettet: [other MS]

Slettet:

5. Scope of the present proposal

In the first plan period (2010-2015), special focus should be given to the protection of reef structures from any form of physical disturbances. The Danish AgriFish Agency launched the initiative to protect reef structures from impact from fishing activity back in spring 2011.

The present proposal aims at ensuring adequate protection of reef structures in three Natura 2000 sites located in the Danish part of the western Baltic Sea: "Adler Grund og Rønne Banke", "Centrale Storebælt og Vresen", and "Flensborg Fjord, Bredgrund og farvandet omkring Als". The present proposal is part of a larger plan to implement the Habitats Directive in relation to the protection of reef structures in the 65 Natura 2000 sites designated for reefs in Danish waters. Denmark has designated 97 marine Natura 2000 sites, of which 65 have been designated for reefs H1170 and/or H1180.

The present proposal is identical to a similar proposal for the protection of reef structures in Natura 2000 sites located in the Kattegat. These two proposals are further identical to two other proposals concerning fisheries management measures (3 sites in the Kattegat and 7 sites in the western Baltic Sea), which have already been forwarded to the EU Commission as a joint recommendation by Denmark, Sweden and Germany and adopted as an delegated act in summer 2015. The Delegated Act came into force 1 January 2016.

The principles and methods used in the present proposal and that of the Kattegat, are furthermore identical to those used in the first national administrative order for protection of reefs in coastal Natura 2000 sites, which came into force on 1 September 2013, where the first fisheries management measures for protection of reefs were launched. The national administrative order prohibits the usage of mobile bottom contacting gear in four coastal Natura 2000 sites. These measures further supplement the delegated act, (EU) 2015/ 1778.

The following two sections describe the Natura 2000 sites in question and the proposed fisheries management measures to be adopted in order to secure adequate protection of reef structures from fishing activities in accordance with the Habitats Directive.

5.1 Description of the Natura 2000 sites concerned

The present proposal concerns three Natura 2000 sites located in the Baltic Sea:

- Adler Grund og Rønne Banke (EU site code: DK00VA261)
- Centrale Storebælt og Vresen (EU site code: DK008X190)
- Flensborg Fjord, Bredgrund og farvandet omkring Als (EU site code: DK00VA254)

The three Natura 2000 sites and the habitat types found in the areas are described in 5.1.1-5.1.3.

The sites are designated for not only the protection of reef structures (H1170) – two of them are also designated for the protection of sandbanks (H1110). Centrale Storebælt and Flensborg Fjord are also designated for the protection of harbor porpoises (H1351) and a range of sea bird species.

The conservation status for the reef structures (H1170) is given as unfavorable for two of the Natura 2000 sites – a management plan for Adler Grund og Rønne Banke is still to be adopted (later in 2016). The annual assessment reports on environmental status do not contain information in relation to physical disturbances of reefs, however, it is generally accepted and documented, that fishing activities with mobile bottom contacting gear can have an irreversible impact on reef structure and function (Dahl 2005; Kaiser et al. 2002; ICES 2009)¹⁹.

¹⁹ Dahl, K. (2005): Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. – Faglig rapport fra DMU nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S. and Poiner, I. R. (2002), Modification of marine Slettet: W
Slettet: ,

Slettet: S
Slettet: W
Slettet:

Slettet: &
Slettet: &
Slettet: &

Kommenterede [LT6]: A text explaining the reasoning behind leaving harbor porpoise without any conservation measures in the proposal

DK: See text on page 22.

Slettet: The sites are designated for not only the protection of reef structures (H1170) – two of them are also designated for the protection of sandbanks (H1110). Centrale Storebælt and Flensborg Fjord are also designated for the protection of harbor porpoises (H1351) and a range of sea bird species.¶

Slettet: unfavourable

The aim of the present proposal is to achieve the overall conservation objective of favourable conservation status, since site specific conservation objectives have not yet been formulated for Danish marine habitats (see section 2.3). In December 2012, the former Danish Ministry of Environment made the Natura 2000 management plans public. The management plans contain a description of the habitats and species for which the site has been designated, the current conservation status of these habitats and species, possible threats and actions to be taken. In all management plans for marine Natura 2000 sites designated for reefs – actions should be taken in relation to fishing activities with mobile bottom contacting gear.


The present proposal solely concerns protection of reef structures. Assessment of the need for fisheries management measures for the protection of harbour porpoise and sandbanks is yet to be made. On-going work on harbour porpoise by-catch and estimation of rate and amount in Danish waters, as well as identification of hotspot areas are important information needed for the assessment, as are more information on impact of fishing gears on sandbanks and their functions. State of play of the implementation of Natura 2000 in relation to fishery in Danish waters are given in annex A.

The Danish AgriFish Agency pursues an approach (in line with the Natura 2000 management plans) whereby the marine habitats and species which need urgent attention are protected first, e.g. reef

Figure 1. Map of marine Danish Natura 2000 sites (white areas). Blue areas indicate the location of the three Natura 2000 sites, which the present proposal covers. Shaded area indicates the boundaries of the western Baltic Sea

Slettet: Assessement of necessary protection of sandbanks will be carried out at a later stage when the management plans for the Natura 2000 sites designated for sandbanks in the North Sea have been adopted (during 2016),, and the size and spatial distribution of the sandbanks have been mapped.

habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 3: 114–136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp.



The present proposal covers three Natura 2000 sites located in the Danish part of the western Baltic Sea, as shown in figure 1. The Baltic Sea flows into the Kattegat through the Sound, the Little Belt and the Great Belt and from there to the North Sea. The western part of the Baltic Sea comprises of ICES subdivisions 22-24, from the southern boundary of the Kattegat to the island of Bornholm.

Two of the Natura 2000 sites are located in the Belt Sea, which consists of the straits of the Great Belt and the Little Belt, as shown in figure 1. The Great Belt is defined as the strait between Zealand and the island of Fyn, which connects the Kattegat to the Baltic Sea. The third Natura 2000 site is located just west of Bornholm.

The reef structures in the western Baltic Sea comprises of stone reef and biogenic reef structures (H1170). In the western Baltic Sea, reef structures made of blue mussels are rather common. Fishery for blue mussels takes place in the Little Belt and northern part of the Belt Sea, however not in any of the Natura 2000 sites the present proposal covers.

The analysis of fishery activity – both in relation to target species and VMS effort has in the present proposal only been conducted for the Baltic $\underline{\text{Sea}}$ (subdivisions 22-24), which is in line with the ICES fish stock assessments and variation seen in the target species and gears used.

The western Baltic Sea is an important fishing area for Denmark, Sweden and Germany. Target species range from cod, eel, herring, plaice to sprat. Sand-eel has in the last years become increasingly important in the area. In general fishing activity in the western Baltic Sea (given as catch value) has decreased by approximately 40 pct. Cod is the main target species, however. The reduction in landings registered for the area is attributed to a reduction in fishery for cod. The main reduction in cod landings was seen in 2009, where after landings have been somehow stable. Fishery activity in the western Baltic Sea is largely conducted by smaller vessel below 15 meters. In the eastern Baltic Sea (subdivision 25), several countries are involved in the fisheries as this area is the main area for cod fishery. In this area, fishery in the period 2007 to 2012 has been quite stable however, and slightly lower in 2013. Cod is the main target species followed by herring and sprat.

| Slettet: | | |
|--------------|--|--|
| | | |
| | | |
| Slettet: are | | |

Slettet: W

Slettet: N

Slettet: and

Slettet: E

Several initiatives have been taken for the protection of cod. In 2009, Denmark and Sweden agreed on a cod fishing ban in the northern part of the Sound (subdivision 23) in the months of February and March. Fishery in the eastern Baltic Sea (subdivisions 25-32) are also regulated by a seasonal closure from 1 July to 31 August to protect cod, as is fishery for cod in subdivision 24 where there is a seasonal closure in April. The seasonal closures alongside the introduction of BACOMA 120 mm trawl gear, which was introduced in 2009 to make sure undersized cod was not caught form the basis of a focused protection of cod in the Baltic Sea.

VMS effort in the Danish part of the Baltic Sea is given in Annex L. The highest effort is seen for Danish vessels in both SD 22-24 and SD 25. The highest effort in relation to Danish vessels is seen for mobile contacting gears. Swedish and German vessels carrying VMS primarily conduct fishing activity in SD 25 and on the western side of the island of Bornholm in SD 24 – eastern part with mobile bottom contacting gears. There is some fishing activity from German vessels along the border between Denmark and Germany in the Belt Sea, primarily with mobile bottom contacting gears.

The three Natura 2000 sites, which the present proposal covers, are part of the Danish Natura 2000 network for the protection of reefs. A total of 34 Natura 2000 sites have been designated for reefs in the Belt Sea and the western Baltic Sea area. With this proposal all sites designated for reefs in the Danish part of the Belt Sea will be fully protected from physical impact from fishery with bottom contacting gears.

Slettet: N Slettet: E

Slettet: W
Slettet: E
Slettet:

Slettet: W

5.1.1 Natura 2000 site: Adler Grund og Rønne Banke

Ligand of the last of the last

The Natura 2000 site "Adler Grund og Rønne Banke^{20"} is located southwest of Bornholm, see figure 1. The Natura 2000 site covers an area of 321 km² and is designated for the protection of sandbanks (H1110) and reefs (H1170), see figure 2. In total, stone reef structures cover approximately 73 km² of the area, corresponding to 23 % of the Natura 2000 site. The site is characterized as being one large reef structure. The reef is representative for stone reefs in the open parts in the Baltic Sea. There is not yet made a management for the area due to the late designation, though a draft management plan for the period 2016-2021 is in preparation. Fishing activities are not yet qualified as a threat to the habitat types in the area, however it is for the time being assumed that bottom contacting gear types can have a potential risk of damaging the reef structures.

Figure 2. Map of Natura 2000 site "Adler Grund og Rønne Banke" showing the location and spatial distribution of reef structures and sandbanks

5.1.2 Natura 2000 site: Centrale Storebælt og Vresen

The Natura 2000 site "Centrale Storebælt and Vresen²¹" consists of two former Natura 2000 areas; no. 165, "Sprogø and Halsskov Rev" and no. 116, "Vresen" and a new designated area along the Great Belt Bridge, which is solely designated for the protection of harbour porpoises. Planning for the expanded area will only take place in the second plan period. The plan for the first plan period therefor only includes the former Natura 2000 areas Sprogø and Halsskov Rev and Vresen. These areas have a total area of 8.692 ha most of which constitute sea (8.572 ha).

In the sea area there especially in shallow water large deposits of stone and mussel beds. Conditions of the water masses are very dynamic as a result of the meeting between the salt water from the Kattegat and less saline water from the Baltic Sea.

Sprogø, Vresen and the many adjoining reefs represent a continuation of the north-south hill street that runs through Langeland and pass in an arc from Lohals to Korsor. Sprogø is a moraine knoll after construction of the bridge has changed a lot. Vresen was originally a hill island, but by erosion and sediment into a low island consisting of beach ridges and sand. Lejsø area is caused by material migration, which has formed a lagoon and salt marsh, which is fringed beach ridges. In the sea area is designated habitat reefs, while rural areas are not part of the designation document.

Slettet: &

Slettet: &

²⁰ Habitat No. H261, Natura 2000 site No. 252, EU site code: DK00VA261

²¹ Habitat No. H204, Natura 2000 site No. 204, EU site code: DK00VA303




Figure 3. Map of Natura 2000 site "Centrale Storebælt og Vresen" showing the location and spatial distribution of reef structures and sandbanks

The site is located in the middle of the Great Belt, see figure 1. The site covers an area of 807 km² and is designated for the protection of reefs (H1170), harbor porpoises (1351) and two bird species (common eider and sandwich tern). In total, stone reef structures cover approximately 121 km² of the area, corresponding to 15 % of the Natura 2000 site, see figure 3.

According to the Natura 2000 management plan for the area²², fishing activity with mobile bottom contacting gear is described as a threat to the stone reefs. Fishing in general in the area is considered a threat towards both harbor porpoises (entanglement in gear) and birds (disturbance and removal of gravel).

Slettet: u

Slettet: u

5.1.3 Natura 2000 site: Flensborg Fjord, Bredgrund og farvandet omkring Als

The Natura 2000 site "Flensborg Fjord, Bredgrund og farvandet omkring Als²³" is located in the Southern part of the Little Belt and the most western part of the Baltic Sea, see figure 1. The site covers an area of 646 km² and is designated for the protection of reefs (H1170), sandbanks (H1110), harbor porpoises (1351) and a range of bird species. The site is a well known resting area for swimming and diving ducks in the winter season and midsummer. The outer part of the fjord located in German waters, is also designated as a SPA.

In total, stone reef structures cover approximately $53~\rm km^2$ of the area, corresponding to 8~% of the total Natura 2000 site, see figure 4.

According to the Natura 2000 management plan for the area 24 , fishing activity with mobile bottom contacting gear is described as a threat to stone reefs and the marine habitat types in the area. Fishing

Slettet: &
Slettet: W

²² Link to Natura 2000 management plan for Centrale Storebælt og Vresen: http://naturstyrelsen.dk/naturbeskyttelse/natura-2000/natura-2000-planer/natura-2000-planer-2009-15/plan-1-125/116-vresen/

 $^{^{23}}$ Habitat No. H173, Natura 2000 site No. 197, EU site code: DK00VA254

²⁴ Link to Natura 2000 management plan for Flensborg Fjord, Bredgrund og farvandet omkring Als: http://naturstyrelsen.dk/naturbeskyttelse/natura-2000/natura-2000-planer/natura-2000-planer-2009-15/plan-126-246/197-flensborg-fjord-og-bredgrund/



Figure 4. Map of Natura 2000 site "Flensborg Fjord, Bredgrund og farvandet omkring Als" showing the location and spatial distribution of reef structures and sandbanks

Slettet: &

5.2 Description of proposed fisheries management measures

5.2.1 Purpose of the present proposal

The purpose of the present proposal is to ensure full protection of reef structures (habitat code H1170) from physical disturbance due to fishing activities and thereby contribute to the achievement of favourable conservation status for reef structures.

The protection of reef structures will be ensured through a buffer zone approach, where a 240 meter buffer zone is placed around the mapped reef structures. The Danish AgriFish Agency has received scientific advice from DTU Aqua, on the appropriate method to be used. The size of the buffer zone is calculated as 6 times the water depth in meters. Water depth around the reef structures in the three, Natura 2000 sites, that the present proposal deals with, ranges between 30-40 meters. For the present proposal, a water depth of 40 meter is used – giving a buffer_zone of 240 meters, see Annex D.

Once the reefs are mapped and their size and spatial distribution is known, the Danish AgriFish Agency, on the basis of scientific advice, formulates the necessary fisheries management measures. The final determination of boundaries within which fishing activities are proposed to be prohibited, follows the principles and rationale described in section 4. The outline of the area to be closed for fishing activities is therefore decided upon separately for each Natura 2000 site taking into account the site specific mapping of marine habitats, fisheries control and enforcement as well as proportionality in relation to impact on fishing patterns. Thus, the outline of the proposed areas to be closed for fishing activities is done per site in order to on one side ensure adequate protection of the mapped reef structures as well as to ensure proportionality in the proposed management measures in relation to fisheries control and enforcement.

The outline of reef structures and associated buffer zones are given above in section 5.1.1-5.1.3 for the three Natura 2000 sites. For the Natura 2000 sites, the reef complexes in two of the areas (Flensborg Fjord and Centrale Storebælt) are rather fragmented, at Adler Grund og Rønne Banke, the reef complexes are cohesive and cover a large part of the site. Thus, the area in which fishing activity is proposed to be regulated solely covers reef structures and the buffer zone area. Table 3 gives an overview of the size of the three Natura 2000 sites, the reef structures and the area proposed closed for fishing activities with mobile bottom contacting gear.

Slettet: (habitat code H1170)

Slettet: four

Table 3. Total area of reef structures and buffer zones

| Natura 2000 site | Total area (km²) | Area of reef strucures (km²) | Area o and buff | f reefs er zones |
|------------------------------------|------------------|------------------------------|--------------------|---------------------|
| | | | km² | % of N2000 area |
| Adler Grund og Rønne Banke | 312.24 | 73.29 | 173.50 | 56% |
| Centrale Storebælt og Vresen | 807.26 | 120.71 | 269.94 | 33% |
| Flensborg Fjord | 645.65 | 53.24 | 122.54 | 19% |

The proposed fisheries management measures will close approximately 56 % of Adler Grund og Rønne Banke, 33 % of Centrale Storebælt og Vresen and 19 % of Flensborg Fjord.

Slettet: &
Slettet: &

5.2.2 Assessment of adequacy, proportionality and the precautionary principle

In the present proposal, assessment of adequacy and proportionality as well as the precautionary principle has been given much focus. DTU Aqua has given scientific advice in terms of adequacy in relation to protection of reef structures from impact from unintended fishing activities. Proportionality has been discussed in relation to reef structures, that cross the outline of the Natura 2000 site and/or are located adjacent to Natura 2000 sites as well as in relation to control and enforcement.

In the same context the precautionary principle has been assessed. The Waddenzee judgment C127-02 has explicitly stated the precautionary principle as part of the required assessments of the Habitats directive's requirements. This assessment is specifically stated in the paragraph 59 in the Waddenzee judgment, saying that activities only are allowed, if it is made certain that it will not adversely affect the integrity of that site. This leads to the conclusion that since Natura 2000 sites in Danish waters are designated prior to the mapping of the reefs, fisheries management measures might be laid down transboundary to the designated areas if it is asserted that it is needed to protect the integrity of the site.

All reef structures located within a Natura 2000 site will be protected from physical disturbance from fishing activity. Consequently reef structures located outside a Natura 2000 site, which are in direct contact with reef structures located inside the site, will also be protected from physical disturbance, since certain fisheries at these reef structures may have a negative impact on the reef structures located inside the site. Reef structures located outside a Natura 2000 site, which are not in direct contact with reef structures inside the designated Natura 2000 site, are not included in the provisions of the Habitats Directive, and will therefore in the present proposal not be protected from fishing activity²⁵.

For the site <u>*Centrale</u> Storebælt <u>oq</u> Vresen' the mapping of reef structures and other habitats were done in two different mapping sessions. Different techniques were used and the spatial resolution varies. Thus, there is a conflict between fishery activity by Danish fishermen with mobile bottom contacting gears in part

Kommenterede [LT8]: That is not only reefs, also including typical species and achieving favourable conservation status.

DK: These sites have not been designated for fish.

Slettet: `

Slettet: specificly

Slettet: &

Slettet: K

²⁵ Further reference to this principle in Danish case law: Decision by the Supreme Court (Højesterets <u>kendelse</u> 356/2011): http://www.domstol.dk/hojesteret/nyheder/Afgorelser/Documents/356-2011.pdf

of the area, mapped by the 'low' resolution. The proposal therefore solely makes use of the high resolution mapping in the areas where conflict exits.

The rationale behind these principles is to enable the achievement of favourable conservation status for designated habitats by implementing the necessary restrictions on human activities - in this case by formulating fisheries management measures.

In relation to the present proposal, reef structures located outside the Natura 2000 sites are, therefore, included in the protection measures, if they are in direct contact to reef structures located inside the site.

Proportionality is also assessed in relation to control and enforcement of the proposed fisheries management measures. The proposed measures must be controllable.

In some sites, as was the case for one Natura 2000 site included in the national administrative order of 28 August 2013, the entire Natura 2000 site was closed for fishing activities with mobile bottom contacting gear, whereby a sandbank located in the center of the reef structures was also included in the closure due to the possibility for control and enforcement of the implemented fisheries management measures.

Slettet: st

Kommenterede [LT9]: Is this actually linked to the present proposal? Otherwise leave it out.

DK: Ok.



6. Restriction of fisheries within the Danish Natura 2000 sites

[TO BE UPDATED WITH FISHERY DATA FROM MORE MS]

The present proposal intends to prohibit fishing activities with mobile bottom contacting gear in areas mapped as reefs (H1170) in the three marine Natura 2000 sites: Adler Grund og Rønne Banke, Centrale Storebælt og Vresen and Flensborg Fjord, see section 1.3.

In accordance with the Commission guidelines of 2008 in relation to the formulation of fisheries management measures in Natura 2000, the Danish AgriFish Agency has requested for fishery data from all Member States with fishing opportunities in the Danish part of the western Baltic Sea. Germany and Sweden have indicated to have direct management interest in the concerned areas and have forwarded fisheries data. Around the site, "Adler Grund og Rønne Banke", Estonia, Poland, Lithuania. Latvia and Finland also have fishing opportunities. However, only Estonia and Poland have forwarded relevant fisheries data for their fisheries in/around the site.

From Sweden, the Danish AgriFish Agency has received fishery data for the period 2011-2014. Germany has contributed with fishery data for the period of 2011-2012, Estonia with fisheries data from 2010-2012 and Poland with fisheries data for the period 2012-2014. DTU Aqua has carried out the analysis regarding landings, catch value and effort in order to assess the impact, which the proposed measures will have on current fishing activities. The analyses of fishing activities have been carried out on the basis of VMS and log book data for vessels above 12 meters, since smaller vessels are not obliged to carry VMS. The fishing pattern for smaller vessels below 12 meters have only been assessed for Danish and Swedish vessels. Annex J describes in more detail how the fishery data have been analyzed, and the methods used. The following sections (6.1-6.3) describe in more detail information regarding fleet activity, type of fisheries, target species and annual trends for the period 2011-2014 (average values). Seasonal trends have not been analyzed due to the relatively low fishing activities in the three sites. Annual landing and catch values are given in Annex K, whereas effort data is given in Annex L.

6.1 Fleet activity and type of fisheries [YET TO BE FINALIZED]

German and Swedish registered fishing vessels have access to the Danish part of the Baltic Sea within 12 nautical miles, see section 2.2. No other Member States have direct management interest/rights within 12 nautical miles from the Danish coastline. The Danish part of the Baltic Sea has historically been an important fishing area for Danish, Swedish and German fishermen. Concerning the site in the EEZ – all Baltic Sea countries have fishing opportunities in and around the area.

Fishing activities conducted in and around the three sites include fishing with bottom trawls, pelagic trawls, net gear, traps and lines. Only fishery data from fishing activity with mobile bottom contacting gears are listed in the following sections, since only this activity is proposed to be banned.

Swedish fishing activities with mobile bottom contacting gears are limited in and around the site 'Adler Grund og, Rønne Banke'. There are no registrations of Swedish vessels above 12 meters conducting fishery with mobile bottom contacting gears in the other two sites.

German fishing activities are registered in all three sites, especially in the site "Flensborg Fjord"

Estonian and Polish fishing activity with mobile bottom contacting gears are only conducted in the area in and around the site "Adler Grund og Rønne Banke". The exact location of Estonia activity can however not be displayed, since the Estonian data is given per ICES square (38G4 and 39G4). The Polish data was forwarded as landings from area "D7", which covers part of the site "Adler Grund og Rønne Banke". The Polish landings can therefore not with certainty be attributed to fishing activity directly within the site of "Adler Grund og Rønne Banke".

Slettet: W
Slettet: '
Slettet: &

Kommenterede [LT10]: See earlier comments on data for 2015.

DK: 2015 data would be ideal, however, perhaps not realistic.

Slettet: 2011-2014 Slettet: analysed

Slettet: to some extend Slettet: v Slettet: site-Slettet: & Slettet: r Slettet: Slettet: Slettet: Slettet: & Slettet: Slettet: i Slettet: -set Slettet: Slettet: & Slettet: ' Slettet: Slettet: & Slettet:

Danish and Swedish fishing activities within the three Natura 2000 sites constitutes less than 100 of the total VMS effort in the western Baltic Sea – both in relation to fishing with mobile bottom contacting gears and other gear types combined, see table 3 in Annex L.

The number of vessels conducting fishing activity in the three Natura 2000 sites are fairly low, see table 4 below, however, there is a trend of more Danish trawlers being present in the three areas concerned compared to the number of Swedish and German vessels. No Swedish vessels above 12 meters use the site <u>"Centrale Storebælt og Vresen" nor "Flensborg Fjord" for fishing. Polish vessels are present in and around the site "Adler Grund og Rønne Banke" (1-5 in numbers).</u>

According to VMS effort (see Annex L), the three Natura 2000 sites are not important fishing grounds for Danish, German, Swedish, Estonian or Polish fishermen. Of these countries, Denmark seems to have the highest effort values for the Danish part of the western Baltic Sea area in general, yet in and around the Natura 2000 sites, the effort is fairly low. Swedish vessels have a relatively high VMS effort in the Swedish part of the Baltic Sea, compared to the Danish part, where the highest intensity is found in the area closest to the Danish-Swedish nautical border (Adler Grund og Rønne Banke). German vessels seems to have a relative stable abundance (based on landings in the Danish part of the Baltic Sea [more text to be included, when German data for 2013-2014 are delivered – as well as Polish and Estonian data].

Table 4. Number of vessels fishing in Natura 2000 sites with mobile bottom contacting gears and other gear types, respectively

| | | Danish v | vessels | 5 | Sv | Swedish vessels | | | | German vessels | | | | Polish vessels | | | | |
|-------------------------------------|------|------------------------------|---------|-------|------------|--|-------|------|--|----------------|-------|-------|-----------------------------------|----------------|------|------|--|--|
| Natura 2000 site | | mobile ontactir (other | ng geal | rs | co | mobile bottom contacting gears (other gears) | | | mobile bottom contacting gears (other gears) | | | | mobile bottom contacting gears | | | | | |
| | 2011 | 2012 | 2013 | 2014 | 2011 | 2012 | 2013 | 2014 | 2011 | 2012 | 2013 | 2014 | 2011 | 2012 | 2013 | 2014 | | |
| Adler Grund og Rønne Banke | 2(1) | 9(2) | 7(0) | 8(0) | No records | | 2(0) | 5(0) | No re | cords | 1 | 5 | 1 | 2 | | | | |
| Centrale Storbælt og Vresen | 8(2) | 16(6) | 16(8) | 12(3) | No records | | 1(0) | 0(0) | No re | cords | 0 | 0 | 0 | 0 | | | | |
| Flensborg Fjord | 6(6) | 26(8) | 23(5) | 21(0) | | No re | cords | | 4(0) | 7(0) | No re | cords | 0 | 0 | 0 | 0 | | |

Since smaller fishing vessels (below 12 meters) do not carry VMS onboard, it has not been possible to include the activity from smaller vessels in the analysis carried out in and around the three Natura 2000 sites with regards to effort, fishing pattern, target species etc. However, based on dialogue with the Danish Fishermen Association PO, the fishing effort from these smaller vessels seems to be relatively from commercial fishing vessels below 12 meters. Experiences from fisheries control at sea as well as from the FMC (the Danish Fishery Monitoring Centre) confirms this assumption.

| Kommenterede [LT11]: This does not seem to be a threat in the area today. Pehaps develop a text on possible future threats liked to bottom contacting fishing gear or precautionary approach? |
|---|
| DK: See text below – next section and new text in section 4. |
| Slettet: consistutes |
| Slettet: 1‰ |
| Slettet: ' |
| Slettet: & |
| Slettet: ' |
| Slettet: ' |
| Slettet: ' |
| Slettet: ' |
| Slettet: & |
| Slettet: b |
| Slettet: W |

Slettet: Kattegat
Formateret: Skrifttype: Kursiv

6.2 Target species and annual trends

Analyses of target species and annual trends for fishing activity within the three Natura 2000 sites have been made possible through a coupling of VMS-data and log book data, see Annex J-K (only for vessels above 12 meters). Focus has been given to the period 2011-2014.

The following section describes in more detail fishing activity per site separately for Denmark, Sweden and Germany, (Estonia and Poland) for the main target species (given as an average for a year period; (2011-2014) for Danish and Swedish fishery data, a two year period (2011-2012) for German and (2010,2012) for Estonian fishery data, and finally a three year period (2012-2014) for Polish fishery data. Annex K lists fishery data at species level per year per country.

Natura 2000 site "Adler Grund og Rønne Banke"

A number of Member States, besides Denmark, conduct fishing activities in and around the Natura 2000 site Adler Grund og Rønne Banke, see table 5 and following figures. According to the forwarded fishery data Germany, Sweden, Estonia and Poland also use the area for fishing with mobile bottom contacting gears, alongside Denmark.

The main target species in the area are Atlantic cod and a mixed range of flatfish. According to log book and VMS data, Danish fishermen conduct fishing activity with both pelagic- and bottom trawls in the site. The average annual Danish landings from the bottom trawling fishery amounts to approximately 9.000 kg at an estimated mean catch value of € 14.000 (for the years 2011-2014). If looking at Danish annual values, the majority of registered landings took place in 2012 (24.897 kg at a mean value of € 4.228), see Annex K.

German fishermen conduct a small scale fishery with mobile bottom contacting trawls, mainly for Atlantic cod. The <u>registered</u> landings from the German vessels (mobile bottom contacting gears) amounts to approximately 3.000 kg at an estimated average catch value of \in 4.000 (based on the period 2010-2012).

Swedish fishermen also conduct a small scale fishery with mobile bottom contacting trawls for Atlantic cod, besides fishery with nets and lines (also for Atlantic cod). The registered landings from the Swedish bottom trawl fishery in the area amounts to approximately $\frac{2}{4}$ 800 kg at an estimated average catch value of $\frac{2}{4}$ 600 (based on the period 2011-2014).

The Estonian fisheries data have been forwarded at ICES square level which may not give the exact values of the Estonian fishery with mobile bottom contacting gears in and around the site "Adler Grund og Rønne Banke". The Danish AgriFish Agency wish to include all forwarded fishery data, as fishing activities with mobile bottom contacting gears do take place within the boundaries of the Natura 2000 site. This results in registered landings from Estonian fishermen to approximately 2.500 kg at an estimated mean catch value of € 3.000 (based on the period 2010-2012).

The Polish fishery data has been forwarded for an area termed "area D7", which only covers part of the Natura 2000 site, see Annex K. The Polish landings can therefor not with certainty be matched to the site, as well as there can be landings from the site which are not included in the dataset. The registered landings indicate that Polish fishermen primarily conduct fishery with mobile bottom contacting gears in D7, where the main target species are Atlantic cod and European flounder. These landings amounts to an approximately annual landing of 9.500 kg at an estimated average catch value of € 12.500 (based on the period 2011-2014).

Slettet: &

Slettet: bb

Slettet: registrered

Slettet: registrered

Slettet: r

Slettet: 3

Slettet: 4

Slettet: 8

Slettet: %

Slettet: \(\)


Slettet: &

Slettet: r

Table 5. Average landings per country and value of landings per gear type and target species for Adler Grund og Rønne Banke. The values are estimated from log book and VMS data

| | | MS / landings (in kg) | | | | | Estimated value of catch (in €) | | | | | |
|--------------|-------------------|-----------------------|-------|-----------------------|-------|-------|---------------------------------|----|--------------|-------|--------|--|
| Type of gear | Target species | DK | DE | SE | EST | PL | DK | DE | SE | EST | PL | |
| Mobile | Atlantic cod | 8.597 | 3.061 | <u>2</u> .8 <u>74</u> | *** | 7.101 | 14.069 | ** | 3.659 | *** | 12.133 | |
| bottom trawl | European flounder | <u>79</u> | 0 | 0 | *** | 1.758 | <u>28</u> | ** | 0 | *** | 485 | |
| | Others* | 210 | 65 | 0 | 2.417 | 837 | 163 | ** | 0 | 2.861 | 31 | |
| Total | | 8.8 <u>86</u> | 3.126 | <u>2</u> .8 <u>74</u> | 2.417 | 9.696 | 14.2 <u>60</u> | ** | <u>3.659</u> | 2.861 | 12.649 | |

Figure 5a. Maps of Adler Grund og Rønne Banke showing reef structures, proposed buffer zones and VMS positions for Danish vessels above 12 meters - left map showing fishing activities with bottom contacting gears and right map showing fishing activities with other gear types.





^{**)} Others; catches below 200 kg are summarized in this category.

**) Value of landings received as a total and not at specie level

***) Estonian data are received at Ices square level and not per Natura 2000 site. The data are further received as totals and not specie level.

Figure 5b. Maps of Adler Grund og Rønne Banke showing reef structures, proposed buffer zones and VMS positions for Swedish, German and Estonian vessels above 12 meters – left map showing fishing activities with bottom contacting gears and right map showing fishing activities with other gear types.





Natura 2000 site "Centrale Storebælt og Vresen"

Danish and German fishermen conduct fishing activities in and around the Natura 2000 site "Centrale Storebælt og Vresen", see table 6 and figures 6a and 6b.

According to log books and VMS data, Danish fishermen conduct an extensive fishery in the area with both net gears, pelagic- and bottom contacting trawls. The target species in the fishery with mobile bottom contacting gears are primarily Atlantic cod, sprat and different flatfishes.

The Danish average landings amount to approximately 185.000 kg at an estimated mean catch value of \in 250.000 (based on the period 2011-2014). The majority of the Danish landings took place in 2013 (232.965 kg at an estimated catch value of \in 402.320), see Annex K.

The red polygon shown in figure 6a, is the area in which a potential conflict between reef structures and fishery with mobile bottom contacting gears exists. Since the resolution of the mapping is <u>fairly</u>low, the <u>site</u> therefore cannot in accordance with the Danish definition of reef structures, be closed for fishery.

According to log books and VMS data from German fishermen, they conduct a small scale fishery for cod and flatfish with mobile bottom contacting gears. The registered landings from this fishery amounts to approximately 2.000 kg at an estimated average catch value of € 5.000 (based on the period 2010-2012).

Slettet: &

Slettet: &

Slettet:

Slettet: and

Slettet: this area will not

Slettet: German fishermen

Slettet: s

Slettet: r

There are no records of Swedish fishermen conducting fishery in this area when looking at the period of 2011-2014, see table 6 and figures 6a and 6b.

Fishery data for smaller vessels are not available for the area for Danish, Swedish nor German vessels, Fishing activity with smaller vessels (below 12 meters) are for Denmark and Germany estimated to be similar to those of larger vessels. This assumption is supported by information of fishing patterns for smaller vessels provided by the Danish Fishermen Association. However, some smaller vessels may likely be affected by the proposed measures, since they do use the areas where the reefs are comprised of smaller stones (in the buffer_zones), when fishing with mobile bottom contacting gears.

Table 6. Average landings per country and value of landings per gear type and target species for Centrale Storebælt og Vresen. The values are estimated from log book and VMS data

| | | Country / Landings (in kg) | | | Estimated value of catch (in €) | | |
|---------------------|-------------------|----------------------------|-------|----|---------------------------------|-------|----|
| Type of gear | Target species | DK | DE | SE | DK | DE | SE |
| Mobile bottom trawl | Atlantic cod | 89.164 | 334 | 0 | 168.620 | ** | 0 |
| | Brill | 588 | 47 | 0 | 3.841 | ** | 0 |
| | Common dab | 6.592 | 143 | 0 | 4.959 | ** | 0 |
| | Common sole | 1.862 | 275 | 0 | 22.826 | ** | 0 |
| | European flounder | 20.050 | 664 | 0 | 11.456 | ** | 0 |
| | European plaice | 27.328 | 554 | 0 | 27.291 | ** | 0 |
| | Lumpfish | 382 | 1 | 0 | 1.032 | ** | 0 |
| | Sprat | 29.968 | 0 | 0 | 8.382 | 0 | 0 |
| | Turbot | 483 | 27 | 0 | 3.892 | ** | 0 |
| | Others* | 1.061 | 14 | 0 | 1.463 | ** | 0 |
| Total | | 177,478 | 2.059 | 0 | 253,762 | 5.155 | 0 |


^{*)} Others; catches below 200 kg are summarized in this category.
**)Value of landings received as a total and not per specie.

Kommenterede [LT12]: Swedish fishing vessels? Compare section above concerning Swedish fishermen

Slettet: Danish nor German vessels

Slettet: 0 Slettet: i

Figure 6a. Maps of Centrale Storebælt og Vresen showing reef structures, proposed buffer zones and VMS positions for Danish vessels above 12 meters – left map showing fishing activities with bottom contacting gears and right map showing fishing activities with other gear types.







Figure 6b. Maps of Centrale Storebælt og Vresen showing reef structures, proposed buffer zones and VMS positions for Swedish and German vessels above 12 meters – left map showing fishing activities with bottom contacting gears and right map showing fishing activities with other gear types.





Natura 2000 site "Flensborg Fjord, Bredgrund og farvandet omkring Als"

Danish and German fishermen conduct fishing activities in and around the Natura 2000 site 'Flensborg Fjord', see table 7 and figures 7a and 7b.

According to log book and VMS data, Danish fishermen conduct fishery in the area with both pelagic and mobile bottom contacting gears. The target species are primarily cod and different flatfishes. The Danish average annual landings amounts to approximately 265.000 kg at an estimated average catch value of around € 30.000 (based on the years 2011-2014). The majority of Danish landings took place in 2013 (390.778 kg at an estimated average catch value of € 790.000).

According to log book and VMS data from German fishermen, these conduct fishery with mobile bottom contacting gears in the area. The registered German landings from this fishery amounts to approximately 32.000 kg at an estimated average catch value of € 32.500 (based on the period 2011-2012).

Swedish fishermen have no registered landings from the area form the period 2011-2014, see table 7 and figures 7a and 7b.

Fishery data for smaller vessels are not available for the area for Danish nor German vessels. Fishing activity with smaller vessels (below 12 meters) are for Denmark and Germany estimated to be similar to those of larger vessels. This assumption is supported by information of fishing patterns for smaller vessels provided by the Danish Fishermen Association PO. However, some smaller vessels may likely be affected by the proposed measures, since they do use the areas where the reefs are comprised of smaller stones (in the buffer_zones), when fishing with mobile bottom contacting gears.

Table 7. Average landings per country and value of landings per gear type and target species for Flensborg Fjord. The values are estimated from log book and VMS data

| | Country / Landings (in kg) | | | Estimated value of catch (in €) | | | |
|---------------------|----------------------------|---------|--------|---------------------------------|---------|--------|----|
| Type of gear | Target species | DK | DE | SE | DK | DE | SE |
| Mobile bottom trawl | Atlantic cod | 124.984 | 9.588 | 0 | 207.790 | ** | 0 |
| | Common dab | 20.772 | 5.186 | 0 | 12.676 | ** | 0 |
| | European flounder | 30.659 | 7.933 | 0 | 14.756 | ** | 0 |
| | European plaice | 85.574 | 6.761 | 0 | 75.757 | ** | 0 |
| | Sprat | 340 | 0 | 0 | 87 | ** | 0 |
| | Turbot | 252 | 69 | 0 | 1.650 | ** | 0 |
| | Whiting | 469 | 2.289 | 0 | 229 | ** | 0 |
| | Others* | 414 | 86 | 0 | 2.231 | ** | 0 |
| Total | | 263.464 | 31.912 | 0 | 315.176 | 32.714 | 0 |

^{*)} Others; catches below 200 kg are summarized in this category.
**)Value of landings received as a total and not per specie.

Slettet: &

Slettet: r Slettet: 0

Slettet: r

Slettet: 0

Slettet: i

Figure 7a. Maps of Flensborg Fjord showing reef structures, proposed buffer zones and VMS positions for Danish vessels above 12 meters – left map showing fishing activities with bottom contacting gears and right map showing fishing activities with other gear types.




Figure 7b. Maps of Flensborg Fjord showing reef structures, proposed buffer zones and VMS positions for Swedish and German vessels above 12 meters – left map showing fishing activities with bottom contacting gears and right map showing fishing activities with other gear types.





6.3 Displacement

Analysis of fishing patterns based on VMS positions and log book data indicate, that the proposed fisheries management measures are not likely to have a great impact in relation to the current fishing activities in the western Baltic for Danish, Swedish, German, Estonian and Polish vessels. For Danish and German vessels, the western Baltic area is an important fishing ground, however, the areas addressed in the present proposal are characterized by reef structures and are, therefore, not preferred fishing grounds primarily due to the risk of damage to the fishing gear used from contact with the reef structures.

Danish fishermen carry out fishing activities with mobile bottom contacting gear in all the three Natura 2000 sites in question, however, the activities are not taking place in areas mapped as reefs, and will therefore only be displaced in a minor degree due to the proposed fisheries management measures. There are, however, indications that smaller vessels are conducting fishing activity with mobile bottom contacting gears in the area of Flensborg Fjord, solely in areas characterized by less dense stone occurrences. These fishermen will be displaced from the area if this activity is taking place in the outlined buffer zones unless they change gear type and fish with pelagic trawls instead of mobile bottom contacting trawls.

Swedish vessels have some fishing activities according to VMS and log book data in only one of the sites. However the degree of mobile bottom contacting fishery there is still very limited.

Germany have fishing activities in all three sites. Like for the Danish vessels it is assumed that the displacement will be the same as that for the Danish vessels in the areas.

The overall conclusion in relation to displacement is therefore, that the proposed fisheries management measures for protection of reef structures will not have any significant impact on the fishing activities in the Western Baltic area in general for the Member States with fishing rights within 12 nautical miles, e.g. Swedish, German and Danish vessels. Likewise, Member States with fishing rights in the Danish EEZ around the site Adler Grund og Rønne Banke will not be displaced from current fishing grounds by the proposed fisheries management measures.

The majority of the areas within the three Natura 2000 sites will still be open for fishing activities with nets, traps/pots and pelagic trawls. VMS effort data confirms that the three Natura 2000 sites are not so important fishing areas for either Danish, Swedish, German, Estonian nor Polish fishermen. However, it cannot be excluded that the proposed fisheries management measures might have an effect on some fishermen, carrying out fishing activities in the outlined buffer_zones. This activity is estimated to be of a quantity, which can be fished elsewhere. However, this potential impact is, according to the available fishery data, minimal.

Assessment of displacement is important not only in terms of potential effects to ongoing fishing activities but also in relation to the marine environment. Displacement of fishing activities to less productive areas can potentially cause great damage to the marine environment, thus resulting in an overall negative impact. The proposed fisheries measures in the present proposal will in general not result in displacement of fishing activities, since the areas proposed closed to fishing activity are not the most important fishing grounds for Danish, Swedish, German, Estonian nor Polish fishermen.

6.4 Control, enforcement and monitoring

The following two sections describe how the proposed management measures will be controlled, <u>enforced</u> and monitored. Changes in conservation status as well as monitoring of effects of implemented management measures are assessed in the Danish Monitoring Program (NOVANA).

Slettet: W
Slettet: W

Slettet: occurences

Slettet: a

Slettet: &

Slettet: in a

Slettet: e

Slettet:

6.4.1 Control and enforcement

Control and enforcement of fishery management measures in marine Natura 2000 sites in Denmark is coordinated by the Fishery Monitoring Center, (FMC) under the Danish Agrifish Agency located in Kolding, Jutland. The Danish FMC has developed specific guidelines for fisheries control and enforcement, which were launched parallel to the implementation of the first national order for the protection of reef structures in four coastal Natura 2000 sites located in the western Baltic Sea.

All marine Natura 2000 sites are visible in the Danish V-track system²⁶. The Danish FMC has developed a model whereby the center is alerted if and when a vessel enters the outlined area (control area) placed around the Natura 2000 sites for which fisheries management measures have been implemented. The control area has a minimum size of 4 nautical miles whereby any activity in the area will be detected. Every day FMC receives a list of the vessels which have been detected in the control areas the previous day. In case a vessel has been detected within a Natura 2000 site, an analysis of the vessels fishing pattern is carried out and the vessel is contacted with the purpose of informing the vessel owner of current fisheries management measures. The model allows for real time control as well as administrative control.

Since September 2013 when the first national administrative order was implemented for protection of reef structures in 4 coastal Natura 2000 sites, the FMC has detected both gillnet vessels and trawlers in the areas closed for fishing activities with mobile bottom contacting gear. An open dialogue with the fishermen so far seems to have had an effect.

Control and enforcement of fisheries management measures in marine Natura 2000 sites in Danish waters are centered around the VMS system, the risk based system used in regular fisheries control and enforcement as well as open dialogue with fishermen and their organizations. The Danish AgriFish Agency is fully aware of the challenges of control and enforcement of fisheries management measures for relatively small Natura 2000 sites, which can be passed in the time between two VMS pings. Control and enforcement needs to be seen in connection with the implementation of the reform of the Common Fisheries Policy.

Analysis of the fishing patterns in and around the three Natura 2000 sites which the present proposal covers, show that fishing activity with mobile bottom contacting gear in the two areas is quite extensive (Flensborg Fjord and Centrale Storebælt). However, the fishing activity do not take place in areas mapped as reefs code H1170, but some fishing activity is seen in the buffer_zones placed around the reefs. The analyses is based on VMS positions for Danish, Swedish and German vessels as well as information from smaller Danish vessels – see section 6.1 and 6.2 for more information on fishing pattern, target species etc. With the current fishing activity in mind, control and enforcement does not seem to be a major issue under a new regime with prohibition of certain fishing activities in the three Natura 2000 sites].

Denmark will reassess whether there is a need for additional technical equipment in relation to control and enforcement of the proposed fisheries management measures. An evaluation of the Danish control and enforcement model will take place in summer 2018 when the measures adopted for 10 Natura 2000 sites (Delegated Act (EU) 2015/1778) has been in place for 18 months. Thus, the Danish AgriFish Agency will, if the need arises, require usage of technical equipment (GPS and sensors as a minimum), in line with the current CCTV and technical specifications for some types of fishing activities in Danish waters both within and outside 12 nautical miles. If the need arises for technical equipment in relation to fisheries control and enforcement – Denmark will coordinate such a requirement in accordance with Article 11 and 18 of the Basic Regulation and with the Member States having a direct management interest in the area, e.g. Germany, Sweden, Poland, Estonia [other MS].

Slettet: e

Slettet: re

Kommenterede [LT13]: Please develop reasoning behind this.

DK: Suggest we discuss this at the June meeting.

Slettet: once these measures

Slettet: XX

Slettet: ve

Kommenterede [LT14]: Please develop this.

DK: Text has been re-frased.

²⁶ The V-track system displays VMS positions for vessels. For all vessels above 12 meters VMS is mandatory.

6.4.2 The national monitoring program - NOVANA

In Denmark, reef structures in Natura 2000 sites are monitored through NOVANA, the Danish national monitoring program. Within this program, reefs in open waters are monitored by the Danish Centre for Environment and Energy (DCE) University of Aarhus. DCE monitor reefs in 34 Natura 2000 sites following specific national guidelines. Of the 34 areas, boulder reefs in 12 areas are monitored yearly, whereas boulder reefs and "bubbling reefs" in the remaining 22 areas are monitored every six years. In addition to this program, the Danish Nature Agency monitors macro_algae coverage and fauna on transects on reefs in the coastal zone²⁷. Thus, the main aim is an assessment of biodiversity on and around the reef structures.

Thus, the effect of the proposed management measures will be monitored through the Danish national monitoring program NOVANA. Data from the marine monitoring stations located within and/or close to the Natura 2000 sites concerned provides the basis for the description of the current conservation status both in relation to basic analyses plans and management plans with macro_algae being the main indicator.

Of the three Natura 2000 sites, that the present proposal deals with; Adler Grund is monitored at four different depths every six years (last monitored in 2013) and Flensborg Fjord; is monitored at three different depths every six years (last monitored in 2013). Within the site of Centrale Storebælt, there is a separate small Natura 2000 site called "Broen", the reef structures in this minor site is monitored at four different depths every year.

Siettet:
Siettet: e

Slettet: e

Slettet: ,

²⁷ Dahl, K. and Carstensen, J. (2008): Tools to assess conservation status on open water reefs in Natura 2000 areas. Nat Env R Inst, University of Aarhus, 25 pp. NERI Technical Report No. 663: http:// www.dmu.dk/Pub/FR663.pdf

References

- 1. Council Directive 92/43/EEC, of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora: http://eurlex.europa.eu/LexUriServ/LexUriServ.do?uri=CONSLEG:1992L0043:20070101:EN:PDF
- Directive 2009/147/EC of the European Parliament and of the Council, of 30 November 2009 on the conservation of wild birds: http://eurlex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2010:020:0007:0025:en:PDF
- Link Natura 2000 Management plans:
- http://www.naturstyrelsen.dk/Naturbeskyttelse/Natura2000/Natura_2000_planer/Se_Planerne/
- 4. Adler Grund: management plan to be adopted during 2016 also here reefs will be given in UFC.
- Freese, et al. 1999 Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska. Marine Ecology-Progress series 182: 119-126; Dahl, K. 2005: Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. - Faglig rapport fra DMU nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S. and Poiner, I. R. (2002), Modification of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 3: 114–136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp.; ICES. 2006. Report of the Working Group on Ecosystem Effects of Fishing Activities (WGECO), 5 12 April 2006, ICES Headquarters, Copenhagen. ACE:05. 174 pp; Howarth et al. 2015 – Sessile and mobile components of a benthic ecosystem display mixed trends within a temperate marine reserve. Marine Environmental
- Basic Regulation 1380/2013, art. 4, § 1, no. 22; "Member State having a direct management interest means a Member State which has an interest consisting of either fishing opportunities or a fishery taking place in the exclusive economic zone og the Member State concerned": http://eurlex.europa.eu/LexUriServ.do?uri=OJ:L:2013:354:0022:0061:EN:PDF
- Link Guidance document:
- http://ec.europa.eu/environment/nature/natura2000/marine/docs/fish_measures.pdf
- Link to Council Regulation: http://eur-lex.europa.eu/legalcontent/EN/TXT/?qid=1453397183538anduri=CELEX:32015R0104
- Link Act on Environmental Goals: https://www.retsinformation.dk/Forms/R0710.aspx?id=127102
- 10. Link Fisheries Act: https://www.retsinformation.dk/Forms/r0710.aspx?id=121218
- 11. Link Administrative order no. 408, 1 May 2007
- https://www.retsinformation.dk/Forms/R0710.aspx?id=13043
- 12. Link Administrative order no. 1114, 25 November 2011:
- https://www.retsinformation.dk/Forms/R0710.aspx?id=139270

 13. Link: Report Mapping of Natura 2000 sites in 2011: <a href="http://naturstyrelsen.dk/publikationer/alle-publikationer/2013/dec/kortlaegning-af-natura-2000-habitaterne-boblerev-(1180)-rev-(1170)sandbanker-(1110)/
- The Natura 2000 Dialogue Forum:
- http://naturerhverv.dk/fileadmin/user_upload/NaturErhverv/Filer/Fiskeri/Natura_2000_hav/Natura 2000 dialogforum/Revideret kommissorium for N2000 Dialogforum 020513.pdf
 15. Vessel monitoring systems: satellite based monitoring system used in commercial fisheries.
 16. Link Administrative order no. 1048 of 28 August 2013:

- https://www.retsinformation.dk/Forms/R0710.aspx?id=158209
- 17. Dahl, K. (2005): Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. Faglig rapport fra DMU nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S. and Poiner, I. R. (2002), Modification of marine habitats by trawling activities: prognosis and solutions. Fish and
- Fisheries, 3: 114–136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp.

 18. Dahl, K. (2005): Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s. Faglig rapport fra DMU nr. 526; Fenberg P.B.*, Caselle J., Claudet J., Clemence M., Gaines S., García-Charton J.A., Gonçalves E., Grorud-Colvert K., Guidetti P., Jenkins S., Jones P.J.S., Lester S., McAllen R., Moland E., Planes S. and Sørensen T.K. (2012) The science of European marine reserves: status, efficacy and needs. Marine Policy 36(5), 1012-1021; Collie, J. S., Hall, S. J., Kaiser, M. J. and Poiner, I. R. (2000), A quantitative analysis of fishing impacts on shelf-sea benthos. Journal of Animal Ecology, 69: 785–798.

 19. Dahl, K. (2005): Effekter af fiskeri på stenrevs algevegetation. Danmarks Miljøundersøgelser. 16 s.
- Faglig rapport fra DMU nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S. and Poiner, I. R. (2002), Modification of marine habitats by trawling activities: prognosis and solutions. Fish and

Slettet: <#>Dahl, K. 2005: Effekter af fiskeri på stenrevs algevegetation. Danmarks
Miljøundersøgelser. 16 s. – Faglig rapport fra DMU
nr. 526; Kaiser, M. J., Collie, J. S., Hall, S. J.,
Jennings, S. and Poiner, I. R. (2002), Modification of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 3: 114–136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp.; ICES. 2006. Report of the Working Group on Ecosystem Effects of Fishing Activities (WGECO), 5 12 April 2006, ICES Headquarters, Copenhagen. ACE:05. 174 pp.¶

Fisheries, 3: 114–136; ICES. 2009. Report of the EMPAS project (Environmentally Sound Fisheries Management in Protected Areas), 2006-2008, an ICES-BfN project. 123 pp. Habitat No. H261, Natura 2000 site No. 252, EU site code: DK00VA261 Habitat No. H204, Natura 2000 site No. 204, EU site code: DK00VA303

- 22. Link to Natura 2000 management plan for Centrale Storebælt og Vresen: http://naturstyrelsen.dk/naturbeskyttelse/natura-2000/natura-2000-planer/natura-2000-planer/2009-15/plan-1-125/116-vresen/

 23. Habitat No. H173, Natura 2000 site No. 197, EU site code: DK00VA254
- 24. Link to Natura 2000 management plan for Flensborg Fjord, Bredgrund og farvandet omkring Als: http://naturstyrelsen.dk/naturbeskyttelse/natura-2000/natura-2 246/197-flensborg-fjord-og-bredgrund/
- 25. Further reference to this principle in Danish case law: Decision by the Supreme Court (Højesterets Kendelse
- 356/2011): http://www.domstol.dk/hojesteret/nyheder/Afgorelser/Documents/356-2011.pdf
 26. The V-track system displays VMS positions for vessels. For all vessels above 12 meters VMS is mandatory.
- Dahl, K. and Carstensen, J. (2008): Tools to assess conservation status on open water reefs in Natura 2000 areas. Nat Env R Inst, University of Aarhus, 25 pp. NERI Technical Report No. 663: http://www.dmu.dk/Pub/FR663.pdf

Feltkode ændret

Feltkode ændret

List of Annexes

Annex A: Map of Danish marine Natura 2000 network

Annex B: Overview of designation of Natura 2000 sites

Annex C: TAC's and Fishing opportunities for 2016

Annex D: Overview of the 11 information items in Commission's guideline from 2008

Annex E: Scientific advice - Buffer zones

Annex F: Overview of formal and informal consultations

Annex G: Summary of outcome of regional coordination process

Summary of outcome of consultation with the Danish Natura 2000 Dialogue Forum and Advisory Councils $\,$ Annex H:

Buffer zone coordinates for 'Adler Grund og Rønne Banke', 'Centrale Storebælt og Vresen' Annex I:


and 'Flensborg Fjord, Bredgrund og farvandet omkring Als'

Annex J: Fishery data: Description of methods

Annex K: Total landings and catch values

Annex L: Fishery effort

Annex A - Map of Danish Natura 2000 network



Designation codes are used (marine only) – definitions and further information regarding the designation types appears in the EU Commission's "Interpretation Manual of European Union Habitats"²⁸ and "Codelist for species" on the Reference Portal for Natura 2000²⁹.

- 1095 Sea lamprey
- 1099 River lamprey
- 1103 Twait shad
- 1110 Sandbank which are slightly covered by sea water all the time
- 1140 Mudflats and sandflats not covered by sea water at low tide
- 1150 Coastal lagoons
- 1160 Large shallow inlets and bays
- 1170 Reefs
- 1180 Submarine structures made by leaking gases
- 1351 Harbour porpoise
- 1364 Grey seal
- 1365 Harbour seal

A range of birds species

Table of designated habitat types and species for the 97 Danish Natura 2000 sites is given in the following pages.

²⁸ http://ec.europa.eu/environment/nature/legislation/habitatsdirective/docs/Int Manual EU28.pdf

²⁹ http://bd.eionet.europa.eu/activities/Natura_2000/reference_portal

| Ell site sede | N2000 site name (in Danish) | Sine (he) | Designated for: |
|------------------------|---|----------------------|--|
| DK00FX112 | N2000 site name (in Danish) Skagens Gren og Skagerrak | Size (ha) 270,295 | (only marine habitats and species mentioned) |
| DK00FX112 | Hirsholmene, havet vest herfor | 9.533 | 1351, 1150 |
| DROOF XIII | og Ellinge Å's udløb | 7.555 | 1095,1364,1365,1110,1150,1170,1180, birds |
| DK00FX010 | Strandenge på Læsø og havet | 102.714 | |
| B.1/00 B.1/14 | syd herfor | = | 1364,1365,1110,1140,1150,1170,1180, birds |
| DK00FX118 | Holtemmen, Højsande og Nordmarken | 713 | 1150 |
| DK00FX122 | Alborg Bugt, Randers Fjord og | 72.197 | 1095,1099,1103,1365,1355,1110,1130,1140,1150, |
| | Mariager Fjord | | 1160, birds |
| DK00FX123 | Nibe Bredning, Halkær Ådal og | 20.341 | 1095,1099,1355,1365,1110,1150,1160,1170,1140, |
| DK00EY124 | Sønderup Ådal Løgstør Bredning, Vejlerne og | 44.768 | Birds |
| DRUUET124 | Bulbjerg | 44.700 | 1095,1355,1365,1110,1140,1150,1160,1170, birds |
| DK00FX257 | Havet omkring Nordre Rønner | 18.535 | 1364,1365,1110,1140,1170,1180, birds |
| DK00FX128 | Kielstrup Sø | 40 | 1110, 1150 |
| DK00EY133 | Agger Tange, Nissum Bredning, | 33.165 | 323, 233 |
| | Skibsted Fjord og Agerø | | 1103,1355,1365,1110,1140,1150,1160,1170, birds |
| DK00EX026 | Dråby Vig | 1.678 | 1103,1355,1365,1140,1150,1160,1170, birds |
| DK00EY134 | Lovns Bredning, Hjarbæk Fjord | 23.520 | 1102 1255 1265 1110 1150 1160 1170 111 |
| DK00EX135 | og Skals, Simested mv. Kås Hoved | 396 | 1103,1355,1365,1140,1150,1160,1170, birds |
| DK00EX133 | Sønder Lem Vig og Geddal | 1.115 | 1355, 1150 |
| DK00L1130 | Strandenge | 1.115 | 1355, 1150 |
| DK00EX258 | Mågerodde og Karby Odde | 497 | 1355,1150,1160, birds |
| DK00DX146 | Anholt og havet nord for | 47.878 | 1364,1365,1110,1150, birds |
| DK00DX151 | Begtrup Vig og kystområder | 1.771 | |
| | ved Helgenæs | | 1110,1150,1160,1170 |
| DK00DX155 | Stavns Fjord, Samsø Østerflak og Nordby Hede | 15.663 | 1364,1365,1110,1150,1160,1170, birds |
| DK00DY156 | Horsens Fjord, havet øst for og | 45.823 | 1304,1303,1110,1130,1100,1170, bilds |
| | Endelave | | 1355,1364,1365,1110,1140,1150,1160,1170, birds |
| DK00CY040 | Venø, Venø Sund | 2.926 | 1103,1365,1150,1160,1170, birds |
| DK00CX160 | Nissum Fjord | 6.430 | 1095,1099,1103,1106,1355,1150, birds |
| DK00CX161 | Stadil Fjord og Vest Stadil Fjord | 6.903 | 1095,1355,1150, birds |
| DK00CY163 | Ringkøbing Fjord og | 21.810 | |
| DK00AY176 | Nymindestrømmen Vadehavet med Ribe Å, Tved Å | 151.158 | 1095,1099,1102,1103,1106,1355,1130,1150, birds |
| DKUUAT176 | og Varde Å vest for Varde | 151.156 | 1095,1099,1103,1106,1113,1351,1355,1364,1365, 1110,1130,1140,1150,1160,1170,birds |
| DK008X182 | Fyns Hoved, Lillegrund og | 1.960 | 1110/1130/1110/1130/1100/1170/01/00 |
| | Lillestrand | | 1351,1110,1140,1150,1160,1170 |
| DK008X184 | Æbelø, havet syd for og Nærå | 13.161 | 1351,1365,1110,1140,1150,1160,1170, birds |
| DK008X185 | Havet mellem Romsø og Hindsholm samt Romsø | 4.328 | 1351,1110,1150,1160,1170 |
| DK008X075 | Odense Fjord | 4.136 | 1110,1140,1150,1160,1170 1110,1140,1150,1160,1170, birds |
| DK008X047 | Lillebælt | 35.043 | 1351,1110,1140,1150,1160,1170, birds |
| DK008X189 | Østerø Sø | 57 | 1150 |
| DK008X189 DK008X190 | Centrale Storebælt og Vresen | 8.572 | 1351, 1170, birds |
| DK008X197 | Bøjden Nor | 114 | 1150 |
| DK008X197 | Maden på Helnæs og havet vest | 1.696 | 1130 |
| | for | | 1351,1110,1160,1170 |
| DK008X199 | Vestlige del af Avernakø | 124 | 1150 |
| DK00VA200 | Stenrev sydøst for Langeland | 1.484 | 1110, 1170 |
| DK008X201 | Sydfynske Øhav | 37.000 | 1110,1140,1150,1160,1170, birds |
| DK003X202 | Hesselø med omliggende | 4.193 | |
| DKUUSASUO | stenrev Poskildo Fiord | 14 010 | 1364,1365,1110,1150,1170 |
| DK003X209 | Roskilde Fjord | 14.810 | 1110,1140,1150,1160, birds |

| DK002X110 | Saltholm og omliggende hav | 5.405 | 1364,1365,1110,1150,1160,1170, birds |
|------------------------|--|--------------|---|
| DK002X111 | Vestamager og havet syd for | 6.179 | 1110,1150,1160, birds |
| DK004X217 | Ølsemagle Strand og Staunings Ø | 348 | 1140,1150,1160 |
| DK005Y220 | Havet og kysten mellem Hundested og Rørvig | 3.900 | 1110,1150,1160, birds |
| DK005X221 | Sejerø Bugt og Saltbæk Vig | 40.000 | 1355,1110,1140,1150,1160,1170,birds |
| DK005X222 | Udby Vig | 384 | 1140, 1160 |
| DK005X223 | Åmose, Tissø, Halleby Å og Flasken | 2.000 | 1130, 1150, birds |
| DK005Y229 | Skælskør Fjord og havet og kysten mellem Agersø og Glænø | 14.000 | 1110,1140,1150,1160,1170, birds |
| DK005X097 | Hov Vig | 45 | birds |
| DK005X276 | Røsnæs, Røsnæs Rev og Kalundborg Fjord | 5.540 | 1351,1365,1160,1170 |
| DK006X233 | Havet og kysten mellem Præstø Fjord og Grønsund | 28.600 | 1110,1140,1150,1160,1170, birds |
| DK006X234 | Havet og kysten mellem Karrebæk Fjord og Knudshoved Odde | 16.458 | 1365,1110,1140,1150,1160,1170, birds |
| DK00VA235 | Kirkegrund | 1.761 | 1110, 1170 |
| DK006X090 | Klinteskoven og Klinteskov kalkgrund | 2.000 | birds |
| DK006X238 | Smålandsfarvandet nord for Lolland, Guldborg Sund mv. | 79.069 | 1364,1365,1110,1140,1150,1160,1170, birds |
| DK006X242 | Nakskov Fjord og inderfjord | 7.574 | 1110,1140,1150,1160,1170, birds |
| DK006X260 | Stege Nor | 572 | 1150 |
| DK006X279 | Busemarke Mose og Råby Sø | 242 | 1150 |
| DK007X079 | Ertholmene | 1.256 | 1364, 1170, birds |
| DK00VA247 | Kims Top og den Kinesiske Mur | 26.092 | 1170, 1180 |
| DK00VA248 | Herthas Flak | 1.380 | 1110,1170,1180 |
| DK00VA249 | Læsø Trindel og Tønneberg Banke | 8.123 | 1110,1170,1180 |
| DK00VA250 | Store Middelgrund | 2.094 | 1351,1110,1170,1180 |
| DK00VA170 | Mejl Flak | 3.907 | 1110, 1170 |
| DK00VA171 | Gilleleje Flak og Tragten | 15.034 | 1351,1110,1170 |
| DK00VA253 | Ryggen | 437 | 1110, 1170 |
| DK00VA254 | Flensborg Fjord, Bredgrund og farvandet omkring Als | 64.922 | 1351,1110,1170, birds |
| DK00VA255 | Hatterbarn | 633 | 1170 |
| DK00VA256 | Broen | 588 | 1110, 1170 |
| DK00VA301 | Lønstrup Rødgrund | 9.283 | 1170 |
| DK00VA302 | Knudegrund | 748 | 1170 |
| DK00VA303 | Schultz og Hastens Grund samt Briseis Flak | 20.710 | 1110, 1170 |
| DK00VA304 | Munkegrund | 1.329 | 1110, 1170 |
| DK00VA305 | Stevns Rev | 4.640 | 1110, 1170 |
| DK00VA299 | Lysegrund | 3.158 | 1110, 1170 |
| DK00VA307 | Bøchers Grund | 1.098 | 1170 |
| DK00VA308 | Davids Banke | 838 | 1170 |
| DK00VA309 | Hvideodde Rev | 789 | 1170 |
| DK00VA310 | Bakkebrædt og Bakkegrund | 299 | 1110, 1170 |
| DK00VA340 | Sandbanker ud for Thyborøn | 6.325 | 1110 |
| DK00VA341 | Sandbanker ud for Thorsminde | 6.354 | 1110 |
| DK00EX284 | Risum Enge og Selde Vig | 322 | 1110,1140,1150,1160 |
| DK00DX319 | Kastbjerg Ådal | 38 | 1355,1110,1150,1160 |
| | | 0.015 | 1 |
| DK00DX300 DK00DX321 | Mols Bjerge med kystvande Kaløskovene og Kaløvig | 2.915 280 | 1110,1160,1170 |

| DK00DX322 | Kobberhage kystarealer | 792 | 1110, 1170 |
|-----------|-----------------------------|---------|--------------------------|
| DK003X297 | Jægerspris Skydeterræn | 569 | 1140, 1160 |
| DK004Y335 | Ryegård Dyrehave, Bramsnæs | 197 | |
| | mv. | | 1160 |
| DK008X329 | Thurø Rev | 163 | 1110,1150,1160,1170 |
| DK00VA330 | Ebbeløkke Rev | 140 | 1170 |
| DK003X333 | Kyndby Kyst | 360 | 1110,1140,1150,1160,1170 |
| DK00FX122 | Ålborg Bugt, østlige del | 177.360 | birds |
| DK00VA347 | Sydlige Nordsø | 246.296 | 1351,1364,1365,1110 |
| DK00VA348 | Thyborøn Stenvolde | 7.804 | 1170 |
| DK00VA257 | Jyske Rev, Lillefiskerbanke | 24.083 | 1170 |
| DK00VA258 | Store Rev | 10.892 | 1351,1170,1180 |
| DK00VA259 | Gule Rev | 47.059 | 1351, 1170 |
| DK00VA260 | Fermern Bælt | 11.456 | 1351 |
| DK00VA261 | Adler Grund og Rønne Banke | 31.910 | 1110, 1170 |

State of Play - implementation of Natura 2000 in Denmark

In the first plan period (2010-2015), Denmark has focus on protection of reef structures from irreversible damages due to impact from fishing activity.

The sites concerned in the present proposal, have also been designated for other marine habitats and species, e.g. sandbanks, harbor porpoises, seabirds etc. Formulation of necessary fisheries management measures in relation to the remaining habitats and species will be dealt with at a later stage. Several projects have been launched to increase the knowledge base regarding by-catch of harbor porpoises and seabirds.

Marine habitats and species to be given special focus will also be addressed in the management plans for the second plan period, which commences in 2016.

In relation to protection of reef structures in the Danish part of the <u>western Baltic Sea</u>, state of play is that once the <u>three</u>, sites the present proposal covers, have been fully protected, <u>all Danish sites</u> <u>designated for reefs are protected</u>,

At a national level – protection of reef structures is progressing. Of the 65 sites designated for reef, by end 2016 Denmark expects to have fully protected reef structures in 57 sites.

State of play - Sweden

In the Baltic Sea, Sweden has also designated Natura 2000 sites. These sites are, however, no in close proximity of the Danish sites 'Adler Grund and Rønne Banke'.

State of play - Germany

In the Baltic Sea, Germany has also designated Natura 2000 sites. One of these sites ins located close to the Danish site 'Adler Grund and Rønne Banke', see maps in Annex L. This site has been designated for seabirds and XX.

State of play - Poland

Slettet: u

Slettet: u

Slettet: Kattegat

Slettet: four

Slettet: only one site remains. This site is expetec to be protected in the course of 2016/ 2017 in a similar regional process.

Annex B - Overview of designation of Natura 2000 sites

| Natura 2000 site name | EU-code site number | Designated as PSCI (year) | Revised PSCI (year) | SCI appointed (year) | SAC appointed (year) | Total area (km²) | Reef area mapped (km²) |
|---------------------------------|---------------------------|---------------------------------|---------------------------|----------------------------|----------------------------|------------------------|------------------------------|
| Adler Grund og Rønne Banke | DK00VA261 | 2009 | 2010 | | | 319.10 | 138 |
| Centrale Storebælt og Vresen | DK008X190 | 1995 | 1998 | 2005 | 2011 | 807.20 | 119.90 |
| Flensborg Fjord | DK00VA254 | 1995 | 2003 | 2005 | 2011 | 649.22 | 51.70 |

All the above mentioned Natura 2000 sites are also designated as HELCOM marine protected areas.



Annex C - TAC's and Fishing opportunities for 2016

The Natura 2000 site "Adler Grund and Rønne Banke" is located in the Danish EEZ of the western Baltic Sea, ICES subdivisions 22-24.

In this area, the Member States given in the table below have fishing opportunities, according to Council Regulation (EC) No. 2072/2015, fixing for 2016 the fishing opportunities for certain fish stocks and groups of fish stocks applicable in the Baltic Sea, TACs applicable to union vessels in areas where TACs exist by species and by area are listed.

The table below gives an overview of the total allowable catches (2014) in the western part of the Baltic Sea (subdivisions 22-24), see footnote for further explanation.

| | | TAC (2016) | | | | | | |
|-----------|--------|------------|-------|--------|--------|--|--|--|
| MS | HER* | COD* | PLE** | SAL** | SPR** | | | |
| Denmark | 3.683 | 5.552 | 2.890 | 19.879 | 19.958 | | | |
| Germany | 14.496 | 2.715 | 321 | 2.212 | 12.644 | | | |
| Finland | 2 | 109 | | 24.787 | 10.447 | | | |
| Poland | 3.419 | 1.486 | 605 | 6.030 | 59.399 | | | |
| Sweden | 4.674 | 1.978 | 218 | 26.870 | 38.582 | | | |
| Estonia | | 123 | | 2.020 | 23.175 | | | |
| Latvia | | 459 | | 12.644 | 27.990 | | | |
| Lithuania | | 298 | | 1.486 | 10.125 | | | |

^{*)} subdivision 22-24 **) subdivision 22-32

HER: herring, Clupea harengus COD: cod, Gadus morhua PLE: plaice, Pleuronectes platessa SAL: salmon, Salmo salar SPR: spr, Sprattus sprattus Slettet: &

Slettet: Tønneberg

Slettet: W

Slettet: W

Annex D - Overview of the 11 information items in the Commission guidelines from 2008

The table below gives an overview of how the present proposal has covered the 11 information items of the Commission's guidelines from 2008³⁰ concerning development of proposals for fisheries management measures in marine Natura 2000 within the scope of the CFP.

| | | Section |
|-------------|---|------------------|
| | Comprehensive description of the natural features including distribution within the site | 2.3.2, 5.1 |
| i | Scientific rationale for the site 's selection in accordance with the information provided in the Natura 2000 data form. Intrinsic value of its features. Specific conservation objectives. | 2.3 |
| | Basis for the spatial extent of the site boundary clearly justified in terms of conservation objectives. | 2.3 |
| | Threats to habitats and species from different types of fishing gear. List of other human activities in the area that could damage the habitats. | 2.3, 4.1 |
| r | Fleet activity in the area and in the region, distribution of fleets (by nation, gear and species), and information on target and by-catch species, all over the last 3 years. | 6.1 |
| 6. <i>A</i> | Annual trends in fisheries over the last 3 years. | 6.2 |
| f | Proposed fisheries management measures to maintain the habitats features in favourable condition. Are they proportionate and enforceable? Other conservation measures that apply to the area. | 1.3, 3.1, 4, 5.3 |
| ā | Control measures envisaged by the Member State, possible ecological and control buffer zones to ensure site protection and/or effective control and monitoring measures. | 6.4 |
| | Measures to monitor and assess the maintenance and/or recovery of the features within the site. | 6.4 |
| 10. 0 | Coordination with neighbouring Member States as appropriate. | 3.2 |
| | Evaluation of possible displacement of fishing effort and impact on new areas. | 6.3 |

³⁰ Fisheries measures for marine Natura 2000 sites – a consistent approach to requests for fisheries management measures under the Common Fisheries Policy: http://ec.europa.eu/environment/nature/natura2000/marine/docs/fish_measures.pdf

DTU Aqua



Annex E – Scientific advice regarding protection of reef structures through buffer zones

Protection of stone reefs (habitat code H1170) and bubbling reefs (habitat code H1180)

For protection of stone reefs and bubbling reefs (habitat code H1170 and H1180) different protection measures can be implemented. DTU Aqua has in relation to the present proposal provided scientific advice to the Danish AgriFish Agency with regard to protection of reef structures.

DTU Aqua has analyzed fishing activity in and around the concerned Natura 2000 sites using VMS data from Danish fishing vessels (vessels => 12m in length in 2012, vessels>=15 m in length in 2008-2011) for the period 2008-2012. Based on these analyses, DTU Aqua has advised upon the need for the protection of habitat code H1170 and H1180 against any unintended impact from mobile bottom contacting fishing gear, and that a safety zone (buffer zone) should be implemented around the mapped reef structures.

The safety zone is calculated by taking water depth, warp length and the length of the fishing gear into account. The standard warp length used by trawlers in the concerned Natura 2000 sites is three times the water depth, when water depth is less than 200 meter.

Water depth around the marine habitats (H1170 and H 1180) varies from 30 – 40 meters depth in the Kattegat area where the concerned Natura 2000 sites are located. DTU Aqua has advised the Danish AgriFish Agency to use the proportion 4:1 + length of the gear + 1 times the water depth for safety. This method has resulted in a buffer zone of 240 meters around the mapped reef structures – code H1170.

DTU Aqua has furthermore advised that for bubbling reefs (habitat code H1180) usage of any other gear type ought to be prohibited if full protection of this reef type is wanted.

The method of safety zones (buffer zones) is in line with the advice by ICES to a NEAFC request of the appropriateness of buffer zones (ICES Advice 2013, Book, 1.5.5.2. Special request, Advice June 2013). ICES Advice June 2013 is attached below.

1.5.5.2

Special request, Advice June 2013

ECOREGION SUBJECT

General advice

Evaluation of the appropriateness of buffer zones

Advice summary

Both the VME location accuracy and a buffer zone are considered when delineating the closure boundary around VMEs. ICES is confident that the buffer zone considerations used to define the boundaries around the area closures are appropriate and therefore adequate for the protection of VMEs. A schematic diagram of the approach to generate buffer zones is presented. The buffer zones will always be included in ICES advice and will be illustrated where appropriate to the scale of the closure.

Request

ICES is requested to evaluate whether buffer zones applied in the current bottom fishing closures are appropriate.

Additionally, ICES is requested to include, specify and illustrate buffer zones in its future advice on closures in the Regulatory Area as appropriate.

Advice

Two different considerations are used to delineate buffer zones around VMEs; one is linked to the VME location accuracy, the other to setting a buffer zone around the VME location (Figure 1.5.5.2.1).



Figure 1.5.5.2.1 Three conceptual examples of the two considerations for delineating buffer zones around VMEs, applied to three theoretical examples of VME closures. Example 1: isolated VME detection with low geospatial certainty (e.g. trawl track); Example 2: isolated VME detection with high geospatial certainty (e.g. ROV observation); and Example 3: area identified as hosting a VME.

Consideration 1. VME location accuracy

The data used by ICES to assess the likelihood of VME presence consists of mainly point records of species (Figure 1.5.5.2.1). While recognising this is the best available data, there are varying levels of spatial uncertainty associated with the records, ranging from trawl bycatch with low spatial accuracy (Example 1) to dynamically positioned ROV observations with high spatial accuracy (Example 2) and areas identified as hosting VMEs (Example 3). This uncertainty in VME location is dealt with by outlining the minimum boundary that encompasses the records. In the case of records derived from trawling, the deviation perpendicular to the track is considered negligible relative to the length of the track and is not taken into account in the VME location.

While spatial accuracy of the position of VMEs has improved over time, there are still a high number of records where the location accuracy is unknown. In such cases a simple buffer is applied (see Consideration 2).

Consideration 2. Buffer zone around VME location

ICES considers a buffer zone to be a spatial margin of assurance around the VME to avoid adverse impact (Figure 1.5.5.2.1). The spatial extension of the buffer zone may vary and is based on the following:

The potential for fishing gear to stray into the VME is related to the uncertainty of the location of the fishing
gear relative to the known location of the vessel. This will be a function of water depth and the trawl warp
length deployed. In deep-water trawling, the typical warp length deployed decreases with water depth, from
around 3:1 at 200 m to 2:1 at 500 m and more. For VMEs that occur on flat or undulating seabed a buffer zone
of approximately two (>500 m depth) or three times (< 500 m depth) the local depth is advised.

ICES Advice 2013, Book 1

- In the case of VMEs on very steep slopes, the risk of straying of bottom trawls is mitigated by the fishers' own incentive to avoid the steep slopes and cliff edges, in which case the buffer zone may be reduced.
 In some cases the presence of geomorphological features are used to define boundaries for closures on the basis that they are considered to be VME elements, in which case the VME reflects the topographic relief of the VME element without a buffer zone.

As both the VME location accuracy and a buffer zone are considered when advising on a closure boundary around VMEs, ICES is confident that the buffer zone considerations used to extend closures beyond the immediate estimated position of a VME are appropriate and therefore adequate for the protection of VMEs.

The buffer zone approach described here does not take into account any issues specifically related to enforcement.

ICES 2013. Report of the ICES/NAFO Joint Working Group on Deep-water Ecology (WGDEC). ICES CM 2013/ACOM: 28.

ICES Advice 2013, Book 1

Annex F - Overview of formal and informal consultations

Since the initiative for protection reef structures in Natura 2000 sites was launched in spring 2011, formal and informal consultations have been held with various stakeholders. The table below lists the meetings held in relation to the present proposal.

| Date | Meeting | Participants |
|------|---------|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Annex G - Summary of outcome of the regional coordination process



Annex H - Summary of outcome of consultation with the Natura 2000 Dialogue Forum, Advisory Councils for the North Sea and Baltic Sea, respectively



Annex I - Buffer zones and coordinates

"Adler Grund og Rønne Banke"

Habitat No. H261, Natura 2000 site No. 252 (EU Code: DK00VA261)



Coordinates of the buffer zone which form the protection of **stone reefs**:

| Reef no. | Latitude | Longitude | |
|----------|--------------|--------------|--|
| 1 | 54 50.2' N | 14 22.77' E | |
| 1 | 54 49.91' N | 14 22.5' E | |
| 1 | 54 49.461' N | 14 21.831' E | |
| 1 | 54 49.673' N | 14 21.203' E | |
| 1 | 54 49.637' N | 14 21.172' E | |
| 1 | 54 49.229' N | 14 21.434' E | |
| 1 | 54 49.075' N | 14 21.385' E | |
| 1 | 54 48.736' N | 14 21.821' E | |
| 1 | 54 48.324' N | 14 21.197' E | |
| 1 | 54 48.321' N | 14 19.268' E | |
| 1 | 54 48.368' N | 14 17.09' E | |
| 1 | 54 48.233' N | 14 16.306' E | |
| 1 | 54 48.262' N | 14 14.382' E | |
| 1 | 54 47.997' N | 14 12.93' E | |
| 1 | 54 48.802' N | 14 9.888' E | |
| 1 | 54 58.281' N | 14 36.49' F | |

Map showing positions of buffer zones around stone reefs (H1170)

| 1 | 54 56.959' N | 14 34.793' E |
|---|--------------|--------------|
| 1 | 54 56.816' N | 14 35.056' E |
| 1 | 54 50.283' N | 14 26.605' E |
| 1 | 54 50.368' N | 14 25.991' E |
| 1 | 54 50.479' N | 14 25.724' E |
| 1 | 54 50.586' N | 14 25.711' E |
| 1 | 54 50.655' N | 14 25.222' E |
| 1 | 54 50.573' N | 14 25.081' E |
| 1 | 54 50.599' N | 14 24.788' E |
| 1 | 54 50.704' N | 14 24.373' E |
| 1 | 54 50.553' N | 14 24.025' E |
| 1 | 54 50.576' N | 14 23.71' E |
| 1 | 54 50.735' N | 14 23.591' E |
| 1 | 54 50.778' N | 14 23.43' E |
| 1 | 54 50.898' N | 14 23.263' E |
| 1 | 54 51.248' N | 14 22.848' E |
| 1 | 54 51.607' N | 14 23.248' E |
| 1 | 54 51.733' N | 14 22.857' E |
| 1 | 54 51.174' N | 14 22.625' E |
| 1 | 54 50.784' N | 14 22.19' E |
| 1 | 54 50.561' N | 14 22.625' E |
| 1 | 54 51.407' N | 14 22.412' E |
| 1 | 54 54.127' N | 14 21.359' E |
| 1 | 54 48.802' N | 14 9.888' E |
| 1 | 54 50.52' N | 14 12.125' E |
| 1 | 54 49.028' N | 14 13.925' E |
| 1 | 54 50.832' N | 14 16.266' E |
| 1 | 54 50.608' N | 14 16.808' E |
| 1 | 54 59.354' N | 14 31.369' E |
| 1 | 54 54.3' N | 14 22.661' E |
| 1 | 54 53.976' N | 14 23.554' E |
| 1 | 54 55.143' N | 14 25.105' E |
| 1 | 54 55.013' N | 14 26.378' E |
| 1 | 54 55.131' N | 14 26.576' E |
| 1 | 54 55.316' N | 14 28.098' E |
| 1 | 54 48.623' N | 14 10.252' E |
| 1 | 54 56.264' N | 14 28.778' E |
| 1 | 54 57.603' N | 14 30.03' E |
| 1 | 54 58.146' N | 14 28.954' E |
| 1 | 54 59.569' N | 14 30.82' E |
| 1 | 54 59.918' N | 14 32.115' E |
| 1 | 55 0.553' N | 14 30.644' E |
| 1 | 54 59.771' N | 14 29.605' E |
| 1 | 55 0.053' N | 14 29.042' E |
| 1 | 55 0.334' N | 14 29.386' E |
| | | |

60

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 1 | 55 0.578' N | 14 28.837' E | 2 | 54 56.989' N | 14 20.483' E |
|---|--------------|--------------|---|--------------|--------------|
| 1 | 55 0.968' N | 14 29.355' E | 3 | 54 59.065' N | 14 26.817' E |
| 1 | 55 0.734' N | 14 29.839' E | 3 | 54 57.764' N | 14 25.132' E |
| 1 | 55 1.266' N | 14 30.639' E | 3 | 54 57.984' N | 14 24.458' E |
| 1 | 55 1.34' N | 14 31.374' E | 3 | 54 57.971' N | 14 23.479' E |
| 1 | 55 0.065' N | 14 33.739' E | 3 | 54 57.233' N | 14 22.515' E |
| 1 | 54 59.72' N | 14 33.79' E | 3 | 54 57.285' N | 14 22.001' E |
| 1 | 54 59.485' N | 14 34.193' E | 3 | 54 57.922' N | 14 21.922' E |
| 1 | 54 59.594' N | 14 35.129' E | 3 | 54 58.045' N | 14 21.993' E |
| 1 | 54 58.875' N | 14 36.417' E | 3 | 54 58.098' N | 14 22.314' E |
| 2 | 54 56.989' N | 14 20.483' E | 3 | 54 57.983' N | 14 22.684' E |
| 2 | 54 56.775' N | 14 21.031' E | 3 | 54 58.736' N | 14 23.659' E |
| 2 | 54 55.97' N | 14 20.005' E | 3 | 54 58.606' N | 14 24.422' E |
| 2 | 54 55.208' N | 14 19.918' E | 3 | 54 58.706' N | 14 24.611' E |
| 2 | 54 54.614' N | 14 19.139' E | 3 | 54 58.485' N | 14 25.145' E |
| 2 | 54 54.842' N | 14 18.629' E | 3 | 54 59.305' N | 14 26.211' E |
| 2 | 54 55.423' N | 14 19.358' E | 3 | 54 59.065' N | 14 26.817' E |
| 2 | 54 56 232' N | 14 19 534' F | | | |

"Centrale Storebælt og Vresen"

Slettet: &

Habitat No. H100, Natura 2000 site No. 116 (EU Code: DK008X190)

Map on right showing positions of buffer zones around stone reefs (H1170). Red stripe indicate corridor in which fisheries activities will be allowed, see further in section 5.1.2.

<u>Coordinates of the buffer zone which form the protection of **the stone reefs**:</u>

Reef no. Latitude Longitude 55 25.438' N 11 1.989' E 1 55 25.601' N 11 3.28' E 1 55 24.903' N 11 3.559' E 55 24.649' N 11 2.88' E 1 55 24.439' N 11 2.217' E 55 25.119' N 11 1.706' E 1 55 25.438' N 11 1.989' E 1 55 24.619' N 11 1.854' E 1 2 55 25.419' N 11 5.434' E 2 55 25.184' N 11 5.534' E 55 24.902' N 11 5.54' E 55 24.783' N 11 5.26' E

55 24.819' N 11 5.086' E 2 2 55 24.67' N 11 4.593' E 2 55 24.659' N 11 4.042' E 55 24.939' N 2 11 3.703' E 2 55 25.256' N 11 4.045' E 2 55 25.252' N 11 4.428' E 2 55 25.625' N 11 4.901' E 55 25.625' N 11 4.901' E 55 23.089' N 3 11 0.437' E 55 23.314' N 3 11 0.64' E 3 55 23 276' N 11 1 024' F 3 55 22.98' N 11 1.046' E 55 22.965' N 11 0.658' E 55 23.257' N 11 0.451' E 55 23.314' N 11 0.64' E 3 4 55 22.624' N 11 0.355' E 55 22.359' N 11 0.259' E 4 4 55 22.176' N 10 59.661' E 4 55 22.279' N 10 59.321' E 4 55 22.479' N 10 59.184' E 4 55 22.78' N 10 59.978' E

55 22.479' N 10 59.184' E

55 23.241' N 11 5.892' E

55 22 211' N 11 6 834' F

55 22.792' N 11 6.766' E

55 22.499' N 11 7.033' E

11 6.828' E

11 6.815' E

55 22.187' N

55 23.232' N

5

5

5

5

Bignaturforkking

Stem Rant edi

Phytope, Sundand

Indiano Frant

Editorio Fra

55 22.154' N 11 6.932' E 55 22.139' N 11 6.882' E 55 22.162' N 11 6.84' E 55 22.232' N 11 6.814' E 55 22.227' N 11 6.789' E 55 22.195' N 11 6.762' E 55 22.107' N 11 6.651' E 55 22.049' N 11 6.583' E 55 21.901' N 11 6.091' E 55 21.759' N 11 5.742' E 55 21.822' N 11 4.958' E 55 21.98' N 11 4.822' E 55 22.383' N 11 5.326' E 55 22.671' N 11 5.463' E 55 22.87' N 11 5.831' E 5 55 23.241' N 11 5.892' E 6 55 23.116' N 11 4.313' E 6 55 23.116' N 11 5.023' E 55 22.97' N 11 5.376' E 55 22.783' N 11 5.465' E 55 22.4' N 11 5.251' E 6 55 22.211' N 11 4.987' E 55 22.085' N 11 4.631' E 6 55 21.815' N 11 3.811' E 55 21.865' N 11 3.393' E 55 21.955' N 11 3.286' E 55 22.125' N 11 3.286' E 55 22.426' N 11 3.522' E

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 6 | 55 22.771' N | 11 3.846' E | 8 | 55 19.669' N | 10 57.572' E |
|---|------------------------------|------------------------------|----------|------------------------------|------------------------------|
| 6 | 55 23.116' N | 11 4.313' E | 8 | 55 19.673' N | 10 57.297' E |
| 6 | 55 22.56' N | 11 5.372' E | 8 | 55 19.475' N | 10 56.801' E |
| 7 | 55 20.632' N | 11 6.389' E | 8 | 55 19.53' N | 10 56.681' E |
| 7 | 55 20.646' N | 11 6.342' E | 8 | 55 19.683' N | 10 57.012' E |
| 7 | 55 20.638' N | 11 6.342' E | 8 | 55 19.784' N | 10 57.181' E |
| 7 | 55 20.616' N | 11 6.469' E | 8 | 55 19.882' N | 10 57.508' E |
| 7 | 55 20.514' N | 11 6.85' E | 8 | 55 20.129' N | 10 57.805' E |
| 7 | 55 20.61' N | 11 6.83' E | 8 | 55 20.382' N | 10 58.341' E |
| 7 | 55 20.627' N | 11 6.794' E | 10 | 55 19.539' N | 11 7.846' E |
| 7 | 55 20.613' N | 11 6.506' E | 10 | 55 19.464' N | 11 8.143' E |
| 7 | 55 20.682' N | 11 6.403' E | 10 | 55 19.348' N | 11 8.54' E |
| 7 | 55 20.525' N | 11 6.027' E | 10 | 55 19.237' N | 11 8.9' E |
| 7 | 55 20.225' N | 11 5.564' E | 10 | 55 19.249' N | 11 8.982' E |
| 7 | 55 20.103' N | 11 5.659' E | 10 | 55 19.134' N | 11 9.283' E |
| 7 | 55 20.028' N | 11 5.906' E | 10 | 55 19.063' N | 11 9.396' E |
| 7 | 55 20.223' N | 11 6.516' E | 10 | 55 18.886' N | 11 9.591' E |
| 7 | 55 20.682' N | 11 6.403' E | 10 | 55 18.843' N | 11 9.67' E |
| 7 | 55 20.68' N | 11 6.641' E | 10 | 55 18.724' N | 11 9.841' E |
| 7 | 55 20.651' N | 11 6.771' E | 10 | 55 17.958' N | 11 8.211' E |
| 7 | 55 20.633' N | 11 6.767' E | 10 | 55 17.881' N | 11 8.862' E |
| 7 | 55 20.62' N | 11 6.51' E | 10 | 55 17.714' N | 11 9.281' E |
| 7 | 55 20.336' N | 11 5.695' E | 10 | 55 17.648' N | 11 9.861' E |
| 7 | 55 20.635' N | 11 6.49' E | 10 | 55 17.477' N | 11 10.315' E |
| 7 | 55 20.639' N | 11 6.446' E | 10 | 55 17.239' N | 11 10.827' E |
| 7 | 55 20.63' N | 11 6.436' E | 10 | 55 17.114' N | 11 11.133' E |
| 7 | 55 20.647' N | 11 6.362' E | 10 | 55 16.854' N | 11 11.197' E |
| 8 | 55 21.056' N | 10 56.562' E | 10 | 55 16.766' N | 11 11.324' E |
| 8 | 55 21.92' N | 10 59.68' E | 10 | 55 16.53' N | 11 11.452' E |
| 8 | 55 22.028' N | 10 59.909' E | 10 | 55 16.095' N | 11 12.308' E |
| 8 | 55 22.219' N | 11 0.087' E | 10 | 55 16.08' N | 11 12.453' E |
| 8 | 55 20.379' N | 10 58.507' E | 10 | 55 16.169' N | 11 12.654' E |
| 8 | 55 20.421' N | 10 58.837' E | 10 | 55 16.161' N | 11 12.723' E |
| 8 | 55 20.49' N | 10 59.106' E | 10 | 55 16.033' N | 11 12.904' E |
| 8 | 55 20.537' N | 10 59.268' E | 10 | 55 16.007' N | 11 13.144' E |
| 8 | 55 20.506' N | 10 59.374' E | 10 | 55 16.543' N | 11 13.644' E |
| 8 | 55 20.444' N | 10 59.385' E | 10 | 55 16.902' N | 11 13.73' E |
| 8 | 55 20.72' N | 11 0.843' E | 10 | 55 17.096' N | 11 13.51' E |
| 8 | 55 20.951' N | 11 1.385' E | 10 | 55 17.076' N | 11 13.064' E |
| 8 | 55 21.374' N | 11 1.777' E | 10 | 55 17.545' N | 11 13.235' E |
| 8 | 55 22.182' N | 11 2.048' E | 10 | 55 17.587' N | 11 13.017' E |
| 8 | 55 22.637' N | 11 1.948' E | 10 | 55 17.673' N | 11 12.6' E |
| 8 | 55 22.807' N | 11 1.442' E | 10 | 55 17.845' N | 11 12.322' E |
| 8 | 55 22.535' N | 11 0.65' E | 10 | 55 17.929' N | 11 12.155' E |
| 8 | 55 22.219' N | 11 0.087' E | 10 | 55 18.036' N | 11 11.762' E |
| 8 | 55 19.712' N | 10 59.605' E | 10 | 55 18.08' N | 11 11.607' E |
| 8 | 55 20.707' N | 10 55.772' E | 10 | 55 18.129' N | 11 11.477' E |
| 8 | 55 20.044' N | 10 55.351' E | 10 | 55 18.265' N | 11 11.005' E |
| 8 | 55 19.074' N | 10 55.587' E | 10 | 55 18.326' N | 11 10.851' E |
| 8 | 55 19.01' N 55 18.926' N | 10 55.724' E | 10 | 55 18.315' N | 11 10.591' E |
| 8 | | 10 57.284' E | 10 | 55 18.361' N | 11 10.416' E |
| 8 | 55 18.978' N | 10 59.081' E | 10 | 55 18.527' N | 11 10.156' E |
| 8 | 55 20.044' N 55 19.963' N | 10 59.317' E 10 59.031' E | 10 10 | 55 18.616' N 55 17.988' N | 11 10.002' E 11 11.987' E |
| 8 | 55 19.963 N 55 19.878' N | 10 59.031 E 10 58.604' E | 10 | 55 17.988 N 55 19.539' N | 11 11.987 E 11 7.846' E |
| 8 | 55 19.878 N 55 19.765' N | 10 58.604 E 10 58.204' E | 10 | 55 19.539 N 55 19.847' N | 11 7.846 E 11 6.941' E |
| o | 33 13.703 N | 10 J0.204 E | 10 | JJ 13.04/ N | 11 0.941 E |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 10 | 55 19.653' N | 11 5.987' E | 14 | 55 8.542' N | 10 51.629' E |
|----|--------------|--------------|----|--------------|--------------|
| 10 | 55 19.486' N | 11 5.827' E | 14 | 55 8.762' N | 10 51.987' E |
| 10 | 55 19.338' N | 11 5.889' E | 14 | 55 8.754' N | 10 52.343' E |
| 10 | 55 19.032' N | 11 6.271' E | 14 | 55 8.442' N | 10 53.135' E |
| 10 | 55 18.7' N | 11 6.298' E | 15 | 55 23.281' N | 10 45.868' E |
| 10 | 55 18.633' N | 11 6.171' E | 15 | 55 23.438' N | 10 46.899' E |
| 10 | 55 18.155' N | 11 6.263' E | 15 | 55 22.436' N | 10 48.264' E |
| 10 | 55 18.056' N | 11 6.409' E | 15 | 55 21.686' N | 10 48.96' E |
| 10 | 55 17.965' N | 11 6.661' E | 15 | 55 21.508' N | 10 50.307' E |
| 10 | 55 17.843' N | 11 6.743' E | 15 | 55 20.441' N | 10 51.066' E |
| 10 | 55 17.755' N | 11 6.86' E | 15 | 55 20.104' N | 10 51.73' E |
| 10 | 55 17.682' N | 11 7.066' E | 15 | 55 19.095' N | 10 52.473' E |
| 10 | 55 17.682' N | 11 7.356' E | 15 | 55 18.718' N | 10 52.328' E |
| 10 | 55 17.736' N | 11 7.553' E | 15 | 55 18.642' N | 10 51.7' E |
| 10 | 55 17.835' N | 11 7.591' E | 15 | 55 18.91' N | 10 51.124' E |
| 10 | 55 17.937' N | 11 7.587' E | 15 | 55 19.513' N | 10 50.867' E |
| 12 | 55 13.037' N | 10 54.564' E | 15 | 55 19.65' N | 10 49.615' E |
| 12 | 55 13.099' N | 10 54.201' E | 15 | 55 19.861' N | 10 48.606' E |
| 12 | 55 12.975' N | 10 53.846' E | 15 | 55 20.471' N | 10 48.321' E |
| 12 | 55 12.738' N | 10 53.308' E | 15 | 55 21.046' N | 10 47.795' E |
| 12 | 55 12.528' N | 10 54.474' E | 15 | 55 21.568' N | 10 47.536' E |
| 12 | 55 12.431' N | 10 52.92' E | 15 | 55 22.25' N | 10 46.695' E |
| 12 | 55 12.291' N | 10 52.964' E | 15 | 55 22.534' N | 10 46.353' E |
| 12 | 55 12.204' N | 10 53.563' E | 15 | 55 22.816' N | 10 46.344' E |
| 12 | 55 13.099' N | 10 54.201' E | 15 | 55 22.948' N | 10 46.253' E |
| 12 | 55 12.27' N | 10 54.034' E | 15 | 55 23.281' N | 10 45.868' E |
| 12 | 55 12.934' N | 10 54.608' E | 16 | 55 17.047' N | 10 49.155' E |
| 13 | 55 12.001' N | 10 52.671' E | 16 | 55 16.79' N | 10 48.307' E |
| 13 | 55 11.988' N | 10 54.097' E | 16 | 55 15.961' N | 10 50.277' E |
| 13 | 55 11.946' N | 10 54.239' E | 16 | 55 15.729' N | 10 50.6' E |
| 13 | 55 11.675' N | 10 54.439' E | 16 | 55 15.396' N | 10 50.281' E |
| 13 | 55 11.172' N | 10 54.336' E | 16 | 55 15.076' N | 10 49.59' E |
| 13 | 55 11.088' N | 10 54.182' E | 16 | 55 14.69' N | 10 49.923' E |
| 13 | 55 11.241' N | 10 53.372' E | 16 | 55 14.26' N | 10 49.912' E |
| 13 | 55 11.541' N | 10 53.384' E | 16 | 55 13.484' N | 10 49.512' E |
| 13 | 55 11.584' N | 10 52.825' E | 16 | 55 13.171' N | 10 49.238' E |
| 13 | 55 11.107' N | 10 52.819' E | 16 | 55 13.008' N | 10 48.759' E |
| 13 | 55 10.944' N | 10 53.173' E | 16 | 55 13.052' N | 10 48.589' E |
| 13 | 55 10.431' N | 10 53.477' E | 16 | 55 13.187' N | 10 48.565' E |
| 13 | 55 10.324' N | 10 53.338' E | 16 | 55 13.412' N | 10 48.691' E |
| 13 | 55 10.304' N | 10 52.808' E | 16 | 55 13.514' N | 10 48.719' E |
| 13 | 55 10.069' N | 10 52.688' E | 16 | 55 13.598' N | 10 48.78' E |
| 13 | 55 9.994' N | 10 52.053' E | 16 | 55 13.696' N | 10 48.876' E |
| 13 | 55 10.484' N | 10 51.781' E | 16 | 55 13.756' N | 10 48.89' E |
| 13 | 55 10.689' N | 10 51.872' E | 16 | 55 13.844' N | 10 48.866' E |
| 13 | 55 11.711' N | 10 51.901' E | 16 | 55 13.876' N | 10 48.941' E |
| 13 | 55 12.001' N | 10 52.671' E | 16 | 55 14.054' N | 10 48.763' E |
| 13 | 55 9.919' N | 10 52.511' E | 16 | 55 14.243' N | 10 48.657' E |
| 14 | 55 8.442' N | 10 53.135' E | 16 | 55 14.308' N | 10 48.555' E |
| 14 | 55 7.312' N | 10 53.026' E | 16 | 55 14.365' N | 10 48.506' E |
| 14 | 55 7.339' N | 10 52.24' E | 16 | 55 14.61' N | 10 48.945' E |
| 14 | 55 6.665' N | 10 52.011' E | 16 | 55 15.371' N | 10 49.001' E |
| 14 | 55 6.458' N | 10 51.873' E | 16 | 55 15.408' N | 10 48.532' E |
| 14 | 55 6.425' N | 10 51.644' E | 16 | 55 15.772' N | 10 47.882' E |
| 14 | 55 6.49' N | 10 51.431' E | 16 | 55 16.2' N | 10 47.656' E |
| 14 | 55 7.913' N | 10 51.552' E | 16 | 55 16.614' N | 10 47.216' E |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 16 | 55 16.75' N | 10 47.263' E | 18 | 55 18.209' N | 10 49.881' E |
|----|--------------|--------------|----|--------------|---------------------------|
| 16 | 55 17.035' N | 10 47.428' E | 18 | 55 18.337' N | 10 49.638' E |
| 16 | 55 17.137' N | 10 47.465' E | 18 | 55 18.446' N | 10 49.432' E |
| 16 | 55 17.217' N | 10 47.533' E | 18 | 55 18.71' N | 10 49.284' E |
| 16 | 55 17.277' N | 10 47.53' E | 18 | 55 19.429' N | 10 49.555' E |
| 16 | 55 17.317' N | 10 47.474' E | 18 | 55 19.456' N | 10 49.88' E |
| 16 | 55 17.563' N | 10 47.673' E | 18 | 55 18.953' N | 10 50.561' E |
| 16 | 55 17.654' N | 10 48.554' E | 18 | 55 18.626' N | 10 50.886' E |
| 16 | 55 17.615' N | 10 49.147' E | 18 | 55 18.339' N | 10 53.146' E |
| 16 | 55 17.27' N | 10 49.375' E | 18 | 55 18.587' N | 10 53.85' E |
| 16 | 55 17.047' N | 10 49.155' E | 18 | 55 19.2' N | 10 54.345' E |
| 17 | 55 15.901' N | 10 53.294' E | 18 | 55 19.368' N | 10 54.926' E |
| 17 | 55 15.897' N | 10 53.739' E | 18 | 55 19.129' N | 10 55.437' E |
| 17 | 55 16.516' N | 10 54.748' E | 18 | 55 18.633' N | 10 55.848' E |
| 17 | 55 17.165' N | 10 55.712' E | 18 | 55 18.749' N | 10 58.729' E |
| 17 | 55 17.195' N | 10 56.657' E | 18 | 55 18.67' N | 10 59.198' E |
| 17 | 55 17.043' N | 10 57.42' E | 18 | 55 19.262' N | 11 0.072' E |
| 17 | 55 16.717' N | 10 57.427' E | 18 | 55 20.109' N | 11 0.134' E |
| 17 | 55 16.223' N | 10 56.627' E | 18 | 55 20.163' N | 11 0.469' E |
| 17 | 55 15.216' N | 10 55.738' E | 18 | 55 19.793' N | 11 1.058' E |
| 17 | 55 14.488' N | 10 55.598' E | 18 | 55 19.185' N | 11 1.404' E |
| 17 | 55 14.255' N | 10 55.435' E | 18 | 55 19.153' N | 11 1.41' E |
| 17 | 55 13.955' N | 10 54.872' E | 19 | 55 12.521' N | 10 48.713' E |
| 17 | 55 14.014' N | 10 54.435' E | 19 | 55 12.66' N | 10 48.627' E |
| 17 | 55 14.277' N | 10 54.294' E | 19 | 55 12.612' N | 10 49.461' E |
| 17 | 55 14.315' N | 10 53.183' E | 19 | 55 12.028' N | 10 49.661' E |
| 17 | 55 14.404' N | 10 52.716' E | 19 | 55 11.588' N | 10 49.552' E |
| 17 | 55 15.081' N | 10 52.435' E | 19 | 55 11.513' N | 10 49.361' E |
| 17 | 55 15.504' N | 10 52.472' E | 19 | 55 11.598' N | 10 49.005' E |
| 17 | 55 15.901' N | 10 53.294' E | 19 | 55 11.744' N | 10 48.931' E |
| 18 | 55 19.153' N | 11 1.41' E | 19 | 55 12.172' N | 10 48.956' E |
| 18 | 55 19.153' N | 11 1.405' E | 19 | 55 12.25' N | 10 48.747' E |
| 18 | 55 18.706' N | 11 1.361' E | 19 | 55 12.322' N | 10 48.752' E |
| 18 | 55 18.556' N | 11 1.38' E | 19 | 55 12.398' N | 10 48.755' E |
| 18 | 55 18.54' N | 11 1.382' E | 19 | 55 12.464' N | 10 48.707' E |
| 18 | 55 18.407' N | 10 59.519' E | 19 | 55 12.509' N | 10 48.678' E |
| 18 | 55 18.083' N | 10 58.811' E | 19 | 55 12.521' N | 10 48.713' E |
| 18 | 55 17.231' N | 10 57.913' E | 21 | 55 11.213' N | 10 49.51' E |
| 18 | 55 17.31' N | 10 56.894' E | 21 | 55 11.138' N | 10 50.719' E |
| 18 | 55 17.792' N | 10 55.498' E | 21 | 55 10.916' N | 10 51.079' E |
| 18 | 55 17.345' N | 10 55.539' E | 21 | 55 10.626' N | 10 51.187' E |
| 18 | 55 17.204' N | 10 55.094' E | 21 | 55 9.675' N | 10 50.936' E |
| 18 | 55 16.45' N | 10 54.649' E | 21 | 55 9.479' N | 10 50.754' E |
| 18 | 55 16.272' N | 10 54.307' E | 21 | 55 9.476' N | 10 49.829' E |
| 18 | 55 16.034' N | 10 53.54' E | 21 | 55 10.234' N | 10 48.014' E |
| 18 | 55 16.043' N | 10 53.107' E | 21 | 55 10.256' N | 10 48.051' E |
| 18 | 55 16.312' N | 10 52.573' E | 21 | 55 11.213' N | 10 49.51' E |
| 18 | 55 16.321' N | 10 51.505' E | 21 | 55 11.177' N | 10 49.151' E |
| 18 | 55 16.48' N | 10 50.971' E | 21 | 55 10.847' N | 10 48.427' E |
| 18 | 55 16.719' N | 10 50.963' E | 21 | 55 10.816' N | 10 48.379' E |
| 18 | 55 17.598' N | 10 51.706' E | 21 | 55 10.719' N | 10 48.362' E |
| 18 | 55 17.712' N | 10 51.637' E | 21 | 55 10.669' N | 10 48.285' E |
| 18 | 55 17.756' N | 10 51.339' E | 21 | 55 10.475' N | 10 48.263 E |
| 18 | 55 18.016' N | 10 51.184' E | 21 | 55 10.339' N | 10 48.111' E |
| 18 | 55 17.996' N | 10 50.625' E | 22 | 55 14.799' N | 11 10.2' E |
| 18 | 55 18.057' N | 10 50.283' E | 22 | 55 15.844' N | 11 10.2 L 11 10.527' E |
| 10 | 55 10.057 N | 10 30.103 L | | 55 15.044 IV | 11 10.327 L |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 22 | 55 15.044' N | 11 10.252' E | 27 | 55 12.818' N | 11 8.16' E |
|----------|-----------------------------|---------------------------|----------|------------------------------|----------------------------|
| 22 | 55 16.2' N | 11 8.367' E | 27 | 55 12.907' N | 11 8.258' E |
| 22 | 55 16.768' N | 11 8.485' E | 27 | 55 12.918' N | 11 8.519' E |
| 22 | 55 15.204' N | 11 10.346' E | 27 | 55 12.45' N | 11 8.991' E |
| 22 | 55 14.917' N | 11 10.106' E | 27 | 55 12.371' N | 11 8.858' E |
| 22 | 55 14.446' N | 11 8.476' E | 27 | 55 12.351' N | 11 8.707' E |
| 22 | 55 16.484' N | 11 8.142' E | 27 | 55 12.388' N | 11 8.532' E |
| 22 | 55 15.684' N | 11 8.295' E | 27 | 55 12.523' N | 11 8.438' E |
| 22 | 55 13.227' N | 11 9.632' E | 27 | 55 12.707' N | 11 8.117' E |
| 22 | 55 13.149' N | 11 9.334' E | 27 | 55 12.74' N | 11 8.871' E |
| 22 | 55 13.702' N | 11 8.196' E | 28 | 55 13.515' N | 11 6.869' E |
| 22 | 55 16.768' N | 11 8.485' E | 28 | 55 13.519' N | 11 6.868' E |
| 22 | 55 16.551' N | 11 9.587' E | 28 | 55 14.309' N | 11 6.652' E |
| 23 | 55 14.471' N | 11 6.497' E | 28 | 55 14.311' N | 11 6.651' E |
| 23 | 55 15.696' N | 11 6.903' E | 28 | 55 14.276' N | 11 6.793' E |
| 23 | 55 15.987' N | 11 6.678' E | 28 | 55 14.06' N | 11 7.176' E |
| 23 | 55 15.927' N | 11 6.109' E | 28 | 55 13.781' N | 11 7.32' E |
| 23 | 55 15.683' N | 11 5.663' E | 28 | 55 13.623' N | 11 7.281' E |
| 23 | 55 14.974' N | 11 5.842' E | 28 | 55 13.52' N | 11 7.074' E |
| 23 | 55 14.502' N | 11 6.306' E | 28 | 55 13.515' N | 11 6.869' E |
| 23 | 55 14.49' N | 11 6.317' E | 29 | 55 11.712' N | 11 2.469' E |
| 23 | 55 14.49' N | 11 6.317' E | 29 | 55 11.707' N | 11 2.916' E |
| 23 | 55 15.907' N | 11 5.482' E | 29 | 55 12.211' N | 11 2.56' E |
| 23 | 55 15.162' N | 11 7.045' E | 29 | 55 12.756' N | 11 2.064' E |
| 23 | 55 15.36' N | 11 6.988' E | 29 | 55 13.506' N | 11 2.685' E |
| 23 | 55 15.052' N | 11 6.967' E | 29 | 55 14.132' N | 11 4.408' E |
| 23 | 55 15.008' N | 11 6.705' E | 29 | 55 14.132' N | 11 4.408' E |
| 23 | 55 14.73' N | 11 6.849' E | 29 | 55 14.174' N | 11 5.053' E |
| 24 | 55 16.004' N | 11 7.717' E | 29 | 55 14.119' N | 11 5.172' E |
| 24 | 55 15.922' N | 11 7.401' E | 29 | 55 13.845' N | 11 5.486' E |
| 24 | 55 15.963' N | 11 7.048' E | 29 | 55 13.238' N | 11 5.52' E |
| 24 | 55 16.19' N | 11 6.895' E | 29 | 55 12.863' N | 11 5.161' E |
| 24 | 55 16.578' N | 11 6.822' E | 29 | 55 12.681' N | 11 5.349' E |
| 24 24 | 55 16.601' N | 11 7.41' E | 29 | 55 12.439' N | 11 5.275' E |
| | 55 16.578' N | 11 6.822' E | 29 | 55 12.283' N | 11 4.904' E |
| 24 | 55 16.422' N | 11 7.753' E | 29 29 | 55 12.123' N | 11 4.836' E |
| 24 | 55 16.19' N 55 17.387' N | 11 7.898' E 11 7.5' E | | 55 12.079' N | 11 4.703' E 11 2.827' E |
| 25 25 | 55 17.387 N 55 17.225' N | 11 7.5 E 11 6.722' E | 29 29 | 55 11.665' N 55 11.634' N | 11 2.827 E 11 2.708' E |
| 25 | 55 16.608' N | 11 6.722 E 11 6.803' E | 30 | 55 10.661' N | 11 3.627' E |
| 25 | 55 17.108' N | 11 0.803 E 11 7.79' E | 30 | 55 10.861 N 55 11.822' N | 11 6.151' E |
| 25 | 55 17.106 N 55 17.225' N | 11 7.79 E 11 6.722' E | 30 | 55 11.622 N 55 11.741' N | 11 5.371' E |
| 25 | 55 17.232' N | 11 6.722 E 11 7.807' E | 30 | 55 11.741 N 55 11.501' N | 11 4.037' E |
| 25 | 55 16.67' N | 11 7.181' E | 30 | 55 11.301 N | 11 4.037 E |
| 25 | 55 16.779' N | 11 6.532' E | 30 | 55 10.86' N | 11 3.740 E |
| 26 | 55 11.208' N | 11 8.312' E | 30 | 55 12.075' N | 11 6.32' E |
| 26 | 55 11.336' N | 11 8.546' E | 30 | 55 10.628' N | 11 0.32 L 11 3.878' E |
| 26 | 55 11.466' N | 11 8.478' E | 30 | 55 11.079' N | 11 5.423' E |
| 26 | 55 11.584' N | 11 8.192' E | 30 | 55 10.893' N | 11 5.423 E |
| 26 | 55 11.594' N | 11 8.074' E | 30 | 55 10.889' N | 11 6.753' E |
| 26 | 55 11.545' N | 11 7.839' E | 30 | 55 11.513' N | 11 0.733 E 11 7.505' E |
| 26 | 55 11.336' N | 11 7.839' E | 30 | 55 11.574' N | 11 7.503 E |
| 26 | 55 11.545' N | 11 7.839' E | 30 | 55 11.574 N | 11 7.507 E |
| 27 | 55 12.832' N | 11 8.739' E | 30 | 55 11.81' N | 11 7.802' E |
| 27 | 55 12.918' N | 11 8.519' E | 30 | 55 12.075' N | 11 6.32' E |
| 27 | 55 12.522' N | 11 9.001' E | 30 | 55 13.387' N | 11 6.859' E |
| | | | | | |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 30 | 55 13.397' N | 11 6.863' E |
|----|--------------|--------------|
| 30 | 55 13.366' N | 11 7.055' E |
| 30 | 55 13.219' N | 11 7.528' E |
| 30 | 55 12.743' N | 11 8.047' E |
| 30 | 55 11.882' N | 11 7.928' E |
| 33 | 55 10.52' N | 11 0.624' E |
| 33 | 55 9.891' N | 10 56.303' E |
| 33 | 55 9.835' N | 10 56.615' E |
| 33 | 55 9.651' N | 10 56.891' E |
| 33 | 55 9.493' N | 10 57.265' E |
| 33 | 55 9.355' N | 10 57.346' E |
| 33 | 55 9.383' N | 10 59.387' E |
| 33 | 55 9.419' N | 10 59.402' E |
| 33 | 55 9.509' N | 10 59.432' E |
| 33 | 55 9.761' N | 10 59.518' E |
| 33 | 55 10.084' N | 10 59.832' E |
| 33 | 55 10.301' N | 11 0.194' E |
| 33 | 55 10.35' N | 11 0.271' E |
| 33 | 55 10.566' N | 11 0.25' E |
| 33 | 55 10.675' N | 11 0.948' E |
| 33 | 55 10.885' N | 10 55.558' E |
| 33 | 55 11.174' N | 10 55.765' E |
| 33 | 55 9.807' N | 10 56.235' E |
| 33 | 55 12.186' N | 10 58.317' E |
| 33 | 55 12.329' N | 10 59.308' E |
| 33 | 55 11.837' N | 11 0.701' E |
| 33 | 55 11.229' N | 11 1.175' E |
| 33 | 55 10.675' N | 11 0.948' E |
| 33 | 55 11.904' N | 10 57.704' E |
| 34 | 55 9.411' N | 11 3.202' E |
| 34 | 55 9.411' N | 11 2.46' E |
| 34 | 55 9.676' N | 11 2.082' E |
| 34 | 55 9.383' N | 11 1.07' E |
| 34 | 55 9.39' N | 10 59.871' E |
| 34 | 55 9.991' N | 11 3.159' E |
| 34 | 55 9.866' N | 11 0.298' E |
| 34 | 55 10.451' N | 11 1.635' E |
| 34 | 55 10.501' N | 11 2.061' E |
| 34 | 55 10.276' N | 11 2.795' E |
| 34 | 55 9.39' N | 10 59.871' E |
| 34 | 55 9.587' N | 11 3.423' E |
| | | |


34 55 9.515' N 10 59.983' E 35 55 20.698' N 11 5.781' E 55 20.501' N 11 5.489' E 55 19.429' N 11 4.654' E 55 18.993' N 11 4.615' E 35 55 18.847' N 11 4.228' E 35 55 18.904' N 11 3.106' E 35 35 55 18.823' N 11 3.041' E 35 55 20.109' N 11 3.973' E 55 18.823' N 11 3.041' E 35 55 18.872' N 11 2.921' E 55 19.173' N 11 2.188' E 35 55 19.162' N 11 1.756' E 35 55 19.195' N 11 1.75' E 35 55 19.674' N 35 11 1.496' E 55 19.793' N 11 1.681' E 35 55 20.048' N 11 1.664' E 35 55 20.365' N 11 1.713' E 55 20.817' N 11 1.873' E 35 35 55 21.281' N 11 2.069' E 55 21.423' N 11 3.756' E 35 55 21.639' N 11 5.288' E 35 55 21.429' N 11 6.001' E 35 55 21.349' N 11 5.918' E 35 55 21.119' N 11 5.624' E 55 21.084' N 11 5.633' E 35 55 21.04' N 11 5.628' E 55 20.991' N 11 5.667' E 55 20.964' N 11 5.667' E 35 35 55 20.903' N 11 5.631' E 35 35 55 20.814' N 11 5.537' E 35 55 20.796' N 11 5.613' E 55 20.758' N 11 5.667' E 55 20.736' N 11 5.715' E

55 20.705' N 11 5.766' E

"Flensborg Fjord, Bredgrund og farvandet omkring Als"

Habitat No. H173 and Bird protection area No. F64, Natura 2000 site No. 197 (EU Code: DK00VA254)

Map showing positions of buffer zones around stone reefs (H1170)



Coordinates of the buffer zone which form the protection of the **stone reefs**:

| Reef no. | Latitude | Longitude | |
|----------|--------------|-------------|--|
| 2 | 54 53.509' N | 9 46.189' E | |
| 2 | 54 53.686' N | 9 45.822' E | |
| 2 | 54 54.227' N | 9 46.743' E | |
| 2 | 54 54.056' N | 9 47.246' E | |
| 2 | 54 53.788' N | 9 47.19' E | |
| 2 | 54 53.647' N | 9 47.665' E | |
| 2 | 54 53.175' N | 9 47.547' E | |
| 2 | 54 53.239' N | 9 47.288' E | |
| 2 | 54 53.509' N | 9 46.189' E | |
| 3 | 54 53.037' N | 9 44.738' E | |
| 3 | 54 53.034' N | 9 45.098' E | |
| 3 | 54 52.581' N | 9 45.493' E | |
| 3 | 54 52.313' N | 9 45.144' E | |
| 2 | 54 52 304' N | 9 44 662' F | |

| 3 | 54 52.405' N | 9 44.49' E |
|---|-----------------------------|---------------------------|
| 3 | 54 52.551' N | 9 44.514' E |
| 3 | 54 52.701' N | 9 44.481' E |
| 3 | 54 52.814' N | 9 44.46' E |
| 3 | 54 53.037' N | 9 44.738' E |
| 4 | 54 52.09' N | 9 44.886' E |
| 4 | 54 52.164' N | 9 45.97' E |
| 4 | 54 51.927' N | 9 46.449' E |
| 4 | 54 51.774' N | 9 46.719' E |
| 4 | 54 51.576' N | 9 47.24' E |
| 4 | 54 51.49' N | 9 47.397' E |
| 4 | 54 51.374' N | 9 47.565' E |
| 4 | 54 51.319' N | 9 47.574' E |
| 4 | 54 51.201' N | 9 47.734' E |
| 4 | 54 51.167' N | 9 47.772' E |
| 4 | 54 51.161' N | 9 47.917' E |
| 4 | 54 51.148' N | 9 47.979' E |
| 4 | 54 51.117' N | 9 48.044' E |
| 4 | 54 51.086' N | 9 48.079' E |
| 4 | 54 50.948' N | 9 48.13' E |
| 4 | 54 50.939' N | 9 48.149' E |
| 4 | 54 50.918' N | 9 48.175' E |
| 4 | 54 50.899' N | 9 48.193' E |
| 4 | 54 50.665' N | 9 48.391' E |
| 4 | 54 50.612' N | 9 48.374' E |
| 4 | 54 50.572' N | 9 48.345' E |
| 4 | 54 50.572 N 54 50.541' N | 9 48.294' E |
| 4 | | 9 48.294 E 9 48.24' E |
| 4 | 54 50.525' N 54 50.5' N | 9 48.24 E 9 48.096' E |
| 4 | 54 50.5 N 54 50.498' N | 9 48.096 E 9 48.028' E |
| | | |
| 4 | 54 50.436' N | 9 47.909' E |
| 4 | 54 50.351' N | 9 47.861' E |
| 4 | 54 50.318' N | 9 47.83' E |
| 4 | 54 50.254' N | 9 47.679' E |
| 4 | 54 50.242' N | 9 47.609' E |
| 4 | 54 50.24' N | 9 47.551' E |
| 4 | 54 50.22' N | 9 47.443' E |
| 4 | 54 50.217' N | 9 47.377' E |
| 4 | 54 50.24' N | 9 47.234' E |
| 4 | 54 50.252' N | 9 46.969' E |
| 4 | 54 50.147' N | 9 46.907' E |
| 4 | 54 50.04' N | 9 45.967' E |
| 4 | 54 50.07' N | 9 46.089' E |
| 4 | 54 50.099' N | 9 46.164' E |
| 4 | 54 50.13' N | 9 46.21' E |
| 4 | 54 50.107' N | 9 46.381' E |
| 4 | 54 50.073' N | 9 46.522' E |
| 4 | 54 50.067' N | 9 46.599' E |
| 4 | 54 50.091' N | 9 46.783' E |
| 4 | 54 50.106' N | 9 46.841' E |
| 4 | 54 50.809' N | 9 45.451' E |
| | | |

68

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| _ | | | _ | | |
|---|--------------|-------------|---|--------------|-------------|
| 4 | 54 52.09' N | 9 44.886' E | 5 | 54 51.005' N | 9 52.497' E |
| 4 | 54 51.914' N | 9 44.953' E | 5 | 54 50.894' N | 9 52.324' E |
| 4 | 54 51.734' N | 9 45.508' E | 5 | 54 50.989' N | 9 52.601' E |
| 4 | 54 51.178' N | 9 45.611' E | 5 | 54 51.013' N | 9 52.736' E |
| 4 | 54 51.02' N | 9 45.725' E | 5 | 54 51.014' N | 9 52.844' E |
| 4 | 54 50.937' N | 9 45.662' E | 5 | 54 51.046' N | 9 52.971' E |
| 4 | 54 50.384' N | 9 45.183' E | 5 | 54 50.657' N | 9 50.869' E |
| 4 | 54 50.22' N | 9 44.71' E | 5 | 54 51.035' N | 9 53.181' E |
| 4 | 54 50.184' N | 9 44.392' E | 5 | 54 51.029' N | 9 53.316' E |
| 4 | 54 50.116' N | 9 44.377' E | 5 | 54 50.967' N | 9 53.368' E |
| 4 | 54 50.005' N | 9 44.45' E | 5 | 54 50.922' N | 9 53.438' E |
| 4 | 54 49.964' N | 9 44.515' E | 5 | 54 50.905' N | 9 53.538' E |
| 4 | 54 49.94' N | 9 44.607' E | 5 | 54 50.908' N | 9 53.676' E |
| | | | | | |
| 4 | 54 49.878' N | 9 44.654' E | 5 | 54 50.941' N | 9 53.838' E |
| 4 | 54 49.846' N | 9 44.705' E | 5 | 54 51.073' N | 9 54.04' E |
| 4 | 54 49.83' N | 9 44.805' E | 5 | 54 51.25' N | 9 54.301' E |
| 4 | 54 49.822' N | 9 44.904' E | 5 | 54 51.306' N | 9 54.332' E |
| 4 | 54 49.825' N | 9 45.043' E | 5 | 54 51.437' N | 9 54.369' E |
| 4 | 54 49.852' N | 9 45.167' E | 5 | 54 51.514' N | 9 54.368' E |
| 4 | 54 49.865' N | 9 45.205' E | 5 | 54 51.587' N | 9 54.283' E |
| 4 | 54 49.871' N | 9 45.252' E | 5 | 54 51.836' N | 9 53.012' E |
| 4 | 54 49.892' N | 9 45.332' E | 5 | 54 51.504' N | 9 52.282' E |
| 4 | 54 49.934' N | 9 45.38' E | 5 | 54 51.685' N | 9 51.909' E |
| 4 | 54 49.961' N | 9 45.44' E | 5 | 54 51.717' N | 9 51.767' E |
| 4 | 54 49.964' N | 9 45.496' E | 5 | 54 51.723' N | 9 51.672' E |
| 4 | 54 50.005' N | 9 45.698' E | 5 | 54 51.706' N | 9 51.266' E |
| 4 | 54 50.044' N | 9 45.778' E | 5 | 54 51.706' N | 9 51.022' E |
| 4 | 54 50.033' N | 9 45.902' E | 5 | 54 51.78' N | 9 50.774' E |
| 5 | 54 50.845' N | 9 52.297' E | 5 | 54 51.785' N | 9 50.697' E |
| 5 | 54 50.789' N | 9 52.249' E | 5 | 54 51.701' N | 9 50.123' E |
| 5 | 54 50.763' N | 9 52.206' E | 5 | 54 51.444' N | 9 49.704' E |
| 5 | 54 50.688' N | 9 51.99' E | 5 | 54 50.635' N | 9 50.794' E |
| 5 | 54 50.617' N | 9 51.601' E | 5 | 54 50.595' N | 9 50.791' E |
| 5 | 54 50.586' N | 9 51.244' E | 5 | 54 50.529' N | 9 50.837' E |
| 5 | 54 50.584' N | 9 51.162' E | 5 | 54 50.476' N | 9 50.852' E |
| 5 | 54 50.605' N | 9 51.077' E | 5 | 54 50.419' N | 9 50.825' E |
| 5 | 54 50.393' N | 9 49.586' E | 5 | 54 50.389' N | 9 50.781' E |
| 5 | 54 50.428' N | 9 49.548' E | 5 | 54 50.655' N | 9 50.993' E |
| | | | | | |
| 5 | 54 50.46' N | 9 49.534' E | 5 | 54 50.36' N | 9 50.71' E |
| 5 | 54 50.526' N | 9 49.535' E | 5 | 54 50.287' N | 9 50.123' E |
| 5 | 54 51.514' N | 9 52.659' E | 5 | 54 50.257' N | 9 49.953' E |
| 5 | 54 50.579' N | 9 49.494' E | 5 | 54 50.256' N | 9 49.87' E |
| 5 | 54 50.641' N | 9 49.416' E | 5 | 54 50.284' N | 9 49.791' E |
| 5 | 54 50.691' N | 9 49.392' E | 5 | 54 50.344' N | 9 49.677' E |
| 5 | 54 50.747' N | 9 49.373' E | 6 | 54 52.192' N | 9 52.057' E |
| 5 | 54 50.79' N | 9 49.384' E | 6 | 54 52.385' N | 9 51.526' E |
| 5 | 54 50.872' N | 9 49.45' E | 6 | 54 52.418' N | 9 51.25' E |
| 5 | 54 51.007' N | 9 49.483' E | 6 | 54 52.605' N | 9 51.175' E |
| 5 | 54 51.087' N | 9 49.459' E | 6 | 54 52.831' N | 9 51.596' E |
| 5 | 54 51.131' N | 9 49.47' E | 6 | 54 52.771' N | 9 51.344' E |
| 5 | 54 51.444' N | 9 49.704' E | 6 | 54 52.831' N | 9 52.061' E |
| 5 | 54 50.934' N | 9 52.32' E | 6 | 54 52.781' N | 9 52.12' E |
| 5 | 54 51.04' N | 9 53.093' E | 6 | 54 52.633' N | 9 52.041' E |
| 5 | 54 51.025' N | 9 52.244' E | 6 | 54 52.574' N | 9 52.131' E |
| 5 | 54 51.032' N | 9 52.311' E | 6 | 54 52.531' N | 9 52.233' E |
| 5 | 54 51.062' N | 9 52.402' E | 6 | 54 52.473' N | 9 52.344' E |
| | | | | | |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 6 | 54 52.458' N | 9 52.374' E | 9 | 54 52.5' N | 10 2.223' E |
|---|-----------------------------|---------------------------|----|-----------------------------|---------------------------|
| 6 | 54 52.4' N | 9 52.49' E | 9 | 54 52.473' N | 10 1.892' E |
| 6 | 54 52.351' N | 9 52.422' E | 9 | 54 53.22' N | 10 4.134' E |
| 6 | 54 52.831' N | 9 51.596' E | 9 | 54 52.302' N | 10 1.138' E |
| 7 | 54 49.116' N | 9 59.562' E | 9 | 54 52.091' N | 10 1.159' E |
| 7 | 54 49.249' N | 10 0.171' E | 9 | 54 51.775' N | 10 2.023' E |
| 7 | 54 48.776' N | 10 1.256' E | 9 | 54 51.808' N | 10 2.257' E |
| 7 | 54 48.341' N | 10 0.994' E | 9 | 54 51.686' N | 10 2.487' E |
| 7 | 54 48.233' N | 10 0.716' E | 9 | 54 51.606' N | 10 2.445' E |
| 7 | 54 48.374' N | 10 0.189' E | 9 | 54 51.531' N | 10 2.457' E |
| 7 | 54 48.326' N | 9 59.517' E | 9 | 54 51.461' N | 10 2.309' E |
| 7 | 54 48.492' N | 9 59.239' E | 9 | 54 51.233' N | 10 1.892' E |
| 7 | 54 49.116' N | 9 59.562' E | 9 | 54 51.146' N | 10 1.847' E |
| 8 | 54 49.795' N | 10 2.926' E | 9 | 54 51.08' N | 10 1.889' E |
| 8 | 54 50.228' N | 10 1.616' E | 9 | 54 51.024' N | 10 2.022' E |
| 8 | 54 50.578' N | 10 1.454' E | 9 | 54 50.978' N | 10 2.192' E |
| 8 | 54 50.739' N | 10 2.384' E | 9 | 54 50.935' N | 10 2.372' E |
| 8 | 54 50.739' N | 10 2.384' E | 9 | 54 50.899' N | 10 2.613' E |
| 8 | 54 50.732' N | 10 2.688' E | 9 | 54 50.861' N | 10 2.786' E |
| 8 | 54 50.698' N | 10 2.829' E | 9 | 54 50.862' N | 10 2.989' E |
| 8 | 54 50.726' N | 10 2.92' E | 9 | 54 50.941' N | 10 3.225' E |
| 8 | 54 50.737' N | 10 3.069' E | 9 | 54 50.87' N | 10 3.465' E |
| 8 | 54 50.735' N | 10 3.119' E | 9 | 54 50.869' N | 10 3.699' E |
| 8 | 54 50.728' N | 10 3.159 E | 9 | 54 50.834' N | 10 3.033 E |
| 8 | 54 50.718' N | 10 3.195 E 10 3.191' E | 9 | 54 50.77' N | 10 3.770 E |
| 8 | 54 50.621' N | 10 3.418' E | 9 | 54 50.712' N | 10 3.916' E |
| 8 | 54 50.509' N | 10 3.489' E | 9 | 54 50.692' N | 10 3.910 E |
| 8 | 54 50.374' N | 10 4.141' E | 9 | 54 53.233' N | 10 4.607' E |
| 8 | 54 50.263' N | 10 4.141 E 10 4.464' E | 9 | 54 53.196' N | 10 4.007 E |
| 8 | 54 49.533' N | 10 4.343' E | 9 | 54 52.901' N | 10 4.721 L 10 4.936' E |
| 8 | 54 49.779' N | 10 5.347' E | 9 | 54 52.939' N | 10 4.930 L 10 5.179' E |
| 8 | 54 49.779 N 54 49.611' N | 10 5.838' E | 9 | 54 52.939 N 54 52.923' N | 10 5.179 E 10 5.305' E |
| | | | 9 | | |
| 8 | 54 48.625' N | 10 5.639' E | | 54 52.821' N | 10 5.659' E |
| 8 | 54 47.05' N | 10 5.375' E | 9 | 54 52.635' N | 10 5.808' E |
| 8 | 54 46.423' N | 10 4.986' E | 9 | 54 52.6' N | 10 5.883' E |
| 8 | 54 46.235' N | 10 4.119' E | 10 | 54 55.306' N | 10 14.667' E |
| 8 | 54 47.75' N | 10 3.306' E | 10 | 54 55.217' N | 10 14.732' E |
| 8 | 54 48.324' N | 10 3.243' E | 10 | 54 55.14' N | 10 14.777' E |
| 8 | 54 49.298' N | 10 3.069' E | 10 | 54 55.089' N | 10 14.88' E |
| 9 | 54 52.544' N | 10 5.93' E | 10 | 54 54.692' N | 10 14.915' E |
| 9 | 54 52.37' N | 10 6.044' E | 10 | 54 54.739' N | 10 14.421' E |
| 9 | 54 52.276' N | 10 5.981' E | 10 | 54 55.758' N | 10 13.576' E |
| 9 | 54 52.209' N | 10 5.668' E | 10 | 54 55.263' N | 10 14.729' E |
| 9 | 54 52.018' N | 10 5.799' E | 10 | 54 55.818' N | 10 14.632' E |
| 9 | 54 51.298' N | 10 6.441' E | 10 | 54 55.758' N | 10 13.576' E |
| 9 | 54 50.892' N | 10 6.316' E | 10 | 54 55.643' N | 10 14.649' E |
| 9 | 54 53.11' N | 10 4.169' E | 10 | 54 55.577' N | 10 14.629' E |
| 9 | 54 53.11' N | 10 4.169' E | 10 | 54 55.48' N | 10 14.561' E |
| 9 | 54 53.021' N | 10 4.203' E | 10 | 54 55.428' N | 10 14.629' E |
| 9 | 54 52.869' N | 10 4.209' E | 10 | 54 55.342' N | 10 14.641' E |
| 9 | 54 52.754' N | 10 4.272' E | 11 | 54 59.867' N | 10 10.894' E |
| 9 | 54 52.639' N | 10 4.306' E | 11 | 54 58.931' N | 10 10.949' E |
| 9 | 54 52.478' N | 10 4.046' E | 11 | 54 59.498' N | 10 11.882' E |
| 9 | 54 50.684' N | 10 5.541' E | 11 | 55 0.436' N | 10 10.201' E |
| 9 | 54 52.404' N | 10 3.875' E | 11 | 55 0.592' N | 10 10.779' E |
| 9 | 54 52.457' N | 10 2.816' E | 11 | 55 0.436' N | 10 10.201' E |
| | | | | | |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 12 | 55 1.129' N | 10 10.216' E | 17 | 55 5.334' N | 9 54.238' E |
|----|--------------|--------------------------|----|--------------|--------------------------|
| 12 | 55 0.773' N | 10 10.374' E | 17 | 55 5.687' N | 9 52.437' E |
| 12 | 55 0.577' N | 10 9.259' E | 17 | 55 5.357' N | 9 53.259' E |
| 12 | 55 0.846' N | 10 8.761' E | 17 | 55 6.141' N | 9 56.307' E |
| 12 | 55 0.95' N | 10 8.784' E | 17 | 55 6.478' N | 9 55.548' E |
| 12 | 55 1.389' N | 10 8.149' E | 18 | 55 4.505' N | 9 52.71' E |
| 12 | 55 1.738' N | 10 8.665' E | 18 | 55 5.288' N | 9 54.25' E |
| 12 | 55 1.835' N | 10 8.986' E | 18 | 55 5.021' N | 9 54.969' E |
| 12 | 55 1.602' N | 10 9.315' E | 18 | 55 4.153' N | 9 53.836' E |
| 12 | 55 1.852' N | 10 10.252' E | 18 | 55 4.365' N | 9 52.05' E |
| 12 | 55 1.586' N | 10 10.865' E | 18 | 55 4.829' N | 9 51.488' E |
| 12 | 55 1.586' N | 10 10.865' E | 18 | 55 4.595' N | 9 51.553' E |
| 13 | 54 57.138' N | 10 1.498' E | 18 | 55 5.288' N | 9 54.25' E |
| 13 | 54 56.926' N | 10 1.595' E | 18 | 55 5.3' N | 9 52.485' E |
| 13 | 54 56.67' N | 10 1.883' E | 18 | 55 5.076' N | 9 51.644' E |
| 13 | 54 56.536' N | 10 2.003' E | 19 | 55 1.54' N | 9 55.631' E |
| 13 | 54 56.8' N | 10 2.747' E | 19 | 55 1.138' N | 9 54.303' E |
| 13 | 54 57.047' N | 10 2.535' E | 19 | 55 1.54' N | 9 55.631' E |
| 13 | 54 57.311' N | 10 2.159' E | 19 | 55 1.616' N | 9 54.495' E |
| 13 | 54 56.751' N | 10 1.792' E | 19 | 55 1.657' N | 9 53.627' E |
| 13 | 54 56.583' N | 10 2.572' E | 19 | 55 1.365' N | 9 53.469' E |
| 13 | 54 57.024' N | 10 1.573' E | 19 | 55 1.215' N | 9 53.886' E |
| 13 | 54 57.311' N | 10 2.159' E | 19 | 55 1.174' N | 9 54.05' E |
| 13 | 54 57.344' N | 10 1.985' E | 19 | 55 1.136' N | 9 54.77' E |
| 14 | 54 59.342' N | 9 59.98' E | 19 | 55 1.174' N | 9 55.102' E |
| 14 | 54 59.306' N | 9 59.73' E | 19 | 55 1.546' N | 9 53.513' E |
| 14 | 54 59.188' N | 9 59.647' E | 19 | 55 1.154' N | 9 55.437' E |
| 14 | 54 59.342' N | 9 59.98' E | 19 | 55 1.272' N | 9 55.766' E |
| 14 | 54 57.67' N | 10 1.436' E | 19 | 55 1.127' N | 9 54.513' E |
| 14 | 54 59.018' N | 9 59.858' E | 20 | 54 55.327' N | 10 2.909' E |
| 14 | 54 58.912' N | 9 59.993' E | 20 | 54 55.865' N | 10 2.968' E |
| 14 | 54 58.748' N | 10 0.122' E | 20 | 54 55.043' N | 10 4.181' E |
| 14 | 54 58.697' N | 10 0.122 E 10 0.19' E | 20 | 54 56.032' N | 10 4.161 L |
| 14 | 54 57.731' N | 10 0.19 E 10 0.913' E | 20 | 54 55.263' N | 10 3.14 E 10 4.343' E |
| | | | | | |
| 14 | 54 58.77' N | 10 1.091' Ē | 20 | 54 54.879' N | 10 3.415' E |
| 14 | 54 57.934' N | 10 0.78' E | 20 | 54 56.029' N | 10 3.434' E |
| 14 | 54 58.163' N | 10 0.584' E | 20 | 54 56.032' N | 10 3.14' E |
| 14 | 54 58.329' N | 10 0.464' E | 21 | 55 4.083' N | 9 48.621' E |
| 14 | 54 57.837' N | 10 1.797' E | 21 | 55 3.677' N | 9 49.439' E |
| 14 | 54 59.159' N | 9 59.713' E | 21 | 55 3.472' N | 9 50.486' E |
| 15 | 55 7.061' N | 9 58.268' E | 21 | 55 3.62' N | 9 50.547' E |
| 15 | 55 7.371' N | 9 58.186' E | 21 | 55 4.46' N | 9 49.517' E |
| 15 | 55 7.425' N | 9 57.391' E | 21 | 55 3.434' N | 9 49.936' E |
| 15 | 55 7.425' N | 9 57.391' E | 21 | 55 4.46' N | 9 49.517' E |
| 15 | 55 7.04' N | 9 57.371' E | 22 | 54 52.703' N | 9 37.962' E |
| 16 | 55 6.926' N | 9 56.402' E | 22 | 54 52.556' N | 9 38.113' E |
| 16 | 55 6.581' N | 9 56.535' E | 22 | 54 52.703' N | 9 37.962' E |
| 16 | 55 6.724' N | 9 55.371' E | 22 | 54 52.674' N | 9 37.675' E |
| 16 | 55 6.917' N | 9 55.374' E | 22 | 54 52.563' N | 9 37.608' E |
| 16 | 55 6.917' N | 9 55.374' E | 22 | 54 52.437' N | 9 37.66' E |
| 16 | 55 7.086' N | 9 55.828' E | 22 | 54 52.419' N | 9 37.969' E |
| 17 | 55 5.687' N | 9 52.437' E | 23 | 55 1.982' N | 9 53.721' E |
| 17 | 55 6.623' N | 9 54.685' E | 23 | 55 3.253' N | 9 51.284' E |
| 17 | 55 5.243' N | 9 54.787' E | 23 | 55 2.963' N | 9 51.067' E |
| 17 | 55 5.651' N | 9 56.322' E | 23 | 55 2.734' N | 9 51.219' E |
| 17 | 55 5.266' N | 9 55.606' E | 23 | 55 2.675' N | 9 51.294' E |
| | | | | | |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| 23 | 55 2.419' N | 9 51.517' E | 25 | 54 56.316' N | 10 13.38' E |
|----|--------------|--------------|----|--------------|--------------|
| 23 | 55 2.337' N | 9 51.79' E | 25 | 54 56.351' N | 10 13.235' E |
| 23 | 55 2.056' N | 9 52.057' E | 25 | 54 56.406' N | 10 13.156' E |
| 23 | 55 1.651' N | 9 52.695' E | 25 | 54 56.661' N | 10 13.088' E |
| 23 | 55 1.699' N | 9 53.646' E | 25 | 54 56.735' N | 10 13.174' E |
| 23 | 55 2.366' N | 9 53.366' E | 25 | 54 56.76' N | 10 13.272' E |
| 23 | 55 3.278' N | 9 52.154' E | 25 | 54 56.873' N | 10 13.244' E |
| 23 | 55 3.253' N | 9 51.284' E | 25 | 54 57.033' N | 10 13.114' E |
| 24 | 55 7.248' N | 10 1.614' E | 25 | 54 57.061' N | 10 13.077' E |
| 24 | 55 7.217' N | 10 1.481' E | 25 | 54 57.111' N | 10 12.976' E |
| 24 | 55 7.247' N | 10 1.341' E | 25 | 54 57.174' N | 10 12.908' E |
| 24 | 55 7.18' N | 10 1.006' E | 25 | 54 57.206' N | 10 12.819' E |
| 24 | 55 6.396' N | 10 1.726' E | 25 | 54 57.291' N | 10 12.683' E |
| 24 | 55 6.133' N | 10 2.688' E | 25 | 54 57.287' N | 10 12.589' E |
| 24 | 55 6.346' N | 10 3.264' E | 25 | 54 57.295' N | 10 12.529' E |
| 24 | 55 6.46' N | 10 3.326' E | 25 | 54 57.312' N | 10 12.476' E |
| 24 | 55 7.281' N | 10 1.685' E | 25 | 54 57.359' N | 10 12.384' E |
| 24 | 55 7.248' N | 10 1.614' E | 25 | 54 57.406' N | 10 12.321' E |
| 24 | 55 6.842' N | 10 2.743' E | 25 | 54 57.488' N | 10 12.204' E |
| 25 | 54 58.043' N | 10 11.492' E | 25 | 54 57.594' N | 10 12.116' E |
| 25 | 54 58.068' N | 10 11.479' E | 25 | 54 57.625' N | 10 12.083' E |
| 25 | 54 58.489' N | 10 11.412' E | 25 | 54 57.645' N | 10 12.069' E |
| 25 | 54 58.689' N | 10 11.455' E | 25 | 54 57.678' N | 10 12.02' E |
| 25 | 54 58.763' N | 10 11.491' E | 25 | 54 57.702' N | 10 11.997' E |
| 25 | 54 59.001' N | 10 11.714' E | 25 | 54 57.729' N | 10 11.947' E |
| 25 | 54 59.027' N | 10 12.099' E | 25 | 54 57.76' N | 10 11.905' E |
| 25 | 54 58.305' N | 10 12.475' E | 25 | 54 57.772' N | 10 11.893' E |
| 25 | 54 58.32' N | 10 12.336' E | 25 | 54 57.781' N | 10 11.867' E |
| 25 | 54 58.24' N | 10 12.261' E | 25 | 54 57.799' N | 10 11.834' E |
| 25 | 54 58.131' N | 10 12.25' E | 25 | 54 57.844' N | 10 11.769' E |
| 25 | 54 58.094' N | 10 12.264' E | 25 | 54 57.861' N | 10 11.748' E |
| 25 | 54 58.01' N | 10 12.268' E | 25 | 54 57.871' N | 10 11.738' E |
| 25 | 54 57.94' N | 10 12.311' E | 25 | 54 57.897' N | 10 11.718' E |
| 25 | 54 57.901' N | 10 12.35' E | 25 | 54 57.923' N | 10 11.655' E |
| 25 | 54 57.79' N | 10 12.371' E | 25 | 54 58.021' N | 10 11.512' E |
| 25 | 54 57.698' N | 10 12.471' E | 25 | 54 58.043' N | 10 11.492' E |
| 25 | 54 57.618' N | 10 12.585' E | 25 | 54 56.947' N | 10 13.256' E |
| 25 | 54 57.479' N | 10 12.689' E | 26 | 55 2.406' N | 9 55.459' E |
| 25 | 54 57.368' N | 10 12.942' E | 26 | 55 3.147' N | 9 53.862' E |
| 25 | 54 57.216' N | 10 13.195' E | 26 | 55 3.758' N | 9 54.315' E |
| 25 | 54 57.142' N | 10 13.323' E | 26 | 55 3.835' N | 9 55.545' E |
| 25 | 54 57.017' N | 10 13.555' E | 26 | 55 3.734' N | 9 55.911' E |
| 25 | 54 56.931' N | 10 13.616' E | 26 | 55 4.09' N | 9 56.653' E |
| 25 | 54 56.836' N | 10 13.829' E | 26 | 55 3.017' N | 9 58.579' E |
| 25 | 54 56.65' N | 10 14.154' E | 26 | 55 2.908' N | 9 59.105' E |
| 25 | 54 56.504' N | 10 14.357' E | 26 | 55 2.694' N | 9 59.185' E |
| 25 | 54 56.016' N | 10 14.196' E | 26 | 55 2.125' N | 10 0.197' E |
| 25 | 54 56.017' N | 10 13.938' E | 26 | 55 1.798' N | 10 0.078' E |
| 25 | 54 56.047' N | 10 13.818' E | 26 | 55 1.731' N | 9 59.062' E |
| 25 | 54 56.047' N | 10 13.728' E | 26 | 55 2.174' N | 9 58.022' E |
| 25 | 54 56.074' N | 10 13.63' E | 26 | 55 2.093' N | 9 57.502' E |
| 25 | 54 56.105' N | 10 13.588' E | 26 | 55 2.11' N | 9 56.562' E |
| 25 | 54 56.157' N | 10 13.548' E | 26 | 55 2.406' N | 9 55.459' E |
| 25 | 54 56.193' N | 10 13.538' E | 27 | 55 6.18' N | 10 3.938' E |
| 25 | 54 56.211' N | 10 13.491' E | 27 | 55 5.344' N | 10 4.361' E |
| 25 | 54 56.239' N | 10 13.439' E | 27 | 55 5.256' N | 10 4.302' E |
| | | | | | |

DRAFT-Proposal for fisheries management measures in Danish Natura~2000 sitesin the Western Baltic Sea

| 27 | 55 5.201' N | 10 4.182' E | 28 | 55 3.835' N | 10 7.238' |
|----|-------------|-------------|----|-------------|------------|
| 27 | 55 5.138' N | 10 4.192' E | 28 | 55 3.602' N | 10 7.282' |
| 27 | 55 5.093' N | 10 4.24' E | 28 | 55 3.373' N | 10 6.635' |
| 27 | 55 4.832' N | 10 4.315' E | 28 | 55 2.859' N | 10 7.445' |
| 27 | 55 4.606' N | 10 4.339' E | 28 | 55 2.581' N | 10 7.321' |
| 27 | 55 4.549' N | 10 4.435' E | 28 | 55 2.027' N | 10 6.512' |
| 27 | 55 4.525' N | 10 4.62' E | 28 | 55 2.053' N | 10 5.121' |
| 27 | 55 4.284' N | 10 4.335' E | 28 | 55 2.826' N | 10 3.918' |
| 27 | 55 4.329' N | 10 3.358' E | 28 | 55 3.022' N | 10 4.233' |
| 27 | 55 4.686' N | 10 3.222' E | 28 | 55 3.283' N | 10 5.237' |
| 27 | 55 5.106' N | 10 3.562' E | 28 | 55 3.481' N | 10 5.27' E |
| 27 | 55 5.274' N | 10 2.929' E | 28 | 55 3.933' N | 10 5.745' |
| 27 | 55 5.45' N | 10 2.804' E | | | |
| 27 | 55 5.751' N | 10 2.814' E | | | |
| 27 | 55 6.18' N | 10 3.938' E | | | |
| 28 | 55 3.933' N | 10 5.745' E | | | |
| | | | | | |

Annex J - Fishery data: Description of methods

This Annex describes the methods used in the analyses of fishing activity in and around the Natura 2000 sites covered in the present proposal. Fishery data in terms of logbook and VMS data have been forwarded by Swedish fishery authorities for the period 2011-2013 and by German fishery authorities for the period 2011-2012 upon special request.

The Danish Technical University, Institute of Aquatic Resources (DTU Aqua) has carried out the analyses for the Danish AgriFish Agency in accordance with the Commissions guidelines from 2008 "Fisheries measures for marine Natura 2000 sites – A consistent approach to request for fisheries management measures under the Common Fisheries Policy". Special focus has been given to the impact the proposed fishery management measures might have on current fishing activities in and around the concerned Natura 2000 sites.

The Natura 2000 sites in which fishery management measures are proposed are located in several ICES squares. By combining logbook data and VMS pings, fishing intensity for a smaller area, such as a Natura 2000 site, can be estimated. Methods for working with the combined logbook/VMS data have been developed during the EU project "Development of tools for logbook and VMS data analysis" (No Mare/2008/10 Lot2), resulting in the R-package VMStools. This method has also been recommended by the ICES groups SGVMS/WGSFD. DTU Aqua's analysis of fishery data in relation to present proposal follows these recommendations.

Description of methods

VMS data have been merged with logbook data using vessel-id and date as a unique key. The combined data give information on gear types used in each trip and information about vessel-id, position, time and speed.

When the gear type is known, a speed filter can be applied to the VMS data, whereby only the active fishing operations are analyzed. The speed filters used in this analysis are based on speed histograms given by gear groups. Two examples of speed histograms for bottom trawls and nets are displayed below in figure 1 and 2.





Figure 1 and 2. Speed histograms for bottom trawls and net types

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea



The table below shows the speed filters used in analyses carried out in relation to the present proposal.

| Gear group | Gear codes | Min speed | Max speed |
|--------------------|------------------------------|-----------|--------------|
| Dredge | DRB, DRO, DRC, BMS | 2 | 4.5 |
| Bottom trawls | OTB, OTT, PTB, TBN, TBS | 2 | 4 |
| Beam trawl | ТВВ | 2 | 4 |
| Pelagic trawls | OTM, PTM | 2 | 4 |
| Lines | LH, LHP, LL, LLD, LLS, LX | 0 | 0.1 |
| Traps | FPO, FYK, FPN | 0 | 4 |
| Nets | GTR, GNS, GND, GN | 0 | 4 |
| Anchored seine | SDN | 0 | 4 |
| Fly shooting seine | SSC | 0 | 4 |
| Purse seine | PS | 0 | 4 |

An uncertainty in this method is that the speed filters applied, are very general. However, it is the experience of DTU Aqua that the above given speed filters give a good overall picture of the fishing activity subdivisions 22-24. Another challenge with the data set is that VMS was only mandatory for vessels >=15 m oal in 2010 and 2011, however in 2012 VMS became mandatory for vessels >=12 m oal. In 2011, 45% of the landing weight from subdivisions 22-24 was from vessels without VMS, in 2012 the percentage was 25, in 2013 20 and in 2014 24.

Description of data: VMS and logbook data for DK, SE and DE vessels [to be updated with PL, EE data]

German data includes VMS positions with landings and value associated to each position for the years 2010-2012. The **Swedish data** included summarized weight and values for the Natura 2000 areas concerned (given for the entire fleet). Swedish VMS positions has also been provided for the years 2011-2013

In the **Danish data**, mobile bottom contacting gears are defined as Bottom trawls, Beam trawls, Anchored Seines, Fly shooting seines and Dredges. Other gears include Nets, Lines, Pelagic trawls, Traps and Purse seines. In the **German data** mobile bottom contacting gears are defined as OTB, PTB, SSC, TBB, DRB and SDN. Other gears include GNS, GTR, OTM and PTM. In the **Polish data** mobile bottom contacting gears are defined as OTB.

Description of data: Landing weight and values for DK, SE and DE [to be updated with PL, EE data]

In order to assess the impact of the proposed fisheries management measures, landings weight and value need to be assessed per Natura 2000 site for different gear groups.

Logbooks contain information about landed weight by species while sales notes data includes weight and value by species per fishing trip.

For the **Danish data**, DTU Aqua has merged these estimates to distribute the value on the trip proportionally to the landings weight. The dataset including species, weight and value is then merged with the VMS positions by vessel-id and date. This means that the weight and value by species is distributed evenly out on VMS positions where fishing activity is assumed, by vessel-id and date.

The landings and values by species within a Natura 2000 area can then be summarized (see section 6.2). An average exchange rate of 7.45 DKK/EUR has been used in the analyses.

The **Swedish data** on landings in the Natura 2000 areas were received as landed kg per year per Natura 2000 area, DCF level 6 metier and species. The data used is based on Swedish logbooks, which include fishing event positions. The dataset covers the whole Swedish fleet, thus also landings from smaller vessels <12 meters. To estimate the value of the Swedish landings, the species prices per kg from the Danish landings have been used.

The **German data** was sent to Denmark with number of vessels, fishing hours, total value, total weight and landings by species by year, Natura 2000 area, gear and vessel length for the years 2008-2012.

The **Polish data** was sent to Denmark for the area defined as D7, which covers 1/9 ICES square 38G4. The site 'Adler Grund and Rønne Banke, however, also covers a small part of ICES square 39G4. Data covers number of vessels,number of fishing hours, total value, total weight and landings by species by year, Natura 2000 area, gear and vessel length for the years 2012-2014.

Annex J (table 1-10) show the landings from the four Natura 2000 areas compared to the total fishery in subdivisions 22-24. In total for Danish vessels, they contribute to 6.07 % of the landings from subdivisions 22-24 from vessels with VMS when looking at the average of 2011-2014 landings. The value of the landings for the 3 Natura 2000 areas contribute to 6.97 % of the value of landings from subdivisions 22-24 from vessels with VMS when looking at the average of the value of landings in 2011-2014. In Annex H, landings and value of landings for the three Natura 2000 areas is shown by year, gear group and species.

The Swedish vessels have landings with a value of 12882 euro on average for 2011-2014 from Adler Grund og Rønne Banke. German vessels have landings with a value larger than 1000 euro on average from 2011-2014 from all three Natura 2000 sites. In Flensborg Fjord the average value of the landings from German vessels in 2011-2014 was 32714 euro.

To be updated with more information regarding Estonian Polish fishery data.

Slettet: &

Annex K - Total landings and catch value per country per Natura 2000 site,

This annex contains information of total landings (bottom trawls)and catch value per country per site per year (table 1-13) and at species level per country per site per year (table 14-18).

Data in the following tables are not specified with thousands-seperator. All the values are in total kilograms.

Table 1: Total landings (kg) from <u>Danish vessels</u> in the Western Baltic Sea 2011-2014

| Vessel type/Year | 2011 | 2012 | 2013 | 2014 | Mean (2011-2014) |
|---------------------|------------|------------|------------|------------|------------------|
| Vessels with VMS | 14,037,181 | 18,549,678 | 22,246,968 | 15462111 | 17,573,985 |
| Other vessels | 11,572,859 | 6,257,508 | 5,706,704 | 4,930,691 | 7,254,641 |
| Sum | 25,610,040 | 24,807,186 | 27,953,672 | 20,392,802 | 24,828,626 |

Table 2: Total landings (kg) from <u>Danish vessels</u> in the three Natura 2000 areas

| N2000 area/Year | 2011 | 2012 | 2013 | 2014 | Mean (2011-2014) |
|-------------------------------|-----------|---------|---------|---------|------------------|
| Adler Grund og Rønne Banke | 1,143 | 35,508 | 1,276 | 8,783 | 11,677 |
| Centrale Storebælt | 153,432 | 177,243 | 402,320 | 270,787 | 250,946 |
| Flensborg Fjord | 1,369,233 | 796,330 | 790,650 | 263,345 | 804,889 |

Table 3: Total landings (kg) from <u>Swedish vessels</u> in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | 2013 | 2014 | Mean |
|--------------------------------------|-------|------|-------|------|-------|
| Adler Grund og Rønne Banke | 8.000 | 0 | 3.495 | 0 | 2.874 |
| Flensborg Fjord og havet omkring Als | 0 | 0 | 0 | 0 | 0 |
| Centrale Storebælt og Vresen | 0 | 0 | 0 | 0 | 0 |

Table 4: Total landings (kg) from bottom trawls for $\underline{\text{German vessels}}$ in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | Mean |
|--------------------------------------|--------|--------|--------|
| Adler Grund og Rønne Banke | 350 | 5.900 | 3.125 |
| Flensborg Fjord og havet omkring Als | 27.120 | 36.702 | 31.911 |
| Centrale Storebælt og Vresen | 4.112 | 0 | 2.056 |

Slettet: [TO BE UPDATED]

Slettet: bottom trawls for

Slettet: bottom trawls for

Tabel 5: Total landings (kg) from bottom trawls for $\underline{\text{Estonian vessels}}$ in the three Natura 2000 sites

| N2000 area/Year | 2010 | 2012 | Mean |
|--------------------------------------|------|-------|-------|
| Adler Grund og Rønne Banke | 145 | 2.417 | 1.281 |
| Flensborg Fjord og havet omkring Als | 0 | 0 | 0 |
| Centrale Storebælt og Vresen | 0 | 0 | 0 |

Tabel 6: Total landings (kg) from bottom trawls for Polish vessels in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | 2013 | 2014 | Mean |
|--------------------------------------|------|-------|--------|------|-------|
| Adler Grund og Rønne Banke | 0 | 7.428 | 21.185 | 475 | 7.272 |
| Flensborg Fjord og havet omkring Als | 0 | 0 | 0 | 0 | 0 |
| Centrale Storebælt og Vresen | 0 | 0 | 0 | 0 | 0 |

Table 7: Value of the total landings (EUR) from <u>Danish vessels</u> in the Western Baltic

| Vessel type/Year | 2011 | 2012 | 2013 | 2014 | Mean (2011-2014) |
|---------------------|------------|------------|------------|------------|------------------|
| Vessels with | 8,408,763 | 13,803,121 | 13,689,495 | 10,655,961 | 11,639,335 |
| Other vessels | 15,759,031 | 11,711,196 | 10,529,810 | 9,121,201 | 11,780,310 |
| Sum | 24,167,794 | 25,514,317 | 24,219,305 | 19,777,162 | 23,419,645 |

Table 8: Value of the total landings (EUR) from <u>Danish vessels</u> in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | 2013 | 2014 | Mean (2011-2014) |
|----------------------|---------|---------|---------|---------|------------------|
| Adler Grund og Rønne | | | | | |
| Banke | 1,271 | 47,483 | 1,504 | 13,694 | 15,988 |
| Centrale Storebælt | 199,333 | 317,309 | 407,504 | 424,917 | 337,266 |
| Flensborg Fjord | 370,018 | 607,521 | 583,964 | 269,903 | 457,851 |

Table 9: Value of the landings (EUR) from Danish vessels in the three Natura 2000 sites:

| | EUR 2010 | EUR 2011 | EUR 2012 | EUR 2013 | EUR 2014 | Mean (2010-2014) | | | | |
|--------------------------------------|--------------|------------|-----------|--------------|-----------|---------------------|--|--|--|--|
| Adler Grund og Rønne Banke Bundtrawl | | | | | | | | | | |
| Atlantic Cod | <u>6,593</u> | <u>300</u> | 41,099 | <u>1,393</u> | 13,483 | 12,573 | | | | |
| <u>European</u> Flounder | <u>1</u> | <u>0</u> | <u>28</u> | <u>32</u> | <u>50</u> | <u>22</u> | | | | |
| European | <u>28</u> | <u>0</u> | 269 | <u>53</u> | <u>17</u> | <u>74</u> | | | | |
| <u>Plaice</u> | | | | | | | | | | |

Slettet: ¶

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| Saithe | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>21</u> | 4 |
|----------------------------------|------------------------------|----------------------------|--------------------------|------------------------------|------------------------|----------------------------|
| Turbot Whiting Pelagisk trawl | <u>36</u> <u>1</u> | <u>0</u> | <u>6</u> <u>26</u> | <u>23</u> <u>3</u> | <u>61</u> <u>62</u> | <u>25</u> <u>18</u> |
| Atlantic Cod Atlantic Herring | <u>0</u> 0 | 922 0 | <u>0</u> <u>6,056</u> | <u>0</u> <u>0</u> | <u>0</u> <u>0</u> | <u>184</u> <u>1,211</u> |
| European Flounder | <u>0</u> | <u>3</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> |
| European Plaice | <u>0</u> | <u>18</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>4</u> |
| Turbot | <u>0</u> | <u>28</u> | <u>0</u> | 0 | 0 | <u>6</u> |
| | ebælt og Vrese | <u>n</u> | | | | |
| Bundtrawl Atlantic Cod Atlantic | <u>52,541</u> <u>0</u> | <u>154,925</u> <u>0</u> | 129,616 320 | 165,026 716 | 224,912 0 | 145,404 207 |
| Herring Atlantic Horsemack | 0 | <u>0</u> | 2 | <u>0</u> | 0 | <u>0</u> |
| erel Brill Common Dab | <u>5,559</u> <u>3,230</u> | 3,061 3,640 | 4,971 7,879 | <u>4,133</u> <u>4,296</u> | 3,199 4,020 | 4,185 4,613 |
| <u>Common</u> Sole | 44,542 | 10,117 | <u>26,311</u> | 23,956 | 30,918 | 27,169 |
| European Flounder | <u>3,817</u> | <u>1,950</u> | 9,040 | 16,778 | 18,055 | <u>9,928</u> |
| European Hake | 0 | 0 | <u>0</u> | <u>17</u> | <u>29</u> | <u>9</u> |
| European Plaice | 12,555 | <u>8,109</u> | 32,821 | 30,684 | 37,549 | 24,343 |
| <u>Haddock</u> | <u>32</u> | <u>11</u> | <u>0</u> | <u>0</u> | <u>5</u> | <u>10</u> |
| <u>Lemon Sole</u> | <u>521</u> | <u>370</u> | 1,244 | <u>1,129</u> | <u>994</u> | <u>852</u> |
| Ling | <u>6</u> | <u>44</u> 789 | <u>37</u> | <u>51</u> | <u>55</u> | <u>39</u> |
| <u>Lumpfish</u> | <u>43</u> | _ | <u>376</u> | <u>335</u> | <u>2,628</u> | 834 |
| Norway Lobster | 2 | <u>0</u> | <u>0</u> | <u>673</u> | <u>0</u> | <u>135</u> |
| Rays + | 0 | <u>0</u> | 0 | <u>0</u> | <u>5</u> | 1 |
| Skates | <u>u</u> | ū | <u>u</u> | <u>u</u> | 2 | <u> </u> |
| Saithe | 1 | 0 | <u>0</u> | <u>8</u> | <u>3</u> | <u>3</u> |
| Sea Trout | 228 | 0 | 0 | 0 | <u>0</u> | <u>s</u> 46 |
| Sprat | 4,138 | 10,006 | 4,274 | 19,249 | 0 | 7,533 |
| Tub | 5 | 0 | 4 | 7 | 14 | 6 |
| Gurnard | _ | _ | _ | _ | _ | _ |
| Turbot | 5,021 | 2,592 | 3,970 | 3,668 | 5,339 | 4,118 |
| Unknown Species | 9 | 3 | 20 | 10 | 13 | 11 |
| Whiting Garn | <u>0</u> | <u>1</u> | <u>54</u> | <u>14</u> | <u>0</u> | <u>14</u> |
| Atlantic Cod | <u>0</u> | 0 | 41,043 | 83,261 8 | <u>84,729</u> <u>4</u> | 1,807 |
| <u></u> | | | | | | |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| Atlantic Mackerel | <u>0</u> | <u>0</u> | <u>38</u> | 0 | 0 | <u>8</u> |
|----------------------------------|-----------|----------|---------------|---------------|--------------|------------|
| <u>Brill</u> | <u>0</u> | <u>0</u> | <u>3,252</u> | <u>1,461</u> | <u>705</u> | 1,083 |
| Common Dab | <u>0</u> | 0 | <u>1,703</u> | <u>1,566</u> | <u>590</u> | <u>772</u> |
| Common Sole | <u>0</u> | <u>0</u> | <u>31,379</u> | <u>11,164</u> | <u>4,745</u> | 9,458 |
| European Flounder | <u>0</u> | <u>0</u> | <u>924</u> | <u>1,167</u> | <u>387</u> | <u>496</u> |
| European Plaice | <u>0</u> | <u>0</u> | <u>10,380</u> | <u>5,929</u> | <u>3,590</u> | 3,980 |
| <u>Greater</u> <u>Weever</u> | <u>0</u> | <u>0</u> | 14 | 0 | 0 | <u>3</u> |
| <u>Lemon Sole</u> | <u>0</u> | <u>0</u> | <u>111</u> | <u>174</u> | <u>60</u> | <u>69</u> |
| Ling | <u>0</u> | <u>0</u> | <u>46</u> | <u>305</u> | <u>535</u> | <u>177</u> |
| <u>Lumpfish</u> | <u>0</u> | <u>0</u> | <u>1,137</u> | <u>343</u> | <u>560</u> | <u>408</u> |
| <u>Saithe</u> | <u>0</u> | 0 | <u>0</u> | 0 | <u>55</u> | <u>11</u> |
| <u>Turbot</u> | 0 | 0 | <u>2,671</u> | <u>696</u> | 389 | <u>751</u> |
| <u>Unknown</u> <u>Species</u> | <u>0</u> | 0 | <u>99</u> | 4 | <u>0</u> | <u>21</u> |
| Pelagisk traw | <u>ul</u> | | | | | |
| Atlantic Cod | 332 | 0 | 0 | <u>39</u> | <u>485</u> | <u>171</u> |
| Atlantic Herring | 0 | <u>0</u> | <u>298</u> | <u>794</u> | <u>0</u> | <u>219</u> |
| <u>Brill</u> | <u>13</u> | <u>0</u> | <u>0</u> | <u>123</u> | <u>39</u> | <u>35</u> |
| Common Dab | <u>0</u> | 0 | 0 | <u>28</u> | <u>0</u> | <u>6</u> |
| <u>Common</u> <u>Sole</u> | <u>0</u> | <u>0</u> | <u>0</u> | 310 | <u>78</u> | <u>78</u> |
| European Flounder | <u>0</u> | <u>0</u> | 0 | <u>128</u> | <u>13</u> | <u>28</u> |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| European Plaice | <u>0</u> | <u>0</u> | <u>0</u> | <u>666</u> | <u>176</u> | <u>168</u> |
|--------------------|--------------|----------|--------------|------------|------------|------------|
| <u>Sprat</u> | <u>5,622</u> | 3,715 | <u>3,238</u> | 28,570 | <u>0</u> | 8,229 |
| <u>Turbot</u> | <u>28</u> | <u>0</u> | <u>0</u> | <u>17</u> | <u>41</u> | <u>17</u> |
| Whiting | 0 | 0 | 35 | 10 | 0 | 9 |

Flensborg Fjord, Bredgrund og far-vandet omkring Als

| riensborg rjo | ra, breagrana | og iar-vandet d | JIIKIIII AIS | | | |
|------------------------------|---------------|-----------------|----------------|----------------|---------------|----------------|
| <u>Bundtrawl</u> | | | | | | |
| Atlantic Cod | 66,704 | 29,410 | <u>348,216</u> | <u>287,512</u> | 166,020 | <u>179,572</u> |
| Atlantic Herring | <u>13</u> | <u>0</u> | 0 | 0 | 0 | <u>3</u> |
| <u>Brill</u> | <u>5,956</u> | <u>1,469</u> | <u>692</u> | 990 | 412 | <u>1,904</u> |
| <u>Common</u> <u>Dab</u> | <u>6,644</u> | <u>2,621</u> | 22,490 | <u>15,889</u> | <u>9,705</u> | <u>11,470</u> |
| <u>Common</u> <u>Sole</u> | <u>615</u> | <u>162</u> | <u>267</u> | 423 | <u>388</u> | <u>371</u> |
| European Eel | 0 | 0 | 0 | 215 | <u>0</u> | <u>43</u> |
| European Flounder | <u>4,442</u> | <u>1,210</u> | 19,085 | 21,335 | <u>17,394</u> | 12,693 |
| European Plaice | <u>25,251</u> | 11,693 | 105,675 | 112,395 | <u>73,266</u> | <u>65,656</u> |
| Haddock | <u>0</u> | <u>0</u> | <u>3</u> | <u>3</u> | <u>4</u> | <u>2</u> |
| <u>Lemon Sole</u> | <u>158</u> | <u>55</u> | <u>887</u> | <u>1,833</u> | <u>666</u> | <u>720</u> |
| <u>Lumpfish</u> | <u>30</u> | <u>18</u> | <u>145</u> | <u>114</u> | <u>118</u> | <u>85</u> |
| Mullets | <u>5</u> | <u>2</u> | <u>6</u> | <u>3</u> | <u>0</u> | <u>3</u> |
| <u>Saithe</u> | 2 | <u>0</u> | <u>3</u> | <u>4</u> | <u>28</u> | <u>7</u> |
| Sea Trout | <u>18</u> | <u>11</u> | <u>2</u> | <u>0</u> | <u>0</u> | <u>6</u> |
| <u>Sprat</u> | <u>27,177</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>348</u> | <u>5,505</u> |
| <u>Turbot</u> | <u>2,799</u> | <u>401</u> | 2,129 | <u>2,642</u> | <u>1,429</u> | <u>1,880</u> |
| Whiting | <u>360</u> | <u>130</u> | <u>60</u> | <u>602</u> | <u>125</u> | <u>255</u> |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| <u>Garn</u> | | | | | | |
|----------------------------------|---------------|----------------|---------------|------------|----------|----------------|
| Atlantic Cod | 200 | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>40</u> |
| <u>Brill</u> | <u>56</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>11</u> |
| <u>Common</u> <u>Dab</u> | <u>23</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>5</u> |
| European Flounder | <u>6</u> | <u>0</u> | <u>0</u> | <u>0</u> | 0 | 1 |
| European Plaice | <u>43</u> | <u>0</u> | <u>0</u> | 0 | <u>0</u> | <u>9</u> |
| Pelagisk traw | <u>1</u> | | | | | |
| Atlantic Cod | <u>13,986</u> | <u>1,312</u> | 1,122 | <u>346</u> | 0 | <u>3,353</u> |
| Atlantic Herring | <u>545</u> | <u>0</u> | <u>6,611</u> | 8,111 | <u>0</u> | 3,053 |
| <u>Brill</u> | 235 | <u>7</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>48</u> |
| European Anchovy | <u>1,480</u> | 0 | <u>0</u> | 0 | 0 | <u>296</u> |
| European Pilchard | <u>3,931</u> | <u>0</u> | 0 | <u>0</u> | <u>0</u> | <u>786</u> |
| European Plaice | <u>57</u> | <u>0</u> | 0 | <u>0</u> | <u>0</u> | <u>11</u> |
| Saithe | 9 | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | 2 |
| Sea Trout | <u>41</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>8</u> |
| Sprat | 285,658 | <u>321,515</u> | <u>87,153</u> | 131,449 | <u>0</u> | <u>165,155</u> |
| Stickleback | <u>0</u> | <u>0</u> | 12,850 | <u>0</u> | <u>0</u> | <u>2,570</u> |
| Turbot | <u>92</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>18</u> |
| <u>Unknown</u> <u>Species</u> | 4 | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | 1 |
| Whiting | 20,530 | <u>0</u> | <u>124</u> | <u>98</u> | <u>0</u> | <u>4,150</u> |

Table 10: Value of the landings (EUR) from bottom trawls for $\underline{\text{Swedish vessels}}$ in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | 2013 | 2014 | Mean |
|--------------------------------------|--------|------|-------|------|-------|
| Adler Grund og Rønne Banke | 10.407 | 0 | 4.228 | 0 | 3.659 |
| Flensborg Fjord og havet omkring Als | 0 | 0 | 0 | 0 | 0 |
| Centrale Storebælt og Vresen | 0 | 0 | 0 | 0 | 0 |

Table 11: Value of the landings (EUR) from **German vessels** in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | Mean (2011-2012) |
|-------------------------------|--------|--------|------------------|
| Adler Grund og Rønne Banke | 365 | 7,908 | 4,137 |
| Centrale Storebælt | 10,309 | 0 | 5,155 |
| Flensborg Fjord | 23,414 | 42,014 | 32,714 |

Table 12: Value of the landings (EUR) from <u>Estonian vessels</u> in the three Natura 2000 sites

| N2000 area/Year | 2010 | 2012 | Mean |
|--------------------------------------|------|-------|-------|
| Adler Grund og Rønne Banke | 159 | 2.861 | 1.510 |
| Flensborg Fjord og havet omkring Als | 0 | 0 | 0 |
| Centrale Storebælt og Vresen | 0 | 0 | 0 |

Table 13: Value of the landings (EUR) from <u>Polish vessels</u> in the three Natura 2000 sites

| N2000 area/Year | 2011 | 2012 | 2013 | 2014 | Mean |
|--------------------------------------|------|-------|--------|------|-------|
| Adler Grund og Rønne Banke | 0 | 4.983 | 32.851 | 114 | 9.487 |
| Flensborg Fjord og havet omkring Als | 0 | 0 | 0 | 0 | 0 |
| Centrale Storebælt og Vresen | 0 | 0 | 0 | 0 | 0 |

Table 14: Weight (kg) of landings per specie level from <u>Danish vessels</u> by year (2010-2014)

| Natura 2000 site | KG 2010 | KG 2011 | KG 2012 | KG 2013 | KG 2014 | Mean (2010-2014) |
|----------------------------|------------|------------|------------|------------|------------|---------------------|
| Adler Grund og Rønne Banke | | | | | | |
| Bottom trawl | | | | | | |
| Atlantic Cod | 3,839 | 269 | 24,545 | 1,102 | 8,470 | 7,645 |
| European Flounder | 2 | 0 | 66 | 106 | 145 | 64 |

Slettet: bottom trawls for

Slettet: bottom trawl for

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| Francisco District | | 0 | 250 | | 22 | 70 |
|------------------------------|--------|--------|--------|--------|---------|--------|
| European Plaice | 52 | 0 | 259 | 57 | 23 | 78 |
| Saithe | 0 | 0 | 0 | 0 | 33 | 7 |
| Turbot | 7 | 0 | 1 | 6 | 14 | 6 |
| Whiting | 2 | 0 | 26 | 5 | 98 | 26 |
| Pelagic trawl | | | | | | |
| Atlantic Cod | 0 | 837 | 0 | 0 | 0 | 167 |
| Atlantic Herring | 0 | 0 | 10,610 | 0 | 0 | 2,122 |
| European Flounder | 0 | 9 | 0 | 0 | 0 | 2 |
| European Plaice | 0 | 24 | 0 | 0 | 0 | 5 |
| Turbot | 0 | 6 | 0 | 0 | 0 | 1 |
| Centrale Storebælt og Vresen | | | | | | |
| Bottom trawl | | | | | | |
| Atlantic Cod | 26,808 | 77,224 | 60,428 | 95,051 | 123,954 | 76,693 |
| Atlantic Herring | 0 | 0 | 923 | 2,044 | 0 | 593 |
| Atlantic Horsemackerel | 0 | 0 | 6 | 0 | 0 | 1 |
| Brill | 870 | 448 | 821 | 636 | 447 | 644 |
| Common Dab | 4,833 | 4,968 | 9,887 | 6,209 | 5,304 | 6,240 |
| Common Sole | 3,393 | 808 | 2,076 | 1,893 | 2,672 | 2,168 |
| European Flounder | 9,782 | 3,247 | 15,777 | 30,333 | 30,844 | 17,997 |
| European Hake | 0 | 0 | 0 | 13 | 33 | 9 |
| European Plaice | 11,840 | 7,759 | 29,760 | 31,107 | 40,684 | 24,230 |
| Haddock | 44 | 14 | 0 | 1 | 6 | 13 |
| Lemon Sole | 120 | 69 | 305 | 219 | 190 | 180 |
| Ling | 4 | 16 | 12 | 30 | 22 | 17 |
| Lumpfish | 16 | 214 | 40 | 51 | 1,221 | 308 |
| Norway Lobster | 1 | 0 | 0 | 105 | 0 | 21 |
| Rays + Skates | 0 | 0 | 0 | 0 | 6 | 1 |
| Saithe | 1 | 0 | 0 | 6 | 7 | 3 |
| Sea Trout | 24 | 0 | 0 | 0 | 0 | 5 |
| Sprat | 25,905 | 42,852 | 12,274 | 64,746 | 0 | 29,155 |
| Tub Gurnard | 3 | 0 | 2 | 2 | 6 | 3 |
| Turbot | 656 | 292 | 557 | 481 | 601 | 517 |
| Unknown Species | 7 | 2 | 10 | 5 | 10 | 7 |
| Whiting | 0 | 1 | 157 | 33 | 1 | 38 |
| Gillnet | | | | | | |
| Atlantic Cod | 0 | 0 | 16,052 | 54,739 | 58,042 | 25,767 |
| Atlantic Mackerel | 0 | 0 | 14 | 0 | 0 | 3 |
| Brill | 0 | 0 | 606 | 283 | 108 | 199 |
| Common Dab | 0 | 0 | 2,085 | 2,214 | 789 | 1,018 |
| Common Sole | 0 | 0 | 1,993 | 809 | 334 | 627 |
| European Flounder | 0 | 0 | 1,498 | 1,935 | 624 | 811 |
| European Plaice | 0 | 0 | 8,905 | 5,999 | 3,544 | 3,689 |
| Greater Weever | 0 | 0 | 6 | 0 | 0 | 1 |
| Lemon Sole | 0 | 0 | 26 | 31 | 12 | 14 |
| Ling | 0 | 0 | 17 | 166 | 223 | 81 |
| 8 | U | 0 | 1/ | 100 | 223 | 01 |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| Lumpfish | 0 | 0 | 324 | 104 | 582 | 202 |
|--|---------|--------|---------|---------|---------|---------|
| Saithe | 0 | 0 | 0 | 0 | 71 | 14 |
| Turbot | 0 | 0 | 530 | 111 | 42 | 137 |
| Unknown Species | 0 | 0 | 26 | 2 | 0 | 6 |
| Pelagic trawl | | | | | | |
| Atlantic Cod | 244 | 0 | 0 | 11 | 176 | 86 |
| Atlantic Herring | 0 | 0 | 1,010 | 2,400 | 0 | 682 |
| Brill | 2 | 0 | 0 | 14 | 4 | 4 |
| Common Dab | 0 | 0 | 0 | 34 | 0 | 7 |
| Common Sole | 0 | 0 | 0 | 20 | 5 | 5 |
| European Flounder | 0 | 0 | 0 | 241 | 25 | 53 |
| European Plaice | 0 | 0 | 0 | 567 | 196 | 153 |
| Sprat | 29,613 | 15,517 | 11,008 | 99,645 | 0 | 31,156 |
| Turbot | 3 | 0 | 0 | 2 | 3 | 2 |
| Whiting | 0 | 0 | 109 | 29 | 0 | 28 |
| Flensborg Fjord, Bredgrund og farvandet omkring Als | | | | | | |
| Bottom trawl | | | | | | |
| Atlantic Cod | 40,727 | 16,004 | 187,632 | 183,188 | 113,110 | 108,132 |
| Atlantic Herring | 20 | 0 | 1 | 0 | 0 | 4 |
| Brill | 1,102 | 269 | 122 | 175 | 66 | 347 |
| Common Dab | 12,267 | 4,504 | 31,950 | 28,614 | 18,019 | 19,071 |
| Common Sole | 61 | 12 | 20 | 32 | 34 | 32 |
| European Eel | 0 | 0 | 0 | 16 | 0 | 3 |
| European Flounder | 17,246 | 2,609 | 38,775 | 46,859 | 34,392 | 27,976 |
| European Plaice | 31,122 | 11,629 | 105,166 | 129,873 | 95,628 | 74,683 |
| Haddock | 0 | 0 | 3 | 2 | 9 | 3 |
| Lemon Sole | 34 | 11 | 190 | 347 | 124 | 141 |
| Lumpfish | 11 | 8 | 23 | 14 | 80 | 27 |
| Mullets | 1 | 1 | 4 | 2 | 0 | 2 |
| Saithe | 2 | 0 | 3 | 4 | 80 | 18 |
| Sea Trout | 7 | 3 | 1 | 0 | 0 | 2 |
| Sprat | 129,957 | 0 | 0 | 0 | 1,358 | 26,263 |
| Turbot | 372 | 52 | 352 | 404 | 199 | 276 |
| Whiting | 973 | 286 | 96 | 1,246 | 247 | 570 |
| Gillnet | | | | | | |
| Atlantic Cod | 172 | 0 | 0 | 0 | 0 | 34 |
| Brill | 14 | 0 | 0 | 0 | 0 | 3 |
| Common Dab | 70 | 0 | 0 | 0 | 0 | 14 |
| European Flounder | 33 | 0 | 0 | 0 | 0 | 7 |
| European Plaice | 60 | 0 | 0 | 0 | 0 | 12 |
| Pelagic trawl | | | | | | |
| Atlantic Cod | 9,401 | 638 | 603 | 160 | 0 | 2,160 |
| Atlantic Herring | 2,167 | 0 | 26,717 | 23,240 | 0 | 10,425 |
| Brill | 40 | 1 | 0 | 0 | 0 | 8 |
| | | | | | | |

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea

| European Anchovy | 9,505 | 0 | 0 | 0 | 0 | 1,901 |
|-------------------|-----------|-----------|---------|---------|---|---------|
| European Pilchard | 28,430 | 0 | 0 | 0 | 0 | 5,686 |
| European Plaice | 62 | 0 | 0 | 0 | 0 | 12 |
| Saithe | 6 | 0 | 0 | 0 | 0 | 1 |
| Sea Trout | 12 | 0 | 0 | 0 | 0 | 2 |
| Sprat | 1,540,571 | 1,333,206 | 352,425 | 376,193 | 0 | 720,479 |
| Stickleback | 0 | 0 | 51,749 | 0 | 0 | 10,350 |
| Turbot | 16 | 0 | 0 | 0 | 0 | 3 |
| Unknown Species | 13 | 0 | 0 | 0 | 0 | 3 |
| Whiting | 128,416 | 0 | 500 | 281 | 0 | 25,839 |

Table 15: Weight (kg) and value (ε) of landings from <u>Swedish vessels</u> by year (2010-2014)

| Natura 2000 site | 2011 | | 2012 | | 2013 | | 2014 | |
|----------------------------|------|-------|------|-------|------|-------|-------|-------|
| Natura 2000 Site | KG | EUR | KG | EUR | KG | EUR | KG | EUR |
| Adler Grund og Rønne Banke | | | | | | | | |
| Bottom trawl | | | | | | | | |
| Atlantic Cod | 8000 | 10407 | 0 | 0 | 3495 | 4228 | 0 | 0 |
| Gillnet | | | | | | | | |
| Atlantic Cod | 0 | 0 | 57 | 60 | 0 | 0 | 0 | 0 |
| European Flounder | 0 | 0 | 80 | 48 | 0 | 0 | 285 | 142 |
| European Plaice | 0 | 0 | 9751 | 11954 | 210 | 254 | 229 | 258 |
| Longlines | | | | | | | | |
| Atlantic Cod | 0 | 0 | 0 | 0 | 9619 | 11636 | 0 | 0 |
| Pelagic trawl | | | | | | | | |
| Atlantic Cod | 0 | 0 | 0 | 0 | 0 | 0 | 600 | 143 |
| Atlantic Herring | 0 | 0 | 0 | 0 | 0 | 0 | 36000 | 14203 |
| Sprat | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 16: Weight (kg) of landings from German vessels by year (2010-2012)

| Natura 2000 site | 2010 | 2011 | 2012 |
|------------------------------|------|------|-------|
| Adler Grund og Rønne Banke | | | |
| ОТВ | | | |
| Hvilling | 3 | 6 | 9 |
| Ising | | 1 | 2 |
| Makrel | | | 1 |
| Ørred | | 0 | |
| Pighvar | 1 | 2 | 0 |
| Rødspætte | 2 | 0 | 10 |
| Skrubbe | 23 | 69 | 29 |
| Slethvar | | | |
| Torsk | 106 | 272 | 5849 |
| Centrale Storebælt og Vresen | | | |
| ОТВ | | | |
| Andet | | 1 | |
| Ising | | 285 | |
| Kuller | | 13 | |
| Lange | | 2 | |
| Pighvar | | 53 | |
| Rødspætte | | 1108 | |
| Rødtunge | | 11 | |
| Skrubbe | | 1328 | |
| Slethvar | | 93 | |
| Stenbider | | 1 | |
| Torsk | | 668 | |
| Tunge | | 549 | |
| Flensborg Fjord | | | |
| ОТВ | | | |
| Andet | | 0 | 1 |
| Hvilling | 1691 | 4541 | 37 |
| Ising | 3451 | 4474 | 5897 |
| Knurhane | | | |
| Kuller | | 12 | |
| Makrel | | | |
| Ørred | 5 | | |
| Pighvar | 141 | 109 | 29 |
| Rødspætte | 3035 | 5200 | 8322 |
| Rødtunge | | | |
| Sild | 8 | 18 | |
| Skærising | 0 | | 0 |
| Skrubbe | 2063 | 9521 | 6345 |
| Slethvar | 139 | 88 | 4 |
| Torsk | 1538 | 3140 | 16036 |

Tunge 9 17 31

Table 17: Weight (kg) and value (€) of landings from Estonian vessels by year (2010-2012)


| Natura 2000 area | Weight (kg) | | Estimated value (DKK) Estima | ted value (EUR) |
|------------------|-------------|------|------------------------------|-----------------|
| 2010 | | | | |
| Torsk | | | | |
| Pelagisk trawl | | | | |
| 38G4 | | 145 | 1182 | 159 |
| 2012 | | | | |
| Torsk | | | | |
| Bundtrawl | | | | |
| 38G4 | | 1657 | 14643 | 1965 |
| 39G4(24) | | 760 | 6675 | 896 |

Table 18: Weight (kg) and value (€) of landings from Polish vessels by year (2011-2014)

| År | Redskab | Species | Landing, afregning (kg) | Værdi (PLN) | Værdi (DKK) | Værdi (EUR) |
|------|----------------------------------|-----------|-------------------------------|----------------|----------------|----------------|
| 2012 | Bundtrawl (OTB) | Torsk | 3043 | 18808 | 33488 | 4495 |
| | | Skrubbe | 825 | 1650 | 2938 | 394 |
| | | Rødspætte | 125 | 312.5 | 556 | 75 |
| | | Pighvarre | 10 | 80 | 142 | 19 |
| | Bundtrawl (OTB) og garn (GNS) | Skrubbe | 1050 | takeover | Takeover | takeover |
| | | Rødspætte | 2375 | takeover | Takeover | takeover |
| 2013 | Bundtrawl (OTB) | Torsk | 18260 | 133772 | 237675 | 31903 |
| | Skrubbe | 2925 | 3975 | 7062 | 948 | |
| 2014 | Bundtrawl (OTB) | Skrubbe | 475 | 475 | 846 | 114 |

The polish data are from the area "D7", see map below.

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea



Annex L - Fishery effort


Fishery effort can be expressed as VMS effort to give an indication of where in a given area, fishery takes place and at what intensity. DTU Aqua has analyzed fishery effort in relation to the present proposal for Danish, Swedish and German vessels.

Danish vessels

VMS effort is expressed as VMS point*VMS interval*kW of the vessel for each VMS ping classified as fishing activity. As the VMS interval for Danish vessels is one hour, it will be expressed as VMS point*kW. In 2011, the VMS data are available for vessels >=15 m, whereas in 2012 the VMS data are available for vessels >=12 m. To make a VMS effort estimate that is comparable between years, the amount of extra effort that the vessels of length 12-15 meters are adding to the 2012 data, can be expressed as (VMS*kW 12-15m)/(VMS*kW >=15m). This gives the factor 0.494 for bottom contacting mobile gear groups, and the factor 0.086 for other gear groups. The 2011 data have been raised by these factors accordingly.

The average VMS effort within cell sizes of 2000 m for the years 2011-2014 is shown in the maps below (figure 1) for bottom contacting mobile gear groups and other gear groups for Danish vessels for the Baltic area

Figure 1 . Distribution of <u>Danish fishing VMS effort</u> (Number of VMS recordings * vessel kW) by gear group given as an average for the period 2011-2014



Slettet: <objekt><objekt>

Slettet: [TO BE UPDATED]

The tables below (table 1 and 2) show fishing activity for Danish vessels in the three Natura 2000 sites in relation to fishery in the Baltic Sea in general based on VMS effort.

Table 1. Average (2011-2014) VMS effort inside the Natura 2000 sites and the stone reef buffer zones, relatively to the total VMS effort in the Baltic Sea for <u>Danish vessels</u> with mobile bottom contacting gears.

| | Mobile bottom contacting gears | | | |
|---|--------------------------------|-------------------|--|--|
| | Natura 2000 area | Stone reef buffer | | |
| Adler Grund og Rønne Banke | 0.100 % | 0.022 % | | |
| Centrale Storebælt og Vresen | 2.673 % | 0.686 % | | |
| Flensborg Fjord, Bredgrund og farvandet omkring Als | 4.444 % | 0.080 % | | |
| Total | 7.217 | 0.787 | | |

Table 2. Average (2011-2014) VMS effort inside the Natura 2000 sites and the stone reef buffer zones, relatively to the total VMS effort in the Baltic Sea for <u>Danish vessels</u> with other gear groups.

| | Other gears | | |
|---|------------------|-------------------|--|
| | Natura 2000 area | Stone reef buffer | |
| Adler Grund og Rønne Banke | 0.115 % | 0.016 % | |
| Centrale Storebælt og Vresen | 3.456 % | 2.062 % | |
| Flensborg Fjord, Bredgrund og farvandet omkring Als | 5.126 % | 0.135 % | |
| Total | 8.698 | 2.213 | |

The maps in figure 1 and data in table 1 and 2 clearly show the very low fishing effort within the Natura 2000 areas when looking at Danish vessels above 12 meters.

Swedish vessels

The forwarded Swedish VMS data contains information about the mobile bottom contacting gear groups TR1 and TR2. The kW of the vessels is given in intervals, and the midpoint of the interval is used for the calculation of VMS effort. The category >650 is set to 650, as the kW range in this group is unknown.


Table 3. Swedish kW data

| kW interval | kW value used for VMS effort |
|-------------|---------------------------------|
| 100-150 | 125 |
| 150-200 | 175 |
| 200-250 | 225 |
| 250-300 | 275 |
| 300-400 | 350 |
| 400-650 | 525 |
| >650 | 650 |


The Swedish VMS data has variable ping-period with values between 0.25 or 1. The VMS effort for the Swedish data is calculated as VMS ping*kW*ping period. An average VMS effort map for the years 2011-2014 is calculated in the same way as for the Danish vessels, see figure 2.

Figure 2. Distribution of <u>Swedish fishing VMS effort</u> (Number of VMS recordings * vessel kW * ping-period) by gear group in the Baltic Sea area given as an average for the period 2011-2014

DRAFT - Proposal for fisheries management measures in Danish Natura 2000 sites in the Western Baltic Sea







Slettet: ¶ <objekt><objekt>

Slettet: Effort maps for DE, EE and PL will be included during the regional process

56°20'0"N

6°0'0"N

55°40'0"N

5"30"0"N

55°10'0"N

54°50'0"N

54°30'0"N

54°20'0"N

54°0'0"N

-53°40'0"N

53°30'0"N